



**Intel® SRCS28X RAID
Controller 815B Firmware
Upgrade for Intel® Storage
System SSR212MA**

Firmware Release Notes

Revision 1.0

August, 2007

Storage Systems Technical Marketing

Revision History

Date	Revision Number	Modifications
August, 2007	1.0	1 st Release copy.

Disclaimers

THE INFORMATION IN THIS DOCUMENT IS PROVIDED "AS IS" WITH NO WARRANTIES WHATSOEVER, INCLUDING ANY WARRANTY OF MERCHANTABILITY, FITNESS FOR ANY PARTICULAR PURPOSE, OR ANY WARRANTY OTHERWISE ARISING OUT OF ANY PROPOSAL, SPECIFICATION, OR SAMPLE.

Information in this document is provided in connection with Intel® products. No license, express or implied, by estoppel or otherwise, to any intellectual property rights is granted by this document. Except as provided in Intel's Terms and Conditions of Sale for such products, Intel assumes no liability whatsoever, and Intel disclaims any express or implied warranty, relating to sale and/or use of Intel products including liability or warranties relating to fitness for a particular purpose, merchantability, or infringement of any patent, copyright or other intellectual property right. Intel products are not intended for use in medical, life saving, or life sustaining applications.

Intel retains the right to make changes to its test specifications at any time, without notice.

The hardware vendor remains solely responsible for the design, sale and functionality of its product, including any liability arising from product infringement or product warranty.

Copyright © Intel Corporation 2006. All rights reserved.

Intel, the Intel logo, and EtherExpress are trademarks or registered trademarks of Intel Corporation or its subsidiaries in the United States and other countries.

*Other names or brands may be claimed as the property of others.

Table of Contents

1	Introduction	7
2	Summary of Issues Fixed in This Release.....	7
3	Upgrading to 815B Firmware.....	8
3.1	Applying This Upgrade	8
3.1.1	Upgrade Overview.....	8
3.1.2	Prerequisites	8
3.1.3	Download the Upgrade Components.....	8
3.2	Installing the 815B RAID Controller Upgrade.....	9
3.2.1	Best Practices	9
3.2.2	Selecting The Type of Upgrade	9
3.2.3	Intended Upgrade Candidates.....	9
3.2.4	Determining RAID Controller Firmware Versions.....	10
3.2.5	Upgrade Procedures.....	10

1 Introduction

The Intel SRC28X RAID Controller firmware upgrade to 815B should look and feel like any other Intel Storage System SSR212MA software upgrade. However, because we are updating low-level firmware on two printed circuit cards residing on the PCI bus there are some notable exceptions to the standard upgrade process. Please carefully review this document in its entirety before proceeding to the actual upgrade.

2 Summary of Issues Fixed in 815B Firmware

Drive Missing After Reboot (LSI BIOS does not see drive at boot)
--

3 Upgrading to 815B Firmware

3.1 Applying This Upgrade

3.1.1 Upgrade Overview

For SSR212MAs that also need the SAN Software upgrades

- 1) First apply the 815B firmware upgrade on all units one at a time.
- 2) Then apply the SAN Software on all units one at a time. Follow the detailed upgrade guidelines in the release notes for the SAN Software that you are upgrading to. The release notes are available on Support and your IBL account.

3.1.2 Prerequisites

- If you are planning to implement RAID 5 or RAID 10 levels the configuration must be done at least 24 hours prior to 815B firmware upgrade. Reason being, for a period of approximately 24 hours following a RAID 5 or RAID 10 configuration, the system performs background initialization and consistency checks in the RAID controllers. If you attempt to perform the upgrade during this initialization the Storage System Management Console will refuse to proceed with the upgrade.
- All Intel Storage System SSR212MAs being upgraded must have RAID levels configured with a status of Normal before proceeding to upgrade.
- The storage module will reboot as part of the upgrade process which will cause your volumes to temporarily go offline. If any iSCSI volumes are in use, please stop activities to those volumes by either unmount or logging off before beginning the upgrade.

3.1.3 Download The Upgrade Components

1. Download the Intel SRCS28X RAID controller 815B firmware upgrade package from the Intel Storage System SSR212MA support site or from your IBL account.

Platform	For RAID Controller	
	Firmware Version	Use Upgrade File
SSR212MA	815B	Intel_RAID_firmware_815B-2.20.4.8_20070507.install

3.2 Installing the 815B RAID Controller Firmware

3.2.1 Best Practice

- Virtual IP Addresses - If a Virtual IP (VIP) address is assigned to a storage module in a cluster, the VIP storage module needs to be upgraded last. The VIP storage module is shown in a field in the clusters detail tab.
 - First upgrade the non-VIP storage modules that are running managers one at a time.
 - Then upgrade the non-VIP non-manager storage modules.
 - Lastly, upgrade the VIP storage module.
- Remote Copy – If you are upgrading management groups with Remote Copy associations, you must upgrade the remote management group first. If you upgrade the primary group first, Remote Copy will stop working.

3.2.2 Selecting the Type of Upgrade

The Storage System Software Console supports two types of upgrades

- One-at-a-time (recommended) - this is the default and only method if the storage modules exist in a management group.
- Simultaneous (advanced) - this allows you to upgrade multiple storage modules at the same time if they are not in a management group. Use this for new storage modules and/or re-configured storage modules.
 1. Select from the list which storage modules to upgrade.
 2. Select the type of upgrade.
 3. Click Install.

3.2.3 Intended Upgrade Candidates

Intel 815B firmware upgrade candidates will fall into one of two categories

- Category 1 – Upgrades for customers with production Intel Storage System SSR212MAs with RAID levels currently configured and containing live data. This category will include Intel Storage System SSR212MAs that are in a management group, cluster and have customer accessible live volumes.
- Category 2 – Upgrades for customers with delayed installation; Intel Storage System SSR212MAs that are still in the carton and need to have their Intel SRCS28X RAID controller firmware updated to 815B at installation time. This category will include Intel Storage System SSR212MAs that were manufactured with 814G or earlier firmware versions loaded into the RAID controllers but have not been deployed in a production environment.

3.2.4 Determining RAID Controller Firmware Version

Please use the passive report tool to determine your current Intel SRCS28X RAID controller firmware version. The section in the report for NVRAM items will display the firmware version. The Intel Storage System SSR212MAs contain two Intel SRCS28X RAID controllers so please be sure to check both firmware versions to avoid performance issues.

3.2.5 Upgrade Procedures

Procedures for Category 1

1. Using the passive reports, please verify that the Intel SRCS28X RAID controller firmware version is 814G or earlier.
2. Perform the firmware upgrade and reboot.
3. After the upgrade finishes and the storage module has rebooted, use the passive reports to verify that both controllers have firmware version 815B.

Clustered Intel Storage System SSR212MAs with 2-way replication turned on

1. Using the passive reports, please verify that the Intel SRCS28X RAID controller firmware version is 814G or earlier.
2. Perform the firmware upgrade and reboot.
3. After the upgrade finishes and the storage module has rebooted, use the passive reports to verify that both controllers have firmware version 815B.
4. Next, wait for the storage module to resynchronize.
5. Once the resynchronization finishes, upgrade the next storage module in the cluster.
6. Repeat steps 1 through 5 until you have upgraded all the storage modules in the cluster.

Procedures for Category 2

1. Power on the storage module.
2. Wait 24 hours for the background initialization to complete.
3. Using the passive report, please verify that the Intel SRCS28X RAID controller firmware version is 814G or earlier.
4. Perform the firmware upgrade and reboot.
5. After the upgrade finishes and the storage module has rebooted, use the passive reports to verify that both controllers have firmware version 815B.

Note: In some rare cases, successfully upgraded firmware on the Intel SRCS28X RAID controller will cause a CRC failure or md5 checksum on the boot cycle that follows the upgrade. The controllers then safely revert to its previous firmware revision. The reversion is harmless and if it occurs please try the upgrade again.