

# True Scale Fabric Suite Software

Release Notes

---

*July 2014*



INFORMATION IN THIS DOCUMENT IS PROVIDED IN CONNECTION WITH INTEL PRODUCTS. NO LICENSE, EXPRESS OR IMPLIED, BY ESTOPPEL OR OTHERWISE, TO ANY INTELLECTUAL PROPERTY RIGHTS IS GRANTED BY THIS DOCUMENT. EXCEPT AS PROVIDED IN INTEL'S TERMS AND CONDITIONS OF SALE FOR SUCH PRODUCTS, INTEL ASSUMES NO LIABILITY WHATSOEVER AND INTEL DISCLAIMS ANY EXPRESS OR IMPLIED WARRANTY, RELATING TO SALE AND/OR USE OF INTEL PRODUCTS INCLUDING LIABILITY OR WARRANTIES RELATING TO FITNESS FOR A PARTICULAR PURPOSE, MERCHANTABILITY, OR INFRINGEMENT OF ANY PATENT, COPYRIGHT OR OTHER INTELLECTUAL PROPERTY RIGHT.

A "Mission Critical Application" is any application in which failure of the Intel Product could result, directly or indirectly, in personal injury or death. SHOULD YOU PURCHASE OR USE INTEL'S PRODUCTS FOR ANY SUCH MISSION CRITICAL APPLICATION, YOU SHALL INDEMNIFY AND HOLD INTEL AND ITS SUBSIDIARIES, SUBCONTRACTORS AND AFFILIATES, AND THE DIRECTORS, OFFICERS, AND EMPLOYEES OF EACH, HARMLESS AGAINST ALL CLAIMS COSTS, DAMAGES, AND EXPENSES AND REASONABLE ATTORNEYS' FEES ARISING OUT OF, DIRECTLY OR INDIRECTLY, ANY CLAIM OF PRODUCT LIABILITY, PERSONAL INJURY, OR DEATH ARISING IN ANY WAY OUT OF SUCH MISSION CRITICAL APPLICATION, WHETHER OR NOT INTEL OR ITS SUBCONTRACTOR WAS NEGLIGENT IN THE DESIGN, MANUFACTURE, OR WARNING OF THE INTEL PRODUCT OR ANY OF ITS PARTS.

Intel may make changes to specifications and product descriptions at any time, without notice. Designers must not rely on the absence or characteristics of any features or instructions marked "reserved" or "undefined". Intel reserves these for future definition and shall have no responsibility whatsoever for conflicts or incompatibilities arising from future changes to them. The information here is subject to change without notice. Do not finalize a design with this information.

The products described in this document may contain design defects or errors known as errata which may cause the product to deviate from published specifications. Current characterized errata are available on request.

Contact your local Intel sales office or your distributor to obtain the latest specifications and before placing your product order.

Copies of documents which have an order number and are referenced in this document, or other Intel literature, may be obtained by calling 1-800-548-4725, or go to: <http://www.intel.com/design/literature.htm>

Any software source code reprinted in this document is furnished for informational purposes only and may only be used or copied and no license, express or implied, by estoppel or otherwise, to any of the reprinted source code is granted by this document.

Intel and the Intel logo are trademarks of Intel Corporation in the U.S. and/or other countries.

\*Other names and brands may be claimed as the property of others.

Copyright © 2014, Intel Corporation. All rights reserved.



## Contents

---

<b>1.0 Overview of the Release</b>	5
1.1 Introduction	5
1.2 Audience	5
1.3 If You Need Help	5
1.4 New Features and Enhancements	5
1.4.1 Release 7.3.0.0.26 Enhancements	5
1.4.2 Release 7.2.2.0.8 Enhancements	5
1.4.3 Release 7.2.1.1.22 Enhancements	6
1.5 Operating Environments Supported	7
1.6 Qualified Parallel File Systems	8
1.7 Intel Interface for NVIDIA GPUs	8
1.8 Hardware Supported	9
1.9 Software Supported	9
1.9.1 Remote Node Software Versions Supported in this Release	9
1.9.2 Remote Node Software Versions with Reduced Capability	10
1.10 Installation Requirements	10
1.10.1 Package Installation Requirements	10
1.10.2 Software and Firmware Requirements	10
1.11 Changes for this Release	11
1.11.1 Changes to Industry Standards Compliance	11
1.12 Product Constraints	11
1.12.1 FastFabric Toolset Product Constraints	11
1.12.2 Fabric Manager	12
1.13 Product Limitations	12
1.14 Other Information	12
1.14.1 FastFabric Toolset Information	12
1.14.2 Fabric Manager Information	12
1.15 Documentation	13
<b>2.0 System Issues for Release 7.3.0.0.26</b>	15
2.1 Introduction	15
2.2 Resolved Issues in this Release	15
2.3 Known Issues	16
2.3.1 Open Issues Table	16

## Tables

1 Operating Environments Supported	7
2 CPU Model of Linux Kernel	7
3 NVIDIA’s CUDA Tested with OFED+	8
4 Hardware Supported	9
5 Changes to Industry Standards Compliance	11
6 Related Documentation for this Release	13
7 Resolved Issues	15
8 Open Issues	16





## 1.0 Overview of the Release

### 1.1 Introduction

These Release Notes provide a brief overview of the changes introduced into the Intel® True Scale Fabric Suite Software (IFS) software by this release. This release notes document includes only the IFS software and must be used in conjunction with the Intel® *OFED+ Host Software Release Notes* for a complete package. References to more detailed information are provided where necessary. The information contained in this document is intended for supplemental use only; it should be used in conjunction with the documentation provided for each component.

These Release Notes list the new features of the release, as well as the system issues that were closed in the development of Release 7.3.0.0.26.

### 1.2 Audience

The information provided in this document is intended for installers, software support engineers, and service personnel.

### 1.3 If You Need Help

If you need assistance while working with the True Scale Fabric Suite Software, contact your Intel® approved reseller or Intel® True Scale Technical Support:

- By E-mail:  
[ibsupport@intel.com](mailto:ibsupport@intel.com)
- On the Support tab at web site:  
<http://www.intel.com/truescale>

For OEM-specific server platforms supported by this release, contact your OEM.

## 1.4 New Features and Enhancements

This section list the new features and enhancements added since Release 7.2.2.0.8, as well as the two previous releases of IFS.

### 1.4.1 Release 7.3.0.0.26 Enhancements

- Added support for
  - RedHat EL 7
  - openmpi 1.8.1
  - mvapich2 1.8.1
  - OFED-3.5-2


### 1.4.2 Release 7.2.2.0.8 Enhancements

- Added support for
  - RedHat EL 5.10 and 6.5
  - CentOS 5.10 and 6.5
  - Scientific Linux 5.10 and 6.5



### **1.4.3 Release 7.2.1.1.22 Enhancements**

- Added support for RedHat EL 6.4, SLES 11 SP3, CentOS 6.4 and Scientific Linux 6.4



## 1.5 Operating Environments Supported

The Release 7.3.0.0.26 version of IFS allows for the Operating Systems listed in [Table 1](#).

**Table 1. Operating Environments Supported**

Operating System	Update/SP	Version
RHEL 6 X86_64 (AMD Opteron and Intel EM64T)	Update 4	2.6.32-358.el6.x86_64
	Update 5	2.6.32-431.el6.x86_64
RHEL 7 X86_64 (AMD Opteron and Intel EM64T)		3.10.0-123.el7.x86_64
SLES 11 X86_64 (AMD Opteron and Intel EM64T)	SP2	3.0.13-0.27-default
	SP3	3.0.76-0.11-default
Community Enterprise Operating System (CentOS) X86_64 (AMD Opteron and Intel EM64T)	Update 6.4	2.6.32-358.el6.x86_64
	Update 6.5	2.6.32-431.el6.x86_64
Scientific Linux X86_64 (6.x)	Update 6.4	2.6.32-358.el6.x86_64
	Update 6.5	2.6.32-431.el6.x86_64
StackIQ Cluster Manager (Rocks+) HPC 3.1	RHEL 6.4	2.6.32-358.el6.x86_64
	CentOS 6.4	2.6.32-358.el6.x86_64
StackIQ Cluster Manager (Rocks+) HPC 3.2.1	RHEL 6.5	2.6.32-431.el6.x86_64
	CentOS 6.5	2.6.32-431.el6.x86_64
Platform HPC-4.1.1.1	RHEL 6.4	2.6.32-358.el6.x86_64
	RHEL 6.5	2.6.32-431.el6.x86_64

CPU model of Linux kernel can be identified by `uname -m` and `/proc/cpuinfo` shown in [Table 2](#)

**Table 2. CPU Model of Linux Kernel**

Model	uname	/proc/cpuinfo
EM64T	x86_64	Intel CPUs
Opteron*	x86_64	AMD CPUs

**Note:** Other combinations (such as i586 uname) are not currently supported.



## 1.6 Qualified Parallel File Systems

Lustre and IBM General Parallel File System (GPFS) listed below have been tested for use with this release of the Intel® OFED+ host software using the operating systems listed below:

- Lustre 2.4.1
  - RHEL 6.4
- IBM GPFS 3.5.0.18
  - RHEL 6.5

Refer to the *Intel® OFED+ Host Software User Guide* for the latest configuration recommendations for optimizing Lustre and GPFS performance with Intel® True Scale Fabric.


## 1.7 Intel Interface for NVIDIA GPUs

NVIDIA's CUDA parallel computing platform and programming models have been tested for use with this release of the Intel® OFED+ host software using the operating systems listed in [Table 3](#):

**Table 3. NVIDIA's CUDA Tested with OFED+**

Distributions	CUDA 6.0
RHEL 6.4	X
RHEL 6.5	X
SLES 11 SP2	X
SLES 11 SP3	X





## 1.8 Hardware Supported

Table 4 list the hardware supported in this release.

**Table 4. Hardware Supported**

HCA's
QLE7340
QLE7342
QME7342
QME7362
QMH7342
MHQH29-*
MHQH19-*
MHQH19B-XTR
MHQH29B-XTR
MHQH29B-XSR
MCX354A-QCAT
MCX353A-QCAT
NC543i (HP SL390 G7 in-built InfiniBand Host Channel Adapter)
CX-3 LOM down QDR
46M2199
46M2203

## 1.9 Software Supported

### 1.9.1 Remote Node Software Versions Supported in this Release

The Intel® True Scale Fabric Suite FastFabric management node can manage nodes with the following software:

- Host with FastFabric for OFED Enablement Tools 4.2 or later

*Note:*

While the Intel® True Scale Fabric Suite FastFabric Management Node requires Intel® OFED+ Host Software 1.5.3 or later to run Intel® True Scale Fabric Suite FastFabric 7.2, Intel® FastFabric can manage cluster nodes running Intel® OFED+ Host Software 1.2.5 or Intel® OFED+ Host Software 1.3, OFED 1.4 or OFED 1.5, and Intel® IB Tools 4.2 or later.

- Intel® Internally Managed 9000 series Switches with 4.1 or later firmware
- Intel® Externally Managed 9024FC Switches with 4.1 or later firmware
- Intel® Internally Managed 12000 series Switches with 5.0 or later firmware
- Intel® Externally Managed 12200 Switches with 5.0 or later firmware
- Intel® 12100 Switches with 5.0 or later firmware



The Intel® True Scale Fabric Suite Fabric Manager can manage nodes with the following software:

- Host with Intel® OFED+ Host Software 1.2 or later
- Intel® Internally Managed 9000 series Switches with 4.1 or later firmware
- Intel® Externally Managed 9024FC Switches with 4.1 or later firmware
- Intel® Internally Managed 12000 series Switches with 5.0 or later firmware
- Intel® Externally Managed 12200 Switches with 5.0 or later firmware
- Intel® 12100 Switches with 5.0 or later firmware

### 1.9.2 Remote Node Software Versions with Reduced Capability

The Intel® True Scale Fabric Suite FastFabric can manage nodes with the following software:

- Nodes running third-party IB Stacks
- OFED nodes without the Intel® IB Tools installed
- Third Party IB Switches

The Intel® True Scale Fabric Suite Fabric Manager can manage nodes with the following software:

- Nodes running third-party IB Stacks
- OFED Nodes with Intel® OFED+ 1.2 or earlier
- Third Party IB Switches

## 1.10 Installation Requirements

The following list any special or release specific installation requirements for this release.

### 1.10.1 Package Installation Requirements:

Intel® True Scale Fabric Suite Software (IFS) package should be installed on the head node and Intel® OFED+ Host Software package should be installed on all other nodes except the head node.

When using Intel® True Scale Fabric Suite FastFabric toolset to install other nodes, `IntelIB-Basic.DISTRO.VERSION.tgz` should be downloaded. This file is specified by default in `fastfabric.conf` through the `FF_PRODUCT` and `FF_PRODUCT_VERSION` parameters and is used to install all other nodes.

### 1.10.2 Software and Firmware Requirements

All IFS software on a given node must be at the same release level. The Intel® OFED+ Host Software is installed as part of the package. Prior to installing the Intel® True Scale Fabric Suite Software release, any versions of the SilverStorm IB stack (and any other vendor's IB stack) must be uninstalled.

**Note:** When using the Intel® True Scale Fabric Suite (IFS) Software installation wrapper, the wrapper install enforces this requirement.



## 1.11 Changes for this Release

The following sections describe the changes that have been made to the Intel® True Scale Fabric Suite Software package between versions 7.2.2.0.8 and 7.3.0.0.26.

For detailed information about any of the previous releases listed, refer to the Release Notes for the specific version.

### 1.11.1 Changes to Industry Standards Compliance

Table 5 shows each Basic OFED version that is supported and the Intel® OFED+ Releases that include each

**Table 5. Changes to Industry Standards Compliance**

Basic OFED Software Package Supported	Intel® OFED+ Host Software Package
Version 1.5.4.1	Versions 7.2.1.1.22, 7.2.2.0.8
Version 3.5-2	Version 7.3.0.0.26

## 1.12 Product Constraints

The following is a list of product constraints for this release:

### 1.12.1 FastFabric Toolset Product Constraints

- The product supports a default HCAs configuration of Port 1 on the HCAs as the active port and Port 2 on the HCAs as the standby port. The following FastFabric operations may not work correctly with a HCA configuration of 2 active ports, or a configuration which has Port 2 of the HCAs as the active port:
  - Host Setup using FastFabric->Configure IPoIB IP Address
  - Host Admin using FastFabric->Verify Hosts ping via IPoIB
- All commands that are to be run on the chassis (Intel® and SilverStorm switches and gateways) should be invoked with the `-noprompt` option to avoid command execution time-out. This applies both to chassis commands invoked from the FastFabric TUI (Run a command on all chassis), as well as those invoked from the command line using the FastFabric `cmdall` command.



## 1.12.2 Fabric Manager

- Virtual Fabrics in this release leverage IBTA standard Partitioning Features. However, some OFED applications have limitations with regard to partitioning.
  - FastFabric – FastFabric tools are fully supported. Intel recommends that FastFabric be installed on an admin node which is a Member in the Default Partition (0xffff).
  - IPoIB – Intel recommends configuring Virtual Fabrics so that the first PKey on the port is the one desired for IPoIB on the host. Refer to the Configuration section of the *Intel*<sup>®</sup> True Scale Fabric Software Installation Guide for detailed information.
  - mvapich1 – To control the PKey, the VIADEV\_DEFAULT\_PKEY must be exported at job startup. Refer to the Configuration section of the *Intel*<sup>®</sup> True Scale Fabric Software Installation Guide for detailed information.
  - Open MPI – To control the PKey, the OMPI\_MCA\_btl\_openib\_ib\_pkey must be exported at job startup. Refer to the Configuration section of the *Intel*<sup>®</sup> True Scale Fabric Software Installation Guide for detailed information about this feature.
  - mvapich2 – To control the PKey, the MV2\_DEFAULT\_PKEY must be exported at job startup. Refer to the Configuration section of the *Intel*<sup>®</sup> True Scale Fabric Software Installation Guide for detailed information.

## 1.13 Product Limitations

There are no product limitations for this release.

## 1.14 Other Information

The following is a list of need-to-know information for this release:

If FastFabric is being used, after an upgrade review the FF\_PRODUCT parameter in `/etc/sysconfig/fastfabric.conf`. This parameter must be adjusted to match value shown in `/etc/sysconfig/fastfabric.conf-sample`.

### 1.14.1 FastFabric Toolset Information

The FastFabric Toolset is automatically uninstalled if the base OFED release is uninstalled.

### 1.14.2 Fabric Manager Information

When there are many changes in the fabric (ISLs, switches going down) it is possible that many loops are no longer viable and the distribution of ISLs in the loops is becoming unbalanced. These changes can cause the loop test utilization to drop. Restarting of loop test will stop all traffic and compute fresh loop routes with balanced distribution of ISLs in loops.



## 1.15 Documentation

Table 1 lists the related documentation for this release. All documentation is available on the Intel® [download site](#).

Documentation for Intel® Partners is available at the vendors web site.

**Table 6. Related Documentation for this Release**

Document Title
<b>Intel® Hardware Documents</b>
<i>Intel® True Scale 12000 Hardware Installation Guide</i>
<i>Intel® True Scale 12000 Users Guide</i>
<i>Intel® True Scale 12000 CLI Reference Guide</i>
<i>Intel® Adapter Hardware Installation Guide</i>
<b>Intel® OFED+ Documents</b>
<i>Intel® True Scale Fabric Software Installation Guide</i>
<i>Intel® OFED+ Host Software User Guide</i>
<i>Intel® OFED+ Host Software Release Notes</i>
<b>Intel® IFS Documents</b>
<i>Intel® True Scale Fabric Suite FastFabric User Guide</i>
<i>Intel® True Scale Fabric Suite Fabric Manager User Guide</i>
<i>Intel® True Scale Fabric Suite FastFabric Command Line Interface Reference Guide</i>
<i>Intel® True Scale Fabric Suite Software Release Notes</i>
<b>Intel® Fabric Viewer Documents</b>
<i>Intel® True Scale Fabric Suite Fabric Viewer Online Help</i>
<i>Intel® True Scale Fabric Suite Fabric Viewer Release Notes</i>





## 2.0 System Issues for Release 7.3.0.0.26

### 2.1 Introduction


This section provides a list of the resolved and open issues for this release of the True Scale Fabric Suite Software. The list of open issues include a description and workaround.

### 2.2 Resolved Issues in this Release

Table 7 is a list of issues that are resolved in this and the previous two releases.

**Table 7. Resolved Issues**

Product/Component	Release	Description
IFS/ FastFabric	7.3.0.0.26	Trying to rebuild mvapich-psm and mvapich-verb using FastFabric with PGI 11.7, it fails no longer gives error messages.
IFS/ FastFabric	7.2.2.0.8	Result of iba_verifynodes for C-states are no longer misleading on SLES 11.
IFS/ HCA	7.2.2.0.8	IFS now works properly with SLES11SP3 kernel 3.0.93-0.8.



## 2.3 Known Issues

Table 8 lists the open issues for this release.

**Table 8. Open Issues**

Product/Component	Description	Workaround
IFS/ Fabric Manager	When the <code>LogFile</code> parameter is in use, the Fabric Manager outputs to the named file instead of <code>syslog</code> . If a high <code>LogLevel</code> is selected, the log file can grow quickly and consume too much disk space.	Limit use of <code>LogFile</code> to short duration debug type operations and use <code>syslog</code> for normal Fabric Manager operation.
IFS/ Rolls/Kits	If the IFS kit is already installed, then running the <code>updatenode</code> command on the Installer and/or <code>compute node(updatenode &lt;headnode/compuetnode&gt; command)</code> emits errors similar to the following :  <pre>compute000: Error: Package: opensm-devel-3.3.13-1.x86_64 (installed) compute000:Requires: opensm-libs = 3.3.13-1 compute000:Removing: opensm-libs-3.3.13-1.x86_64 (installed) compute000: opensm-libs = 3.3.13-1 compute000: Updated By: opensm-libs-3.3.15-1.el6.x86_64 (xCAT-rhels6.4-path0)</pre>	These errors may be safely ignored.
IFS	If the <code>libedit</code> rpm is not present on a host, it should be installed prior to installing IFS. If the <code>libedit</code> libraries are not installed, the following error is displayed. Additionally, commands such as <code>iba_manage_switch</code> and <code>iba_switch_admin</code> would also fail with an error message similar to:  <pre>#/opt/iba/ib_tools/L8simlnx /opt/iba/ib_tools/L8simlnx: error while loading shared libraries: libedit.so.0: cannot open shared object file: No such file or directory</pre> <p>If the <code>libedit</code> rpm is not installed prior to the IFS installation, the capture operation would fail. However, installing <code>libedit</code> rpm would fix the issue. A reinstall of IFS is not needed.</p>	Install <code>libedit</code> rpm if not already present on a host.





