

Driver Installation/Removal Procedure For Realtek High Definition Audio Codec:

=====

<<< For Windows 2000/XP/Vista/Windows7 x86/x64 Driver >>>

Setup Driver at first time:

Windows 2000 , XP :

- Step 1. Before installing the Realtek High Definition Audio Driver, Press the [Cancel] button if Windows detect the Multimedia Audio device.
- Step 2. Run the setup.exe program to start the installation.
- Step 3. Click on [Next] to continue the procedure. If the Windows popup "Digital Signature Not Found" message, press [Yes] to continue the installation.
- Step 4. Finally, select to restart the system and press [Finish] to complete the installation.

Windows Vista, Windows7 :

- Step 1. Run the setup.exe program to start the installation.
- Step 2. Click on [Next] to continue the procedure. If the Windows popup "Windows can't verify the publisher of this driver software" message, press "Install this driver software anyway" to continue the installation.
- Step 3. Finally, select to restart the system and press [Finish] to complete the installation.

Update Driver:

Windows 2000 , XP :

- Step 1. Follow Step 2,3,4 described in [Setup at first time] above to complete the procedure.

Windows Vista, Windows7 :

- Step 1. Run setup.exe, it will remove the original driver in your system
- Step 2. Click "Next" to remove the original audio driver in your system
- Step 3. Once after the original driver removed , reboot the computer.
- Step 4. Please go back to the new driver package after computer restarted.
- Step 5. Run setup.exe, it will install the new audio driver then.

Remove Driver:

Windows 2000 , XP :

- Step 1. Go to Start\Settings\Control Panel.
- Step 2. Select [Add or Remove Programs] icon.
- Step 3. Select "Realtek High Definition Audio Driver" and press [Remove] button.
- Step 4. Click on [Yes] to finish the uninstallation.
- Step 5. At the end of the procedure, select to restart the system and press [Finish] to complete the uninstallation.

Windows Vista, Windows7 :

- Step 1. Go to Start\Settings\Control Panel.
- Step 2. Select [Programs] icon.
- Step 3. Select [Programs and Features] icon.

Readme.txt

Step 4. Select "Realtek High Definition Audio Driver" and press [uninstall] button.

Step 5. Click on [Yes] to finish the uninstallation.

Step 6. At the end of the procedure, select to restart the system and press [Finish] to complete the uninstallation.

<< Other Informations >>

Silent Installation:

Run "Setup.exe /s /f2<path\LogFile> /z[-rp<path\LogFile>]"
i.e. setup.exe /s /f2c:\mylog.log /z[-rpC:\RHDSetup.log]

Silent Uninstallation:

Run "Setup.exe /removeonly /s /f1<path\USetup.iss> /f2<path\LogFile> /z[-rp<path\LogFile>]"
i.e. setup.exe /removeonly /s /f1C:\AudioDriver\USetup.iss /f2c:\mylog.log /z[-rpC:\RHDSetup.log]

Note: 1. Please update Directx version to DirectX8.1 or above.

Version Informations:

If driver package include below drivers :

Windows 2000/XP :
RTKHDA64.sys : 5.10.0.5943
RTKHDAUD.sys : 5.10.0.5943
MicCal.exe : 1.1.2.2
RTHDCPL.exe : 2.3.1.4
RtkAudioService64.exe : 1.0.0.19
RtkAudioService.exe : 1.0.0.19
RTLCPPL.exe : 1.0.1.66
RtlUpd64.exe : 2.8.0.0
RtlUpd.exe : 2.8.0.0
SkyTel.exe : 2.0.2.0
SoundMan.exe : 1.0.0.32
vncutil64.exe : 1.0.0.31
vncutil.exe : 1.0.0.31
AlcMtr.exe : 1.6.0.4
AlcWrd.exe : 1.1.0.37
Mnfltl.sys : 5.10.0.4112
Mnft64.sys : 5.10.0.4115
AMBFilt.sys : 5.10.0.4240
AMBFt64.sys : 5.10.0.4240
RtSndMgr.cpl : 1.0.1.4
ALSndMgr.cpl : 1.0.0.11
RCoInst64XP.dll : 1.0.7.0
RTCOMDLL.dll : 1.0.0.103
RtkCoInstXP.dll : 1.0.7.0
RtlCPAPI.dll : 1.0.2.3

Vista/Win7 driver : -----
Vista/Win7 driver for x86
RTKVHDA.sys : 6.0.1.5943
AERTSrv.exe : 1.0.32.9
APOPCH.exe : 1.0.0.0
RtHDVBg.exe : 1.0.0.6
RtHDVCpl.exe : 1.0.0.422
RtkAudioService.exe : 1.0.0.24
RtlUpd.exe : 2.8.0.0
SkyTel.exe : 2.0.2.2
vncutil.exe : 1.0.0.31
mbfltl32.sys : 6.10.0.8
RtSndMgr.cpl : 1.0.0.17
AERTACap.dll : 2.0.32.8
AERTARen.dll : 1.0.32.8

Readme.txt

FMAP0.dll : 42.5.18.67
 MaxxAudioAPO.dll : 1.2.2.0
 MaxxAudioAPO20.dll : 2.2.6.0
 MaxxAudioEQ.dll : 5.9.7.0
 MBAP032.dll : 1.0.19.0
 MBPPCn32.dll : 1.0.0.110
 MBppld32.dll : 1.0.19.0
 MBTHX32.dll : 1.0.8.102
 MBWrp32.dll : 1.0.0.110
 RP3DAA32.dll : 6.0.6001.18
 RP3DHT32.dll : 6.0.6001.18
 RTCOMDLL.dll : 2.0.0.120
 RTEED32A.dll : 6.1.6001.29
 RTEEG32A.dll : 6.1.6001.29
 RTEEL32A.dll : 6.1.6001.29
 RTEEP32A.dll : 6.1.6001.29
 RtkAPO.dll : 11.0.6000.113
 RtkApoApi.dll : 1.0.0.13
 RtkCfg.dll : 1.0.0.1
 RtkCoInst.dll : 1.0.7.0
 RtkPgExt.dll : 6.0.6000.99
 RtlCPAPI.dll : 1.0.2.4
 SFFXComm.dll : 2.0.0.8
 SFFXDAP0.dll : 2.0.0.8
 SFFXHAP0.dll : 2.0.0.8
 SFFXProc.dll : 2.0.0.8
 SFFXSAP0.dll : 2.0.0.8
 slcshp32.dll : 1.0.3.0
 slgeq32.dll : 1.0.1.0
 slh36032.dll : 1.0.2.0
 slInit32.dll : 1.1.3.0
 slmaxv32.dll : 1.1.2.0
 sltshd32.dll : 1.1.1.0
 sluapo32.dll : 1.4.8.0
 SRSHP360.dll : 1.1.0.0
 SRSTSHD.dll : 1.1.4.0
 SRSTSXT.dll : 3.2.0.0
 SRSWOW.dll : 1.1.3.0
 WavesLib.dll : 5.9.7.0
 RCORES.dat : 1.0.0.6

Vista/Win7 driver for x64

RTKVHD64.sys : 6.0.1.5943
 AERTSr64.exe : 1.0.64.9
 APOPCH.exe : 1.0.0.0
 RAVBg64.exe : 1.0.0.6
 RAVCpl64.exe : 1.0.0.422
 RtkAudioService64.exe : 1.0.0.24
 RtlUpd64.exe : 2.8.0.0
 SkyTel.exe : 2.0.2.2
 vncutil64.exe : 1.0.0.31
 GWfilt64.sys : 6.10.0.3
 mbfilt64.sys : 6.10.0.8
 RTSnm64.cpl : 1.0.0.17
 AERTAC64.dll : 2.0.64.8
 AERTAR64.dll : 1.0.64.8
 FMAP064.dll : 42.6.18.67
 MaxxAudioAPO20.dll : 2.2.6.0
 MBAP032.dll : 1.0.19.0
 MBAP064.dll : 1.0.19.0
 MBPPCn64.dll : 1.0.0.110
 MBppld64.dll : 1.0.19.0
 MBTHX32.dll : 1.0.8.102
 MBTHX64.dll : 1.0.8.102
 MBWrp64.dll : 1.0.0.110
 RCoInst64.dll : 1.0.7.0
 RP3DAA64.dll : 6.0.6001.18
 RP3DHT64.dll : 6.0.6001.18
 RtkCOM64.dll : 2.0.0.120
 RTCOMDLL.dll : 2.0.0.120
 RTEED64A.dll : 6.1.6001.29
 RTEEG64A.dll : 6.1.6001.29
 RTEEL64A.dll : 6.1.6001.29
 RTEEP64A.dll : 6.1.6001.29
 RtkApi64.dll : 1.0.0.13

Readme.txt

RtkAP064.dll : 11.0.6000.113
 RtkCfg.dll : 1.0.0.1
 RtkCfg64.dll : 1.0.0.1
 RtlCPAPI.dll : 1.0.2.4
 RtlCPAPI64.dll : 1.0.2.4
 RtpgEx64.dll : 6.0.6000.99
 SFComm64.dll : 2.0.0.8
 SFDAP064.dll : 2.0.0.8
 SFHAP064.dll : 2.0.0.8
 SFProc64.dll : 2.0.0.8
 SFSAP064.dll : 2.0.0.8
 slcshp64.dll : 1.0.3.0
 slgeq64.dll : 1.0.1.0
 slh36064.dll : 1.0.2.0
 slInit64.dll : 1.1.3.0
 slmaxv64.dll : 1.1.2.0
 sltshd64.dll : 1.1.1.0
 sluapo64.dll : 1.4.8.0
 SRSHP64.dll : 1.1.0.0
 SRSTSH64.dll : 1.1.4.0
 SRSTSX64.dll : 3.2.0.0
 SRSWOW64.dll : 1.1.3.0
 RCORES64.dat : 1.0.0.6

HDMI Driver : -----

Vista/Win7 x86:
 RthdMmV.sys : 6.0.1.5897
 RtkAudioSrvATI.exe : 1.0.0.23
 RtkUpd.exe : 2.8.0.0
 RH3DAA32.dll : 6.0.6001.18
 RH3DHT32.dll : 6.0.6001.18
 RHCoInst.dll : 1.0.6.4
 RthdMmExt.dll : 6.0.6000.82
 RtkHdMm.dll : 11.0.6000.101

Vista/Win7 x64:
 RthdMmVX.sys : 6.0.1.5897
 RtkAudioSrvATI64.exe : 1.0.0.23
 RtkUpd64.exe : 2.8.0.0
 RH3DAA64.dll : 6.0.6001.18
 RH3DHT64.dll : 6.0.6001.18
 RHCoInst64.dll : 1.0.6.4
 RthdMmEx64.dll : 6.0.6000.82
 RtkHdMm64.dll : 11.0.6000.101

XP/2K x86:
 RtkHdMm.sys : 5.10.0.5880
 RtkUpd.exe : 2.7.1.3
 RHCoInstXP.dll : 1.0.5.1

XP/2K x64:
 RtkHdMmX.sys : 5.10.0.5880
 RtkUpd64.exe : 2.7.1.3
 RHCoInst64XP.dll : 1.0.5.1

Driver Setup Program : 2.84

 History:

 Driver Package R2.34

Realtek HD Audio Driver support all of Realtek HD Audio Codec .

1. Vista/Windows 7 WHQL Supporting: ALC882, ALC883, ALC885, ALC888, ALC889, ALC861VD, ALC660, ALC662, ALC663, ALC665, ALC260, ALC262, ALC267, ALC268, ALC269, ALC270, ALC272, ALC273, ALC887, ALC670, ALC275
2. Windows 2000/XP WHQL Supporting: ALC880, ALC882, ALC883, ALC885, ALC888, ALC889, ALC861VC, ALC861VD, ALC660, ALC662, ALC663, ALC665, ALC260, ALC262, ALC267, ALC268, ALC269, ALC270, ALC272, ALC273, ALC887, ALC670, ALC275
3. HDMI Device WHQL Support: ATI HDMI Devices
4. OS Supporting: Microsoft WindowsXP, Windows2000, Windows Server 2003, Vista, Windows Server 2008, Windows7 - x86/x64
5. Pack with Microsoft High Definition Audio UAAV1.0a(5013)
6. Add/Fix

1.) Driver :
1. Customizations.

Windows 2000/XP :	-----
Windows 2000/XP :	
RTKHDA64.sys	: 5.10.0.5943
RTKHDAUD.sys	: 5.10.0.5943
MicCal.exe	: 1.1.2.2
RTHDCPL.exe	: 2.3.1.4
RtkAudioService64.exe	: 1.0.0.19
RtkAudioService.exe	: 1.0.0.19
RTLCPD.exe	: 1.0.1.66
RtlUpd64.exe	: 2.8.0.0
RtlUpd.exe	: 2.8.0.0
SkyTel.exe	: 2.0.2.0
SoundMan.exe	: 1.0.0.32
vncutil64.exe	: 1.0.0.31
vncutil.exe	: 1.0.0.31
Alcmtr.exe	: 1.6.0.4
AlcWzrd.exe	: 1.1.0.37
Mnflt.sys	: 5.10.0.4112
Mnft64.sys	: 5.10.0.4115
AMBFlt.sys	: 5.10.0.4240
AMBft64.sys	: 5.10.0.4240
RTSndMgr.cpl	: 1.0.1.4
ALSndMgr.cpl	: 1.0.0.11
RCoInst64XP.dll	: 1.0.7.0
RTCOMDLL.dll	: 1.0.0.103
RtkCoInstXP.dll	: 1.0.7.0
RtlCPAPI.dll	: 1.0.2.3
Vista/Win7 driver :	-----
Vista/Win7 driver for x86	
RTKVHDA.sys	: 6.0.1.5943
AERTSrv.exe	: 1.0.32.9
APOPCH.exe	: 1.0.0.0
RtHDVBg.exe	: 1.0.0.6
RtHDVCpl.exe	: 1.0.0.422
RtkAudioService.exe	: 1.0.0.24
RtlUpd.exe	: 2.8.0.0
SkyTel.exe	: 2.0.2.2
vncutil.exe	: 1.0.0.31
mbflt32.sys	: 6.10.0.8
RTSndMgr.cpl	: 1.0.0.17
AERTACap.dll	: 2.0.32.8
AERTARen.dll	: 1.0.32.8
FMAP0.dll	: 42.5.18.67
MaxxAudioAP0.dll	: 1.2.2.0
MaxxAudioAP020.dll	: 2.2.6.0
MaxxAudioEQ.dll	: 5.9.7.0
MBAP032.dll	: 1.0.19.0
MBPPCn32.dll	: 1.0.0.110
MBppld32.dll	: 1.0.19.0
MBTHX32.dll	: 1.0.8.102
MBWp32.dll	: 1.0.0.110
RP3DAA32.dll	: 6.0.6001.18
RP3DHT32.dll	: 6.0.6001.18
RTCOMDLL.dll	: 2.0.0.120
RTEED32A.dll	: 6.1.6001.29
RTEEG32A.dll	: 6.1.6001.29
RTEEL32A.dll	: 6.1.6001.29
RTEEP32A.dll	: 6.1.6001.29
RtkAP0.dll	: 11.0.6000.113
RtkApoApi.dll	: 1.0.0.13
RtkCfg.dll	: 1.0.0.1
RtkCoInst.dll	: 1.0.7.0
RtkPgExt.dll	: 6.0.6000.99
RtlCPAPI.dll	: 1.0.2.4
SFFXComm.dll	: 2.0.0.8
SFFXDAP0.dll	: 2.0.0.8
SFFXHAP0.dll	: 2.0.0.8
SFFXProc.dll	: 2.0.0.8
SFFXSAP0.dll	: 2.0.0.8
slcshp32.dll	: 1.0.3.0
slgeq32.dll	: 1.0.1.0
slh36032.dll	: 1.0.2.0

Readme.txt

```

slInit32.dll : 1.1.3.0
slmaxv32.dll : 1.1.2.0
sltshd32.dll : 1.1.1.0
sluapo32.dll : 1.4.8.0
SRSH360.dll : 1.1.0.0
SRSTSHD.dll : 1.1.4.0
SRSTSXT.dll : 3.2.0.0
SRSWOW.dll : 1.1.3.0
WavesLib.dll : 5.9.7.0
Vista/Win7 driver for x64
RTKVHD64.sys : 6.0.1.5943
AERTSr64.exe : 1.0.64.9
APOPCH.exe : 1.0.0.0
RAVBg64.exe : 1.0.0.6
RAVCpl64.exe : 1.0.0.422
RtkAudioService64.exe : 1.0.0.24
RtlUpd64.exe : 2.8.0.0
SkyTel.exe : 2.0.2.2
vncutil64.exe : 1.0.0.31
GWfilt64.sys : 6.10.0.3
mbfilt64.sys : 6.10.0.8
RTSnMg64.cpl : 1.0.0.17
AERTAC64.dll : 2.0.64.8
AERTAR64.dll : 1.0.64.8
FMAP064.dll : 42.6.18.67
MaxxAudioAPO20.dll : 2.2.6.0
MBAP032.dll : 1.0.19.0
MBAP064.dll : 1.0.19.0
MBPPCn64.dll : 1.0.0.110
MBppld64.dll : 1.0.19.0
MBTHX32.dll : 1.0.8.102
MBTHX64.dll : 1.0.8.102
MBWrp64.dll : 1.0.0.110
RCoInst64.dll : 1.0.7.0
RP3DAA64.dll : 6.0.6001.18
RP3DHT64.dll : 6.0.6001.18
RtCOM64.dll : 2.0.0.120
RtCOMDLL.dll : 2.0.0.120
RTEED64A.dll : 6.1.6001.29
RTEEG64A.dll : 6.1.6001.29
RTEEL64A.dll : 6.1.6001.29
RTEEP64A.dll : 6.1.6001.29
RtkApi64.dll : 1.0.0.13
RtkAPO64.dll : 11.0.6000.113
RtkCfg.dll : 1.0.0.1
RtkCfg64.dll : 1.0.0.1
RtlCPAPI.dll : 1.0.2.4
RtlCPAPI64.dll : 1.0.2.4
RtPgEx64.dll : 6.0.6000.99
SFComm64.dll : 2.0.0.8
SFDAP064.dll : 2.0.0.8
SFHAP064.dll : 2.0.0.8
SFProc64.dll : 2.0.0.8
SFSAP064.dll : 2.0.0.8
slcshp64.dll : 1.0.3.0
slgeq64.dll : 1.0.1.0
slh36064.dll : 1.0.2.0
slInit64.dll : 1.1.3.0
slmaxv64.dll : 1.1.2.0
sltshd64.dll : 1.1.1.0
sluapo64.dll : 1.4.8.0
SRSH64.dll : 1.1.0.0
SRSTSH64.dll : 1.1.4.0
SRSTSX64.dll : 3.2.0.0
SRSWOW64.dll : 1.1.3.0
HDM Driver : -----
Vista/Win7 x86:
RtHDM.V.sys : 6.0.1.5897
RtkAudioSrvATI.exe : 1.0.0.23
RtkUpd.exe : 2.8.0.0
RH3DAA32.dll : 6.0.6001.18
RH3DHT32.dll : 6.0.6001.18
RHCoInst.dll : 1.0.6.4
RHDMExt.dll : 6.0.6000.82
RtkHDM.dll : 11.0.6000.101

```

Readme.txt

Vista/Win7 x64:
RtHDM.VX.sys : 6.0.1.5897
RtkAudioSrvATI64.exe : 1.0.0.23
RtkUpd64.exe : 2.8.0.0
RH3DAA64.dll : 6.0.6001.18
RH3DHT64.dll : 6.0.6001.18
RHCoInst64.dll : 1.0.6.4
RHDMEx64.dll : 6.0.6000.82
RtkHDM64.dll : 11.0.6000.101

XP/2K x86:
RtkHDM.sys : 5.10.0.5880
RtkUpd.exe : 2.7.1.3
RHCoInstXP.dll : 1.0.5.1
XP/2K x64:
RtkHDMX.sys : 5.10.0.5880
RtkUpd64.exe : 2.7.1.3
RHCoInst64XP.dll : 1.0.5.1

Driver Setup Program : 2.84

Windows 2000/XP Operate on :
Microsoft High Definition Audio Driver Package - KB888111
Package file version (kb888111.exe) : 6.1.22.0
Hdaudio.sys version : 5.10.00.5013

//=====

Driver Package R2.33

Realtek HD Audio Driver support all of Realtek HD Audio Codec .

1. Vista/Windows 7 WHQL Supporting: ALC882, ALC883, ALC885, ALC888, ALC889, ALC861VD, ALC660, ALC662, ALC663, ALC665, ALC260, ALC262, ALC267, ALC268, ALC269, ALC272, ALC273, ALC887, ALC670, ALC275

2. Windows 2000/XP WHQL Supporting: ALC880, ALC882, ALC883, ALC885, ALC888, ALC889, ALC861VC, ALC861VD, ALC660, ALC662, ALC663, ALC665, ALC260, ALC262, ALC267, ALC268, ALC269, ALC272, ALC273, ALC887, ALC670, ALC275

3. HDM Device WHQL Support: ATI HDM Devices

4. OS Supporting: Microsoft WindowsXP, Windows2000, Windows Server 2003, Vista, Windows Server 2008, Windows7 - x86/x64

5. Pack with Microsoft High Definition Audio UAAV1.0a(5013)

6. Add/Fix

1.) Driver :

1. Customizations.

Windows 2000/XP : -----

Windows 2000/XP :
RTKHDA64.sys : 5.10.0.5936
RTKHDAUD.sys : 5.10.0.5936
MicCal.exe : 1.1.2.2
RTHDCPL.exe : 2.3.1.2
RtkAudioService64.exe : 1.0.0.19
RtkAudioService.exe : 1.0.0.19
RTLCPPL.exe : 1.0.1.66
RtlUpd64.exe : 2.8.0.0
RtlUpd.exe : 2.8.0.0
SkyTel.exe : 2.0.2.0
SoundMn.exe : 1.0.0.32
vncutil64.exe : 1.0.0.29
vncutil.exe : 1.0.0.29
Alcmtr.exe : 1.6.0.4
AlcWzrd.exe : 1.1.0.37
Mnfilt.sys : 5.10.0.4112
Mnft64.sys : 5.10.0.4115
AMBfilt.sys : 5.10.0.4240
AMBft64.sys : 5.10.0.4240
RTSndMgr.cpl : 1.0.1.4
ALSndMgr.cpl : 1.0.0.11
RCoInst64XP.dll : 1.0.6.9
RTCOMDLL.dll : 1.0.0.103
RtkCoInstXP.dll : 1.0.6.9
RtlCPAPI.dll : 1.0.2.3

Vista/Win7 driver : -----

Vista/Win7 driver for x86 :
RTKVHDA.sys : 6.0.1.5936

Readme.txt

AERTSrv.exe : 1.0.32.9
 APOPCH.exe : 1.0.0.0
 RtHDVBg.exe : 1.0.0.6
 RtHdVCpl.exe : 1.0.0.418
 RtkAudioService.exe : 1.0.0.24
 RtlUpd.exe : 2.8.0.0
 SkyTel.exe : 2.0.2.2
 vncutil.exe : 1.0.0.29
 RTSndMgr.cpl : 1.0.0.17
 mbfilt32.sys : 6.10.0.8
 AERTACap.dll : 2.0.32.8
 AERTARen.dll : 1.0.32.8
 FMAP0.dll : 42.5.18.65
 MaxxAudioAPO.dll : 1.2.2.0
 MaxxAudioAPO20.dll : 2.2.6.0
 MaxxAudioEQ.dll : 5.9.7.0
 MBAP032.dll : 1.0.19.0
 MBPPCn32.dll : 1.0.0.110
 MBppld32.dll : 1.0.19.0
 MBTHX32.dll : 1.0.8.102
 MBWrp32.dll : 1.0.0.110
 RP3DAA32.dll : 6.0.6001.18
 RP3DHT32.dll : 6.0.6001.18
 RTCOMDLL.dll : 2.0.0.120
 RTEED32A.dll : 6.1.6001.29
 RTEEG32A.dll : 6.1.6001.29
 RTEEL32A.dll : 6.1.6001.29
 RTEEP32A.dll : 6.1.6001.29
 RtkAPO.dll : 11.0.6000.109
 RtkApoApi.dll : 1.0.0.13
 RtkCfg.dll : 1.0.0.1
 RtkCoInst.dll : 1.0.6.9
 RtkPgExt.dll : 6.0.6000.96
 RtlCPAPI.dll : 1.0.2.4
 SFFXComm.dll : 2.0.0.8
 SFFXDAP0.dll : 2.0.0.8
 SFFXHAP0.dll : 2.0.0.8
 SFFXProc.dll : 2.0.0.8
 SFFXSAP0.dll : 2.0.0.8
 slcshp32.dll : 1.0.3.0
 slgeq32.dll : 1.0.1.0
 slh36032.dll : 1.0.2.0
 slInit32.dll : 1.1.3.0
 slmaxv32.dll : 1.1.2.0
 sltshd32.dll : 1.1.1.0
 sluapo32.dll : 1.4.8.0
 SRSHP360.dll : 1.1.0.0
 SRSTSHD.dll : 1.1.4.0
 SRSTSXT.dll : 3.2.0.0
 SRSWOW.dll : 1.1.3.0
 WavesLib.dll : 5.9.7.0
 Vista/Win7 driver for x64
 RTKVHD64.sys : 6.0.1.5936
 AERTSr64.exe : 1.0.64.9
 APOPCH.exe : 1.0.0.0
 RAVBg64.exe : 1.0.0.6
 RAVCpl64.exe : 1.0.0.418
 RtkAudioService64.exe : 1.0.0.24
 RtlUpd64.exe : 2.8.0.0
 SkyTel.exe : 2.0.2.2
 vncutil64.exe : 1.0.0.29
 GWfilt64.sys : 6.10.0.3
 mbfilt64.sys : 6.10.0.8
 RTSnMg64.cpl : 1.0.0.17
 AERTAC64.dll : 2.0.64.8
 AERTAR64.dll : 1.0.64.8
 FMAP064.dll : 42.6.18.65
 MaxxAudioAPO20.dll : 2.2.6.0
 MBAP032.dll : 1.0.19.0
 MBAP064.dll : 1.0.19.0
 MBPPCn64.dll : 1.0.0.110
 MBppld64.dll : 1.0.19.0
 MBTHX32.dll : 1.0.8.102
 MBTHX64.dll : 1.0.8.102
 MBWrp64.dll : 1.0.0.110

Readme.txt

RCoInst64.dll : 1.0.6.9
 RP3DAA64.dll : 6.0.6001.18
 RP3DHT64.dll : 6.0.6001.18
 RtCOMB4.dll : 2.0.0.120
 RTCOMDL.dll : 2.0.0.120
 RTEED64A.dll : 6.1.6001.29
 RTEEG64A.dll : 6.1.6001.29
 RTEEL64A.dll : 6.1.6001.29
 RTEEP64A.dll : 6.1.6001.29
 RtkApi64.dll : 1.0.0.13
 RtkAPO64.dll : 11.0.6000.109
 RtkCfg.dll : 1.0.0.1
 RtkCfg64.dll : 1.0.0.1
 RtlCPAPI.dll : 1.0.2.4
 RtlCPAPI64.dll : 1.0.2.4
 RtpgEx64.dll : 6.0.6000.96
 SFComm64.dll : 2.0.0.8
 SFDAP064.dll : 2.0.0.8
 SFHAP064.dll : 2.0.0.8
 SFProc64.dll : 2.0.0.8
 SFSAP064.dll : 2.0.0.8
 slcshp64.dll : 1.0.3.0
 slgeq64.dll : 1.0.1.0
 slh36064.dll : 1.0.2.0
 slInit64.dll : 1.1.3.0
 slmaxv64.dll : 1.1.2.0
 sltshd64.dll : 1.1.1.0
 sluapo64.dll : 1.4.8.0
 SRSHP64.dll : 1.1.0.0
 SRSTSH64.dll : 1.1.4.0
 SRSTSX64.dll : 3.2.0.0
 SRSWOW64.dll : 1.1.3.0

HDMI Driver : -----

Vista/Win7 x86:

RtHDMV.sys : 6.0.1.5897
 RtkAudioSrvATI.exe : 1.0.0.23
 RtkUpd.exe : 2.8.0.0
 RH3DAA32.dll : 6.0.6001.18
 RH3DHT32.dll : 6.0.6001.18
 RHCoInst.dll : 1.0.6.4
 RHDMExt.dll : 6.0.6000.82
 RtkHDM.dll : 11.0.6000.101

Vista/Win7 x64:

RtHDMVX.sys : 6.0.1.5897
 RtkAudioSrvATI64.exe : 1.0.0.23
 RtkUpd64.exe : 2.8.0.0
 RH3DAA64.dll : 6.0.6001.18
 RH3DHT64.dll : 6.0.6001.18
 RHCoInst64.dll : 1.0.6.4
 RHDMEx64.dll : 6.0.6000.82
 RtkHDM64.dll : 11.0.6000.101

XP/2K x86:

RtkHDM.sys : 5.10.0.5880
 RtkUpd.exe : 2.7.1.3
 RHCoInstXP.dll : 1.0.5.1

XP/2K x64:

RtkHDMX.sys : 5.10.0.5880
 RtkUpd64.exe : 2.7.1.3
 RHCoInst64XP.dll : 1.0.5.1

Driver Setup Program : 2.84

Windows 2000/XP Operate on :

Microsoft High Definition Audio Driver Package - KB888111
 Package file version (kb888111.exe) : 6.1.22.0
 Hdaudio.sys version : 5.10.00.5013

//=====

Driver Package R2.32

Realtek HD Audio Driver support all of Realtek HD Audio Codec .

1. Vista/Windows 7 WHQL Supporting: ALC882, ALC883, ALC885, ALC888, ALC889, ALC861VD, ALC660, ALC662,

Readme.txt

ALC663, ALC665, ALC260, ALC262, ALC267, ALC268, ALC269, ALC272, ALC273, ALC887, ALC670, ALC275

2. Windows 2000/XP WHQL Supporting: ALC880, ALC882, ALC883, ALC885, ALC888, ALC889, ALC861VC, ALC861VD, ALC660, ALC662, ALC663, ALC665, ALC260, ALC262, ALC267, ALC268, ALC269, ALC272, ALC273, ALC887, ALC670, ALC275

3. HDMI Device WHQL Support: ATI HDMI Devices

4. OS Supporting: Microsoft WindowsXP, Windows2000, Windows Server 2003, Vista, Windows Server 2008, Windows7 - x86/x64

5. Pack with Microsoft High Definition Audio UAAV1.0a(5013)

6. Add/Fix

1.) Driver :

1. Customizations.

Windows 2000/XP : -----

Windows 2000/XP :
 RTKHDA64.sys : 5.10.0.5928
 RTKHDAUD.sys : 5.10.0.5928
 McCal.exe : 1.1.2.2
 RTHDCPL.exe : 2.3.1.0
 RtkAudioService64.exe : 1.0.0.19
 RtkAudioService.exe : 1.0.0.19
 RTLCPL.exe : 1.0.1.66
 RtlUpd64.exe : 2.8.0.0
 RtlUpd.exe : 2.8.0.0
 SkyTel.exe : 2.0.2.0
 SoundMan.exe : 1.0.0.32
 vncutil64.exe : 1.0.0.27
 vncutil.exe : 1.0.0.27
 Alcmtr.exe : 1.6.0.4
 AlcWzrd.exe : 1.1.0.37
 Mbnfilt.sys : 5.10.0.4112
 Mbnft64.sys : 5.10.0.4115
 AMBfilt.sys : 5.10.0.4240
 AMBFt64.sys : 5.10.0.4240
 RTSndMgr.cpl : 1.0.1.4
 ALSndMgr.cpl : 1.0.0.11
 RCoInst64XP.dll : 1.0.6.5
 RTCOMDLL.dll : 1.0.0.103
 RtkCoInstXP.dll : 1.0.6.5
 RtlCPAPI.dll : 1.0.2.3

Vista/Win7 driver : -----

Vista/Win7 driver for x86
 RTKVHDA.sys : 6.0.1.5928
 AERTSrv.exe : 1.0.32.9
 APOpch.exe : 1.0.0.0
 RtHDVBg.exe : 1.0.0.6
 RtHDVCpl.exe : 1.0.0.411
 RtkAudioService.exe : 1.0.0.24
 RtlUpd.exe : 2.8.0.0
 SkyTel.exe : 2.0.2.2
 vncutil.exe : 1.0.0.27
 mbfilt32.sys : 6.10.0.8
 RTSndMgr.cpl : 1.0.0.17
 AERTACap.dll : 2.0.32.8
 AERTARen.dll : 1.0.32.8
 FMAPO.dll : 42.5.17.68
 MaxxAudioAPO.dll : 1.2.2.0
 MaxxAudioAPO20.dll : 2.2.2.0
 MaxxAudioEQ.dll : 5.9.7.0
 MBAP032.dll : 1.0.19.0
 MBPPCn32.dll : 1.0.0.110
 MBPld32.dll : 1.0.19.0
 MBTHX32.dll : 1.0.8.0
 MBWrp32.dll : 1.0.0.110
 RP3DAA32.dll : 6.0.6001.18
 RP3DHT32.dll : 6.0.6001.18
 RTCOMDLL.dll : 2.0.0.119
 RTEED32A.dll : 6.1.6001.29
 RTEEG32A.dll : 6.1.6001.29
 RTEEL32A.dll : 6.1.6001.29
 RTEEP32A.dll : 6.1.6001.29
 RtkAPO.dll : 11.0.6000.106
 RtkApoApi.dll : 1.0.0.12
 RtkCfg.dll : 1.0.0.1
 RtkCoInst.dll : 1.0.6.7
 RtkPgExt.dll : 6.0.6000.93

Readme.txt

RtlCPAPI.dll	: 1.0.2.4
SFFXComm.dll	: 2.0.0.8
SFFXDAP0.dll	: 2.0.0.8
SFFXHAP0.dll	: 2.0.0.8
SFFXProc.dll	: 2.0.0.8
SFFXSAP0.dll	: 2.0.0.8
slcshp32.dll	: 1.0.3.0
slgeq32.dll	: 1.0.1.0
slh36032.dll	: 1.0.2.0
slInit32.dll	: 1.1.3.0
slmaxv32.dll	: 1.1.2.0
sltshd32.dll	: 1.1.1.0
sluapo32.dll	: 1.4.8.0
SRSHp360.dll	: 1.1.0.0
SRSTSHD.dll	: 1.1.4.0
SRSTSXT.dll	: 3.2.0.0
SRSWOW.dll	: 1.1.3.0
WavesLib.dll	: 5.9.7.0
Vista/Win7 driver for x64	
RTKVHD64.sys	: 6.0.1.5928
AERTSr64.exe	: 1.0.64.9
APOpch.exe	: 1.0.0.0
RAVBg64.exe	: 1.0.0.6
RAVCpl64.exe	: 1.0.0.411
RtkAudioService64.exe	: 1.0.0.24
RtlUpd64.exe	: 2.8.0.0
SkyTel.exe	: 2.0.2.2
vncutil64.exe	: 1.0.0.27
GWfilt64.sys	: 6.10.0.3
mbfilt64.sys	: 6.10.0.8
RTSnMg64.cpl	: 1.0.0.17
AERTAC64.dll	: 2.0.64.8
AERTAR64.dll	: 1.0.64.8
FMAP064.dll	: 42.6.17.68
MaxxAudioAP020.dll	: 2.2.2.0
MBAP032.dll	: 1.0.19.0
MBAP064.dll	: 1.0.19.0
MBPPcn64.dll	: 1.0.0.110
MBppld64.dll	: 1.0.19.0
MBTHX32.dll	: 1.0.8.0
MBTHX64.dll	: 1.0.8.0
MBWrp64.dll	: 1.0.0.110
RCoInst64.dll	: 1.0.6.7
RP3DAA64.dll	: 6.0.6001.18
RP3DHT64.dll	: 6.0.6001.18
RtCOM64.dll	: 2.0.0.119
RTCOMDLL.dll	: 2.0.0.119
RTEED64A.dll	: 6.1.6001.29
RTEEG64A.dll	: 6.1.6001.29
RTEEL64A.dll	: 6.1.6001.29
RTEEP64A.dll	: 6.1.6001.29
RtkApi64.dll	: 1.0.0.12
RtkAP064.dll	: 11.0.6000.106
RtkCfg.dll	: 1.0.0.1
RtkCfg64.dll	: 1.0.0.1
RtlCPAPI.dll	: 1.0.2.4
RtlCPAPI64.dll	: 1.0.2.4
RtPgEx64.dll	: 6.0.6000.93
SFComm64.dll	: 2.0.0.8
SFDAP064.dll	: 2.0.0.8
SFHAP064.dll	: 2.0.0.8
SFProc64.dll	: 2.0.0.8
SFSAP064.dll	: 2.0.0.8
slcshp64.dll	: 1.0.3.0
slgeq64.dll	: 1.0.1.0
slh36064.dll	: 1.0.2.0
slInit64.dll	: 1.1.3.0
slmaxv64.dll	: 1.1.2.0
sltshd64.dll	: 1.1.1.0
sluapo64.dll	: 1.4.8.0
SRSHp64.dll	: 1.1.0.0
SRSTSH64.dll	: 1.1.4.0
SRSTSx64.dll	: 3.2.0.0
SRSWOW64.dll	: 1.1.3.0

HDMI Driver : -----

Readme.txt

Vista/Win7 x86:
 RtHDM.V.sys : 6.0.1.5897
 RtkAudioSrvATI.exe : 1.0.0.23
 RtkUpd.exe : 2.8.0.0
 RH3DAA32.dll : 6.0.6001.18
 RH3DHT32.dll : 6.0.6001.18
 RHCoInst.dll : 1.0.6.4
 RHDMEExt.dll : 6.0.6000.82
 RtkHDM.dll : 11.0.6000.101

Vista/Win7 x64:
 RtHDM.VX.sys : 6.0.1.5897
 RtkAudioSrvATI64.exe : 1.0.0.23
 RtkUpd64.exe : 2.8.0.0
 RH3DAA64.dll : 6.0.6001.18
 RH3DHT64.dll : 6.0.6001.18
 RHCoInst64.dll : 1.0.6.4
 RHDMEx64.dll : 6.0.6000.82
 RtkHDM64.dll : 11.0.6000.101

XP/2K x86:
 RtkHDM.sys : 5.10.0.5880
 RtkUpd.exe : 2.7.1.3
 RHCoInstXP.dll : 1.0.5.1
 XP/2K x64:
 RtkHDM.X.sys : 5.10.0.5880
 RtkUpd64.exe : 2.7.1.3
 RHCoInst64XP.dll : 1.0.5.1

Driver Setup Program : 2.83

Windows 2000/XP Operate on :
 Microsoft High Definition Audio Driver Package - KB888111
 Package file version (kb888111.exe) : 6.1.22.0
 Hdaudio.sys version : 5.10.00.5013

//=====

Driver Package R2.31

Realtek HD Audio Driver support all of Realtek HD Audio Codec .

1. Vista/Windows 7 WHQL Supporting: ALC882, ALC883, ALC885, ALC888, ALC889, ALC861VD, ALC660, ALC662, ALC663, ALC665, ALC260, ALC262, ALC267, ALC268, ALC269, ALC272, ALC273, ALC887, ALC670, ALC275

2. Windows 2000/XP WHQL Supporting: ALC880, ALC882, ALC883, ALC885, ALC888, ALC889, ALC861VC, ALC861VD, ALC660, ALC662, ALC663, ALC665, ALC260, ALC262, ALC267, ALC268, ALC269, ALC272, ALC273, ALC887, ALC670, ALC275

3. HDMI Device WHQL Support: ATI HDMI Devices

4. OS Supporting: Microsoft WindowsXP, Windows2000, Windows Server 2003, Vista, Windows Server 2008,

Windows7 - x86/x64

5. Pack with Microsoft High Definition Audio UAAV1.0a(5013)

6. Add/Fix

1.) Driver :

1. Customizations.

2. Fix DTM KS position testing fail issue when turn on Microphone effect under Win7.

2.) Package

1. Reboot message in log file. (WLL_REBOOT)

2. Copy all of AP files to system

Windows 2000/XP : -----

Windows 2000/XP :
 RTKHDA64.sys : 5.10.0.5919
 RTKHDAUD.sys : 5.10.0.5919
 Alcmtr.exe : 1.6.0.4
 AlcWzrd.exe : 1.1.0.37
 McCal.exe : 1.1.2.2
 RTHDCPL.exe : 2.3.0.9
 RtkAudioService64.exe : 1.0.0.19
 RtkAudioService.exe : 1.0.0.19
 RTLCPL.exe : 1.0.1.66
 RtlUpd64.exe : 2.8.0.0
 RtlUpd.exe : 2.8.0.0
 SkyTel.exe : 2.0.2.0
 SoundMan.exe : 1.0.0.32
 vncutil64.exe : 1.0.0.24
 vncutil.exe : 1.0.0.25

Readme.txt

```

AMBFilt.sys : 5.10.0.4240
AMBFt64.sys : 5.10.0.4240
Mbnfilt.sys : 5.10.0.4112
Mbnft64.sys : 5.10.0.4115
ALSndMgr.cpl : 1.0.0.11
RTSndMgr.cpl : 1.0.1.4
RCoInst64XP.dll : 1.0.6.5
RTCOMDLL.dll : 1.0.0.103
RtkCoInstXP.dll : 1.0.6.5
RtlCPAPI.dll : 1.0.2.3
Vista/Win7 driver : -----
Vista/Win7 driver for x86
RTKVHDA.sys : 6.0.1.5919
AERTSrv.exe : 1.0.32.9
APOPCH.exe : 1.0.0.0
RtHDVBg.exe : 1.0.0.5
RtHDVCpl.exe : 1.0.0.401
RtkAudioService.exe : 1.0.0.24
RtlUpd.exe : 2.8.0.0
SkyTel.exe : 2.0.2.2
vncutil.exe : 1.0.0.25
mbfilt32.sys : 6.10.0.6
RTSndMgr.cpl : 1.0.0.17
AERTACap.dll : 2.0.32.8
AERTARen.dll : 1.0.32.8
FMAP0.dll : 42.5.1.1
MaxxAudioAPO.dll : 1.2.2.0
MaxxAudioAPO20.dll : 2.2.2.0
MaxxAudioEQ.dll : 5.9.7.0
MBAP032.dll : 1.0.9.0
MBPPCn32.dll : 1.0.0.110
MBppld32.dll : 1.0.9.0
MBTHX32.dll : 1.0.8.0
MBWp32.dll : 1.0.0.110
RP3DAA32.dll : 6.0.6001.18
RP3DHT32.dll : 6.0.6001.18
RTCOMDLL.dll : 2.0.0.117
RtkAPO.dll : 11.0.6000.104
RtkApoApi.dll : 1.0.0.10
RtkCfg.dll : 1.0.0.1
RtkCoInst.dll : 1.0.6.7
RtkPgExt.dll : 6.0.6000.89
RtlCPAPI.dll : 1.0.2.4
SFFXComm.dll : 2.0.0.8
SFFXDAP0.dll : 2.0.0.8
SFFXHAP0.dll : 2.0.0.8
SFFXProc.dll : 2.0.0.8
SFFXSAP0.dll : 2.0.0.8
slcshp32.dll : 1.0.3.0
slgeq32.dll : 1.0.1.0
slh36032.dll : 1.0.2.0
slinit32.dll : 1.1.3.0
slmaxv32.dll : 1.1.2.0
sltshd32.dll : 1.1.1.0
sluapo32.dll : 1.4.8.0
SRSHP360.dll : 1.1.0.0
SRSTSHD.dll : 1.1.4.0
SRSTSXT.dll : 3.2.0.0
SRSWOW.dll : 1.1.3.0
WavesLib.dll : 5.9.7.0
Vista/Win7 driver for x64
RTKVHD64.sys : 6.0.1.5919
AERTSr64.exe : 1.0.64.9
APOPCH.exe : 1.0.0.0
RAVBg64.exe : 1.0.0.5
RAVCpl64.exe : 1.0.0.401
RtkAudioService64.exe : 1.0.0.24
RtlUpd64.exe : 2.8.0.0
SkyTel.exe : 2.0.2.2
vncutil64.exe : 1.0.0.24
GWfilt64.sys : 6.10.0.3
mbfilt64.sys : 6.10.0.8
RTSnMg64.cpl : 1.0.0.17
AERTAC64.dll : 2.0.64.8
AERTAR64.dll : 1.0.64.8

```

Readme.txt

FMAP064.dll	: 42.6.1.1
MaxxAudioAPO20.dll	: 2.2.2.0
MBAP032.dll	: 1.0.19.0
MBAP064.dll	: 1.0.19.0
MBPPCn64.dll	: 1.0.0.110
MBpld64.dll	: 1.0.19.0
MBTHX32.dll	: 1.0.8.0
MBTHX64.dll	: 1.0.8.0
MBWrp64.dll	: 1.0.0.110
RCoInst64.dll	: 1.0.6.7
RP3DAA64.dll	: 6.0.6001.18
RP3DHT64.dll	: 6.0.6001.18
RtCOM64.dll	: 2.0.0.117
RTCOMDLL.dll	: 2.0.0.117
RtkApi64.dll	: 1.0.0.10
RtkAPO64.dll	: 11.0.6000.104
RtkCfg.dll	: 1.0.0.1
RtkCfg64.dll	: 1.0.0.1
RtlCPAPI.dll	: 1.0.2.4
RtlCPAPI64.dll	: 1.0.2.4
RtPgEx64.dll	: 6.0.6000.89
SFComm64.dll	: 2.0.0.8
SFDAP064.dll	: 2.0.0.8
SFHAP064.dll	: 2.0.0.8
SFProc64.dll	: 2.0.0.8
SFSAP064.dll	: 2.0.0.8
slcshp64.dll	: 1.0.3.0
slgeq64.dll	: 1.0.1.0
slh36064.dll	: 1.0.2.0
slInit64.dll	: 1.1.3.0
slmaxv64.dll	: 1.1.2.0
sltshd64.dll	: 1.1.1.0
sluapo64.dll	: 1.4.8.0
SRSHP64.dll	: 1.1.0.0
SRSTSH64.dll	: 1.1.4.0
SRSTSX64.dll	: 3.2.0.0
SRSWOW64.dll	: 1.1.3.0
HDMI Driver : -----	
Vista/Win7 x86:	
RtHDMV.sys	: 6.0.1.5897
RtkAudioSrvATI.exe	: 1.0.0.23
RtkUpd.exe	: 2.8.0.0
RH3DAA32.dll	: 6.0.6001.18
RH3DHT32.dll	: 6.0.6001.18
RHCoInst.dll	: 1.0.6.4
RHDMIExt.dll	: 6.0.6000.82
RtkHDMI.dll	: 11.0.6000.101
Vista/Win7 x64:	
RtHDMVX.sys	: 6.0.1.5897
RtkAudioSrvATI64.exe	: 1.0.0.23
RtkUpd64.exe	: 2.8.0.0
RH3DAA64.dll	: 6.0.6001.18
RH3DHT64.dll	: 6.0.6001.18
RHCoInst64.dll	: 1.0.6.4
RHDMEx64.dll	: 6.0.6000.82
RtkHDM64.dll	: 11.0.6000.101
XP/2K x86:	
RtkHDMI.sys	: 5.10.0.5880
RtkUpd.exe	: 2.7.1.3
RHCoInstXP.dll	: 1.0.5.1
XP/2K x64:	
RtkHDMX.sys	: 5.10.0.5880
RtkUpd64.exe	: 2.7.1.3
RHCoInst64XP.dll	: 1.0.5.1
Driver Setup Program	: 2.83
Windows 2000/XP Operate on :	
Microsoft High Definition Audio Driver Package - KB888111	
Package file version (kb888111.exe) : 6.1.22.0	
Hdaudio.sys version : 5.10.00.5013	

Readme.txt

//=====

Driver Package R2.30

Realtek HD Audio Driver support all of Realtek HD Audio Codec .

1. Vista/Windows 7 WHQL Supporting: ALC882, ALC883, ALC885, ALC888, ALC889, ALC861VD, ALC660, ALC662, ALC663, ALC665, ALC260, ALC262, ALC267, ALC268, ALC272, ALC273, ALC887, ALC670, ALC275

2. Windows 2000/XP WHQL Supporting: ALC880, ALC882, ALC883, ALC885, ALC888, ALC889, ALC861VC, ALC861VD, ALC660, ALC662, ALC663, ALC665, ALC260, ALC262, ALC267, ALC268, ALC269, ALC272, ALC273, ALC887, ALC670, ALC275

3. HDM Device WHQL Support: ATI HDM Devices

4. OS Supporting: Microsoft WindowsXP, Windows2000, Windows Server 2003, Vista, Windows Server 2008, Windows7 - x86/x64

5. Pack with Microsoft High Definition Audio UAAV1.0a(5013)

6. Add/Fix

1.) Driver :

1. Customizations.

2. Fix DTM testing issue under Win7.

Windows 2000/XP : -----

Windows 2000/XP :

RTKHDA64.sys : 5.10.0.5911
RTKHDAUD.sys : 5.10.0.5911
McCal.exe : 1.1.2.2
RTHDCPL.exe : 2.3.0.7
RtkAudioService64.exe : 1.0.0.19
RtkAudioService.exe : 1.0.0.19
RTLCPPL.exe : 1.0.1.66
RtlUpd64.exe : 2.8.0.0
RtlUpd.exe : 2.8.0.0
SkyTel.exe : 2.0.2.0
SoundMan.exe : 1.0.0.32
vncutil64.exe : 1.0.0.23
vncutil.exe : 1.0.0.23
Alcmtr.exe : 1.6.0.4
AlcWzrd.exe : 1.1.0.37
Mnflt.sys : 5.10.0.4112
Mnft64.sys : 5.10.0.4115
AMBFilt.sys : 5.10.0.4240
AMBFt64.sys : 5.10.0.4240
RTSndMgr.cpl : 1.0.1.4
ALSndMgr.cpl : 1.0.0.11
RCoInst64XP.dll : 1.0.6.5
RTCOMDLL.dll : 1.0.0.103
RtkCoInstXP.dll : 1.0.6.5
RtlCPAPI.dll : 1.0.2.3

Vista/Win7 driver : -----

Vista/Win7 driver for x86

RTKVHDA.sys : 6.0.1.5911
AERTSrv.exe : 1.0.32.9
APOPCH.exe : 1.0.0.0
RtHDVBg.exe : 1.0.0.5
RtHDVCpl.exe : 1.0.0.395
RtkAudioService.exe : 1.0.0.24
RtlUpd.exe : 2.8.0.0
SkyTel.exe : 2.0.2.2
vncutil.exe : 1.0.0.23
mbflt32.sys : 6.10.0.6
RTSndMgr.cpl : 1.0.0.17
AERTACap.dll : 2.0.32.8
AERTARen.dll : 1.0.32.8
FMAPO.dll : 42.5.1.1
MaxxAudioAPO.dll : 1.2.2.0
MaxxAudioAPO20.dll : 2.2.2.0
MaxxAudioEQ.dll : 5.9.7.0
MBAP032.dll : 1.0.9.0
MBPPCn32.dll : 1.0.0.110
MBpld32.dll : 1.0.9.0
MBTHX32.dll : 1.0.8.0
MBWrp32.dll : 1.0.0.110
RP3DAA32.dll : 6.0.6001.18
RP3DHT32.dll : 6.0.6001.18
RTCOMDLL.dll : 2.0.0.117
RtkAPO.dll : 11.0.6000.101
RtkApoApi.dll : 1.0.0.10
RtkCfg.dll : 1.0.0.1

Readme.txt

RtkCoInst.dll	: 1.0.6.5
RtkPgExt.dll	: 6.0.6000.87
RtlCPAPI.dll	: 1.0.2.4
SFFXComm.dll	: 2.0.0.8
SFFXDAP0.dll	: 2.0.0.8
SFFXHAP0.dll	: 2.0.0.8
SFFXProc.dll	: 2.0.0.8
SFFXSAP0.dll	: 2.0.0.8
slcshp32.dll	: 1.0.3.0
slgeq32.dll	: 1.0.1.0
slh36032.dll	: 1.0.2.0
slInit32.dll	: 1.1.3.0
slmaxv32.dll	: 1.1.2.0
sltshd32.dll	: 1.1.1.0
sluapo32.dll	: 1.4.8.0
SRSHP360.dll	: 1.1.0.0
SRSTSHD.dll	: 1.1.4.0
SRSTSXT.dll	: 3.2.0.0
SRSWOW.dll	: 1.1.3.0
WavesLib.dll	: 5.9.7.0
Vista/Win7 driver for x64	
RTKVHD64.sys	: 6.0.1.5911
AERTSr64.exe	: 1.0.64.9
APOCH.exe	: 1.0.0.0
RAVBg64.exe	: 1.0.0.5
RAVCpl64.exe	: 1.0.0.395
RtkAudioService64.exe	: 1.0.0.24
RtlUpd64.exe	: 2.8.0.0
SkyTel.exe	: 2.0.2.2
vncutil64.exe	: 1.0.0.23
GWfilt64.sys	: 6.10.0.3
mbfilt64.sys	: 6.10.0.6
RTSnMg64.cpl	: 1.0.0.17
AERTAC64.dll	: 2.0.64.8
AERTAR64.dll	: 1.0.64.8
FMAP064.dll	: 42.6.1.1
MaxxAudioAP020.dll	: 2.2.2.0
MBAP032.dll	: 1.0.9.0
MBAP064.dll	: 1.0.9.0
MBPPCn64.dll	: 1.0.0.110
MBppld64.dll	: 1.0.9.0
MBTHX32.dll	: 1.0.8.0
MBTHX64.dll	: 1.0.8.0
MBWrp64.dll	: 1.0.0.110
RCoInst64.dll	: 1.0.6.5
RP3DAA64.dll	: 6.0.6001.18
RP3DHT64.dll	: 6.0.6001.18
RtCOM64.dll	: 2.0.0.117
RTCOMDLL.dll	: 2.0.0.117
RtkApi64.dll	: 1.0.0.10
RtkAP064.dll	: 11.0.6000.101
RtkCfg.dll	: 1.0.0.1
RtkCfg64.dll	: 1.0.0.1
RtlCPAPI.dll	: 1.0.2.4
RtlCPAPI64.dll	: 1.0.2.4
RtPgEx64.dll	: 6.0.6000.87
SFComm64.dll	: 2.0.0.8
SFDAP064.dll	: 2.0.0.8
SFHAP064.dll	: 2.0.0.8
SFProc64.dll	: 2.0.0.8
SFSAP064.dll	: 2.0.0.8
slcshp64.dll	: 1.0.3.0
slgeq64.dll	: 1.0.1.0
slh36064.dll	: 1.0.2.0
slInit64.dll	: 1.1.3.0
slmaxv64.dll	: 1.1.2.0
sltshd64.dll	: 1.1.1.0
sluapo64.dll	: 1.4.8.0
SRSHP64.dll	: 1.1.0.0
SRSTSH64.dll	: 1.1.4.0
SRSTSX64.dll	: 3.2.0.0
SRSWOW64.dll	: 1.1.3.0

HDMI Driver : Vista/Win7 x86:	
RtHDMV.sys	: 6.0.1.5897

Readme.txt

RtkAudioSrvATI.exe : 1.0.0.23
RtkUpd.exe : 2.8.0.0
RH3DAA32.dll : 6.0.6001.18
RH3DHT32.dll : 6.0.6001.18
RHCoInst.dll : 1.0.6.4
RHDMExt.dll : 6.0.6000.82
RtkHDM.dll : 11.0.6000.101

Vista/Win7 x64:

RtHDMVX.sys : 6.0.1.5897
RtkAudioSrvATI64.exe : 1.0.0.23
RtkUpd64.exe : 2.8.0.0
RH3DAA64.dll : 6.0.6001.18
RH3DHT64.dll : 6.0.6001.18
RHCoInst64.dll : 1.0.6.4
RHDMEx64.dll : 6.0.6000.82
RtkHDM64.dll : 11.0.6000.101

XP/2K x86:

RtkHDM.sys : 5.10.0.5880
RtkUpd.exe : 2.7.1.3
RHCoInstXP.dll : 1.0.5.1

XP/2K x64:

RtkHDMX.sys : 5.10.0.5880
RtkUpd64.exe : 2.7.1.3
RHCoInst64XP.dll : 1.0.5.1

Driver Setup Program : 2.81

Windows 2000/XP Operate on :

Microsoft High Definition Audio Driver Package - KB888111
Package file version (kb888111.exe) : 6.1.22.0
Hdaudio.sys version : 5.10.00.5013

//=====

Driver Package R2.29

Realtek HD Audio Driver support all of Realtek HD Audio Codec .

1. Vista/Windows 7 WHQL Supporting: ALC882, ALC883, ALC885, ALC888, ALC889, ALC861VD, ALC660, ALC662, ALC663, ALC665, ALC260, ALC262, ALC267, ALC268, ALC269, ALC272, ALC273, ALC887, ALC670

2. Windows 2000/XP WHQL Supporting: ALC880, ALC882, ALC883, ALC885, ALC888, ALC889, ALC861VC, ALC861VD, ALC660, ALC662, ALC663, ALC665, ALC260, ALC262, ALC267, ALC268, ALC269, ALC272, ALC273, ALC887, ALC670

3. HDM Device WHQL Support: ATI HDM Devices

4. OS Supporting: Microsoft WindowsXP, Windows2000, Windows Server 2003, Vista, Windows Server 2008, Windows7 - x86/x64

5. Pack with Microsoft High Definition Audio UAAV1.0a(5013)

6. Add/Fix

1.) Driver :

1. Customizations.

Windows 2000/XP : -----

Windows 2000/XP :
RTKHDA64.sys : 5.10.0.5898
RTKHDAUD.sys : 5.10.0.5898
Alcmtr.exe : 1.6.0.4
AlcWzrd.exe : 1.1.0.37
MicCal.exe : 1.1.2.1
RTHDCPL.exe : 2.3.0.0
RtkAudioService.exe : 1.0.0.19
RtkAudioService64.exe : 1.0.0.19
RTLCPPL.exe : 1.0.1.66
RtlUpd.exe : 2.8.0.0
RtlUpd64.exe : 2.8.0.0
SkyTel.exe : 2.0.2.0
SoundMan.exe : 1.0.0.32
vncutil.exe : 1.0.0.23
vncutil64.exe : 1.0.0.23
AMBFilt.sys : 5.10.0.4240
AMBFt64.sys : 5.10.0.4240
Mnftlt.sys : 5.10.0.4112
Mnft64.sys : 5.10.0.4115
ALSndMgr.cpl : 1.0.0.11
RTSndMgr.cpl : 1.0.1.3

Readme.txt

```

RCoInst64XP.dll : 1.0.6.3
RTCOMDLL.dll : 1.0.0.103
RtkCoInstXP.dll : 1.0.6.3
RtlCPAPI.dll : 1.0.2.3
Vista/Win7 driver : -----
Vista/Win7 driver for x86
RTKVHDA.sys : 6.0.1.5898
AERTSrv.exe : 1.0.32.9
APOPCH.exe : 1.0.0.0
RtHDVBg.exe : 1.0.0.5
RtHDVCpl.exe : 1.0.0.386
RtkAudioService.exe : 1.0.0.24
RtlUpd.exe : 2.8.0.0
SkyTel.exe : 2.0.2.2
vncutil.exe : 1.0.0.23
mbfilt32.sys : 6.10.0.6
RTSndMgr.cpl : 1.0.0.16
AERTACap.dll : 2.0.32.8
AERTARen.dll : 1.0.32.8
FMAP0.dll : 0.0.18.2
MaxxAudioAP0.dll : 1.2.2.0
MaxxAudioAP020.dll : 2.2.2.0
MaxxAudioEQ.dll : 5.9.7.0
MBAP032.dll : 1.0.9.0
MBPPCn32.dll : 1.0.0.110
MBpld32.dll : 1.0.9.0
MBTHX32.dll : 1.0.6.0
MBWp32.dll : 1.0.0.110
RP3DAA32.dll : 6.0.6001.18
RP3DHT32.dll : 6.0.6001.18
RTCOMDLL.dll : 2.0.0.117
RtkAP0.dll : 11.0.6000.101
RtkApoApi.dll : 1.0.0.10
RtkCfg.dll : 1.0.0.1
RtkCoInst.dll : 1.0.6.4
RtkPgExt.dll : 6.0.6000.84
RtlCPAPI.dll : 1.0.2.4
SFFXComm.dll : 2.0.0.6
SFFXDAP0.dll : 2.0.0.6
SFFXHAP0.dll : 2.0.0.6
SFFXProc.dll : 2.0.0.6
SFFXSAP0.dll : 2.0.0.6
slcshp32.dll : 1.0.3.0
slgeq32.dll : 1.0.1.0
slh36032.dll : 1.0.2.0
slinit32.dll : 1.1.3.0
slmaxv32.dll : 1.1.2.0
sltshd32.dll : 1.1.1.0
sluapo32.dll : 1.4.8.0
SRSHP360.dll : 1.1.0.0
SRSTSHD.dll : 1.1.4.0
SRSTSXT.dll : 3.2.0.0
SRSWOW.dll : 1.1.3.0
WavesLib.dll : 5.9.7.0
Vista/Win7 driver for x64
RTKVHD64.sys : 6.0.1.5898
AERTSr64.exe : 1.0.64.9
APOPCH.exe : 1.0.0.0
RAVBg64.exe : 1.0.0.5
RAVCpl64.exe : 1.0.0.386
RtkAudioService64.exe : 1.0.0.24
RtlUpd64.exe : 2.8.0.0
SkyTel.exe : 2.0.2.2
vncutil64.exe : 1.0.0.23
GWfilt64.sys : 6.10.0.3
mbfilt64.sys : 6.10.0.6
RTSnmg64.cpl : 1.0.0.16
AERTAC64.dll : 2.0.64.8
AERTAR64.dll : 1.0.64.8
FMAP064.dll : 0.0.18.2
MaxxAudioAP020.dll : 2.2.2.0
MBAP032.dll : 1.0.9.0
MBAP064.dll : 1.0.9.0
MBPPCn64.dll : 1.0.0.110
MBpld64.dll : 1.0.9.0

```

Readme.txt

MBTHX32.dll : 1.0.6.0
 MBTHX64.dll : 1.0.6.0
 MBWrp64.dll : 1.0.0.110
 RCoInst64.dll : 1.0.6.4
 RP3DAA64.dll : 6.0.6001.18
 RP3DHT64.dll : 6.0.6001.18
 RtCOM64.dll : 2.0.0.117
 RTCOMDLL.dll : 2.0.0.117
 RtkApi64.dll : 1.0.0.10
 RtkAPO64.dll : 11.0.6000.101
 RtkCfg.dll : 1.0.0.1
 RtkCfg64.dll : 1.0.0.1
 RtlCPAPI.dll : 1.0.2.4
 RtlCPAPI64.dll : 1.0.2.4
 RtpgEx64.dll : 6.0.6000.84
 SFComm64.dll : 2.0.0.6
 SFDAPO64.dll : 2.0.0.6
 SFHAP064.dll : 2.0.0.6
 SFProc64.dll : 2.0.0.6
 SFSAP064.dll : 2.0.0.6
 slcshp64.dll : 1.0.3.0
 slgeq64.dll : 1.0.1.0
 slh36064.dll : 1.0.2.0
 slInit64.dll : 1.1.3.0
 slmaxv64.dll : 1.1.2.0
 sltshd64.dll : 1.1.1.0
 sluapo64.dll : 1.4.8.0
 SRSHP64.dll : 1.1.0.0
 SRSTSH64.dll : 1.1.4.0
 SRSTSX64.dll : 3.2.0.0
 SRSWOW64.dll : 1.1.3.0

HDM Driver : -----

Vista/Win7 x86:

RtHDM.V.sys : 6.0.1.5897
 RtkAudioSrvATI.exe : 1.0.0.23
 RtkUpd.exe : 2.8.0.0
 RH3DAA32.dll : 6.0.6001.18
 RH3DHT32.dll : 6.0.6001.18
 RHCoInst.dll : 1.0.6.4
 RHDMExt.dll : 6.0.6000.82
 RtkHDM.dll : 11.0.6000.101

Vista/Win7 x64:

RtHDM.VX.sys : 6.0.1.5897
 RtkAudioSrvATI64.exe : 1.0.0.23
 RtkUpd64.exe : 2.8.0.0
 RH3DAA64.dll : 6.0.6001.18
 RH3DHT64.dll : 6.0.6001.18
 RHCoInst64.dll : 1.0.6.4
 RHDMEx64.dll : 6.0.6000.82
 RtkHDM64.dll : 11.0.6000.101

XP/2K x86:

RtkHDM.sys : 5.10.0.5880
 RtkUpd.exe : 2.7.1.3
 RHCoInstXP.dll : 1.0.5.1

XP/2K x64:

RtkHDMX.sys : 5.10.0.5880
 RtkUpd64.exe : 2.7.1.3
 RHCoInst64XP.dll : 1.0.5.1

Driver Setup Program : 2.81

Windows 2000/XP Operate on :

Microsoft High Definition Audio Driver Package - KB888111

Package file version (kb888111.exe) : 6.1.22.0

Hdaudio.sys version : 5.10.00.5013

//=====

Driver Package R2.28

Realtek HD Audio Driver support all of Realtek HD Audio Codec .

1. Vista/Windows 7 WHQL Supporting: ALC882, ALC883, ALC885, ALC888, ALC889, ALC861VD, ALC660, ALC662, ALC663, ALC665, ALC260, ALC262, ALC267, ALC268, ALC269, ALC272, ALC273, ALC887, ALC670

Readme.txt

2. Windows 2000/XP WHQL Supporting: ALC880, ALC882, ALC883, ALC885, ALC888, ALC889, ALC861VC, ALC861VD, ALC660, ALC662, ALC663, ALC665, ALC260, ALC262, ALC267, ALC268, ALC269, ALC272, ALC273, ALC887, ALC670

3. HDMI Device WHQL Support: ATI HDMI Devices

4. OS Supporting: Microsoft WindowsXP, Windows2000, Windows Server 2003, Vista, Windows Server 2008, Windows7 - x86/x64

5. Pack with Microsoft High Definition Audio UAAV1.0a(5013)

6. Add/Fix

1.) Driver :

1. Customizations.

2.) Package :

1. Fix uninstallation driver issue under Windows x64 system .

Windows 2000/XP : -----

Windows 2000/XP :

Windows 2000/XP :

RTKHDA64.sys	: 5.10.0.5888
RTKHDAUD.sys	: 5.10.0.5888
Alcmtr.exe	: 1.6.0.4
AlcWzrd.exe	: 1.1.0.37
McCal.exe	: 1.1.2.1
RTHDCPL.exe	: 2.2.9.7
RtkAudioService.exe	: 1.0.0.19
RtkAudioService64.exe	: 1.0.0.19
RTLCPPL.exe	: 1.0.1.66
RtlUpd.exe	: 2.8.0.0
RtlUpd64.exe	: 2.8.0.0
SkyTel.exe	: 2.0.2.0
SoundMan.exe	: 1.0.0.32
vncutil.exe	: 1.0.0.23
vncutil64.exe	: 1.0.0.23
AMBFilt.sys	: 5.10.0.4240
AMBFt64.sys	: 5.10.0.4240
Mnflt.sys	: 5.10.0.4112
Mnft64.sys	: 5.10.0.4115
ALSndMgr.cpl	: 1.0.0.11
RTSndMgr.cpl	: 1.0.1.3
RCoInst64XP.dll	: 1.0.6.2
RTCOMDLL.dll	: 1.0.0.103
RtkCoInstXP.dll	: 1.0.6.2
RtlCPAPI.dll	: 1.0.2.3

Vista/Win7 driver : -----

Vista/Win7 driver for x86

RTKVHDA.sys	: 6.0.1.5888
AERTSrv.exe	: 1.0.32.9
APOPCH.exe	: 1.0.0.0
RtHDVBg.exe	: 1.0.0.5
RtHDVCpl.exe	: 1.0.0.376
RtkAudioService.exe	: 1.0.0.22
RtlUpd.exe	: 2.8.0.0
SkyTel.exe	: 2.0.2.2
vncutil.exe	: 1.0.0.23
RTSndMgr.cpl	: 1.0.0.15
AERTACap.dll	: 2.0.32.8
AERTARen.dll	: 1.0.32.8
FMAPO.dll	: 0.0.18.2
MaxxAudioAPO.dll	: 1.2.2.0
MaxxAudioAPO20.dll	: 2.2.2.0
MaxxAudioEQ.dll	: 5.9.7.0
MBAP032.dll	: 1.0.9.0
MBPPCn32.dll	: 1.0.0.110
MBppld32.dll	: 1.0.9.0
MBWrp32.dll	: 1.0.0.110
RP3DAA32.dll	: 6.0.6001.18
RP3DHT32.dll	: 6.0.6001.18
RTCOMDLL.dll	: 2.0.0.116
RtkAPO.dll	: 11.0.6000.101
RtkApoApi.dll	: 1.0.0.10
RtkCfg.dll	: 1.0.0.1
RtkCoInst.dll	: 1.0.6.2
RtkPgExt.dll	: 6.0.6000.82
RtlCPAPI.dll	: 1.0.2.4
SFFXComm.dll	: 2.0.0.6
SFFXDAP0.dll	: 2.0.0.6
SFFXHAP0.dll	: 2.0.0.6

Readme.txt

SFFXProc.dll	: 2.0.0.6
SFFXSAP0.dll	: 2.0.0.6
slcshp32.dll	: 1.0.3.0
slgeq32.dll	: 1.0.1.0
slh36032.dll	: 1.0.2.0
slInit32.dll	: 1.1.3.0
slmaxv32.dll	: 1.1.2.0
sltshd32.dll	: 1.1.1.0
sluapo32.dll	: 1.4.8.0
SRSHP360.dll	: 1.1.0.0
SRSTSHD.dll	: 1.1.4.0
SRSTSXT.dll	: 3.2.0.0
SRSWOW.dll	: 1.1.3.0
WavesLib.dll	: 5.9.7.0
RCORES.dat	: 1.0.0.5
Vista/Win7 driver for x64	
RTKVHD64.sys	: 6.0.1.5888
AERTSr64.exe	: 1.0.64.9
APOPCH.exe	: 1.0.0.0
RAVBg64.exe	: 1.0.0.5
RAVCpl64.exe	: 1.0.0.376
RtkAudioService64.exe	: 1.0.0.22
RtlUpd64.exe	: 2.8.0.0
SkyTel.exe	: 2.0.2.2
vncutil64.exe	: 1.0.0.23
GWfilt64.sys	: 6.10.0.3
RTSnMg64.cpl	: 1.0.0.15
AERTAC64.dll	: 2.0.64.8
AERTAR64.dll	: 1.0.64.8
FMAP064.dll	: 0.0.18.2
MaxxAudioAP020.dll	: 2.2.2.0
MBAP032.dll	: 1.0.9.0
MBAP064.dll	: 1.0.9.0
MBPPCn64.dll	: 1.0.0.110
MBppld64.dll	: 1.0.9.0
MBWp64.dll	: 1.0.0.110
RCoInst64.dll	: 1.0.6.2
RP3DAA64.dll	: 6.0.6001.18
RP3DHT64.dll	: 6.0.6001.18
RtCOM64.dll	: 2.0.0.116
RTCOMDLL.dll	: 2.0.0.116
RtkApi64.dll	: 1.0.0.10
RtkAP064.dll	: 11.0.6000.101
RtkCfg.dll	: 1.0.0.1
RtkCfg64.dll	: 1.0.0.1
RtlCPAPI.dll	: 1.0.2.4
RtlCPAPI64.dll	: 1.0.2.4
RtPgEx64.dll	: 6.0.6000.82
SFComm64.dll	: 2.0.0.6
SFDAPO64.dll	: 2.0.0.6
SFHAP064.dll	: 2.0.0.6
SFProc64.dll	: 2.0.0.6
SFSAP064.dll	: 2.0.0.6
slcshp64.dll	: 1.0.3.0
slgeq64.dll	: 1.0.1.0
slh36064.dll	: 1.0.2.0
slInit64.dll	: 1.1.3.0
slmaxv64.dll	: 1.1.2.0
sltshd64.dll	: 1.1.1.0
sluapo64.dll	: 1.4.8.0
SRSHP64.dll	: 1.1.0.0
SRSTSH64.dll	: 1.1.4.0
SRSTSX64.dll	: 3.2.0.0
SRSWOW64.dll	: 1.1.3.0
RCORES64.dat	: 1.0.0.5
HDM Driver : -----	
Vista/Win7 x86:	
RtHDM.V.sys	: 6.0.1.5880
RtkUpd.exe	: 2.7.1.3
RH3DAA32.dll	: 6.0.6001.18
RH3DHT32.dll	: 6.0.6001.18
RHCoInst.dll	: 1.0.6.0
RHDMExt.dll	: 6.0.6000.82
RtkHDM.dll	: 11.0.6000.100

Readme.txt

Vista/Win7 x64:
RtHDM.VX.sys : 6.0.1.5880
RtkUpd64.exe : 2.7.1.3
RH3DAA64.dll : 6.0.6001.18
RH3DHT64.dll : 6.0.6001.18
RHCoInst64.dll : 1.0.6.0
RHDMEx64.dll : 6.0.6000.82
RtkHDM64.dll : 11.0.6000.100

XP/2K x86:
RtkHDM.sys : 5.10.0.5880
RtkUpd.exe : 2.7.1.3
RHCoInstXP.dll : 1.0.5.1
XP/2K x64:
RtkHDMX.sys : 5.10.0.5880
RtkUpd64.exe : 2.7.1.3
RHCoInst64XP.dll : 1.0.5.1

Driver Setup Program : 2.80

Windows 2000/XP Operate on :
Microsoft High Definition Audio Driver Package - KB888111
Package file version (kb888111.exe) : 6.1.22.0
Hdaudio.sys version : 5.10.00.5013

//=====

Driver Package R2.27

Realtek HD Audio Driver support all of Realtek HD Audio Codec .

1. Vista/Windows 7 WHQL Supporting: ALC882, ALC883, ALC885, ALC888, ALC889, ALC861VD, ALC660, ALC662, ALC663, ALC665, ALC260, ALC262, ALC267, ALC268, ALC269, ALC272, ALC273, ALC887

2. Windows 2000/XP WHQL Supporting: ALC880, ALC882, ALC883, ALC885, ALC888, ALC889, ALC861VC, ALC861VD, ALC660, ALC662, ALC663, ALC665, ALC260, ALC262, ALC267, ALC268, ALC269, ALC272, ALC273, ALC887

3. HDM Device WHQL Support: ATI HDM Devices

4. OS Supporting: Microsoft WindowsXP, Windows2000, Windows Server 2003, Vista, Windows Server 2008, Windows7 - x86/x64

5. Pack with Microsoft High Definition Audio UAAV1.0a(5013)

6. Add/Fix

1.) Driver :

1. Customizations.

2. Fix GUI issue which can't launch Windows MediaPlayer under Win7 OS.

Windows 2000/XP : -----

Windows 2000/XP :
RTKHDA64.sys : 5.10.0.5874
RTKHDAUD.sys : 5.10.0.5874
McCal.exe : 1.1.2.1
RTHDCPL.exe : 2.2.9.2
RtkAudioService64.exe : 1.0.0.19
RtkAudioService.exe : 1.0.0.19
RTLCPPL.exe : 1.0.1.66
RtlUpd64.exe : 2.7.1.4
RtlUpd.exe : 2.7.1.4
SkyTel.exe : 2.0.2.0
SoundMan.exe : 1.0.0.32
vncutil64.exe : 1.0.0.23
vncutil.exe : 1.0.0.23
Alcmtr.exe : 1.6.0.4
AlcWzrd.exe : 1.1.0.37
Mnflt.sys : 5.10.0.4112
Mnft64.sys : 5.10.0.4115
AMBFilt.sys : 5.10.0.4240
AMBft64.sys : 5.10.0.4240
RTSndMgr.cpl : 1.0.1.3
ALSndMgr.cpl : 1.0.0.11
RCoInst64XP.dll : 1.0.5.9
RTCOMDLL.dll : 1.0.0.103
RtkCoInstXP.dll : 1.0.5.9
RtlCPAPI.dll : 1.0.2.3

Vista/Win7 driver : -----

Vista/Win7 driver for x86
RTKVHDA.sys : 6.0.1.5874
AERTSrv.exe : 1.0.32.9
APOPCH.exe : 1.0.0.0

Readme.txt

RtHdVcpl.exe : 1.0.0.366
 RtkAudioService.exe : 1.0.0.21
 RtlUpd.exe : 2.7.1.4
 SkyTel.exe : 2.0.2.2
 vncutil.exe : 1.0.0.23
 RTSndMgr.cpl : 1.0.0.15
 AERTACap.dll : 2.0.32.8
 AERTARen.dll : 1.0.32.8
 FMAP0.dll : 0.0.14.1
 MaxxAudioAPO.dll : 1.2.2.0
 MaxxAudioAPO20.dll : 2.2.2.0
 MaxxAudioEQ.dll : 5.9.7.0
 MBAP032.dll : 1.0.9.0
 MBPPCn32.dll : 1.0.0.110
 Mbpld32.dll : 1.0.9.0
 MBWp32.dll : 1.0.0.110
 RP3DAA32.dll : 6.0.6001.18
 RP3DHT32.dll : 6.0.6001.18
 RTCOMDLL.dll : 2.0.0.113
 RtkAPO.dll : 11.0.6000.100
 RtkApoApi.dll : 1.0.0.10
 RtkCfg.dll : 1.0.0.1
 RtkCoInst.dll : 1.0.6.0
 RtkPgExt.dll : 6.0.6000.82
 RtlCPAPI.dll : 1.0.2.4
 SFFXComm.dll : 2.0.0.6
 SFFXDAP0.dll : 2.0.0.6
 SFFXHAP0.dll : 2.0.0.6
 SFFXProc.dll : 2.0.0.6
 SFFXSAP0.dll : 2.0.0.6
 slcshp32.dll : 1.0.3.0
 slgeq32.dll : 1.0.1.0
 slh36032.dll : 1.0.2.0
 slInit32.dll : 1.1.3.0
 slmaxv32.dll : 1.1.2.0
 sltshd32.dll : 1.1.1.0
 sluapo32.dll : 1.4.8.0
 SRSHP360.dll : 1.1.0.0
 SRSTSHD.dll : 1.1.4.0
 SRSTSXT.dll : 3.2.0.0
 SRSWOW.dll : 1.1.3.0
 WavesLib.dll : 5.9.7.0
 Vista/Win7 driver for x64
 RTKVHD64.sys : 6.0.1.5874
 AERTSr64.exe : 1.0.64.9
 APOPCH.exe : 1.0.0.0
 RAVCpl64.exe : 1.0.0.366
 RtkAudioService64.exe : 1.0.0.21
 RtlUpd64.exe : 2.7.1.4
 SkyTel.exe : 2.0.2.2
 vncutil64.exe : 1.0.0.23
 GWFilt64.sys : 6.10.0.3
 RTSnMg64.cpl : 1.0.0.15
 AERTAC64.dll : 2.0.64.8
 AERTAR64.dll : 1.0.64.8
 FMAP064.dll : 0.0.14.1
 MaxxAudioAPO20.dll : 2.2.2.0
 MBAP032.dll : 1.0.9.0
 MBAP064.dll : 1.0.9.0
 MBPPCn64.dll : 1.0.0.110
 Mbpld64.dll : 1.0.9.0
 MBWp64.dll : 1.0.0.110
 RCoInst64.dll : 1.0.6.0
 RP3DAA64.dll : 6.0.6001.18
 RP3DHT64.dll : 6.0.6001.18
 RtCOMB4.dll : 2.0.0.113
 RTCOMDLL.dll : 2.0.0.113
 RtkApi64.dll : 1.0.0.10
 RtkAPO64.dll : 11.0.6000.100
 RtkCfg.dll : 1.0.0.1
 RtkCfg64.dll : 1.0.0.1
 RtlCPAPI.dll : 1.0.2.4
 RtlCPAPI64.dll : 1.0.2.4
 RtlPgEx64.dll : 6.0.6000.82
 SFComm64.dll : 2.0.0.6

Readme.txt

SFDAP064.dll : 2.0.0.6
 SFHAP064.dll : 2.0.0.6
 SFProc64.dll : 2.0.0.6
 SFSAP064.dll : 2.0.0.6
 slcshp64.dll : 1.0.3.0
 slgeq64.dll : 1.0.1.0
 slh36064.dll : 1.0.2.0
 slInit64.dll : 1.1.3.0
 slmaxv64.dll : 1.1.2.0
 sltshd64.dll : 1.1.1.0
 sluapo64.dll : 1.4.8.0
 SRSHP64.dll : 1.1.0.0
 SRSTSH64.dll : 1.1.4.0
 SRSTSX64.dll : 3.2.0.0
 SRSWOW64.dll : 1.1.3.0

HDMI Driver : -----
 Vista/Win7 x86:
 RtHDMV.sys : 6.0.1.5857
 RtkUpd.exe : 2.7.1.3
 RH3DAA32.dll : 6.0.6001.18
 RH3DHT32.dll : 6.0.6001.18
 RHCoInst.dll : 1.0.4.9
 RHDMExt.dll : 6.0.6000.79
 RtkHDM.dll : 11.0.6000.99

Vista/Win7 x64:
 RtHDMVX.sys : 6.0.1.5857
 RtkUpd64.exe : 2.7.1.3
 RH3DAA64.dll : 6.0.6001.18
 RH3DHT64.dll : 6.0.6001.18
 RHCoInst64.dll : 1.0.4.4
 RHDMEx64.dll : 6.0.6000.79
 RtkHDM64.dll : 11.0.6000.99

XP/2K x86:
 RtkHDM.sys : 5.10.0.5857
 RtkUpd.exe : 2.7.1.3
 RHCoInstXP.dll : 1.0.5.1

XP/2K x64:
 RtkHDMX.sys : 5.10.0.5857
 RtkUpd64.exe : 2.7.1.3
 RHCoInst64XP.dll : 1.0.5.1

Driver Setup Program : 2.77

Windows 2000/XP Operate on :
 Microsoft High Definition Audio Driver Package - KB888111
 Package file version (kb888111.exe) : 6.1.22.0
 Hdaudio.sys version : 5.10.00.5013

//=====

Driver Package R2.26

Realtek HD Audio Driver support all of Realtek HD Audio Codec .

1. Vista/Windows 7 WHQL Supporting: ALC882, ALC883, ALC885, ALC888, ALC889, ALC861VD, ALC660, ALC662, ALC663, ALC665, ALC260, ALC262, ALC267, ALC268, ALC269, ALC272, ALC273, ALC887

2. Windows 2000/XP WHQL Supporting: ALC880, ALC882, ALC883, ALC885, ALC888, ALC889, ALC861VC, ALC861VD, ALC660, ALC662, ALC663, ALC665, ALC260, ALC262, ALC267, ALC268, ALC269, ALC272, ALC273, ALC887

3. HDMI Device WHQL Support: ATI HDMI Devices

4. OS Supporting: Microsoft WindowsXP, Windows2000, Windows Server 2003, Vista, Windows Server 2008, Windows7 - x86/x64

5. Pack with Microsoft High Definition Audio UAAV1.0a(5013)

6. Add/Fix

1.) Driver :

1. Customizations.
2. Update SRS components.

Windows 2000/XP : -----

Windows 2000/XP :
 RTKHDA64.sys : 5.10.0.5864
 RTKHDAUD.sys : 5.10.0.5864
 McCal.exe : 1.1.2.1
 RTHDCPL.exe : 2.2.9.0
 RtkAudioService64.exe : 1.0.0.19
 RtkAudioService.exe : 1.0.0.19

Readme.txt

```

RTLCP.L.exe : 1.0.1.66
RtlUpd64.exe : 2.7.1.3
RtlUpd.exe : 2.7.1.3
SkyTel.exe : 2.0.2.0
SoundMan.exe : 1.0.0.32
vncutil64.exe : 1.0.0.23
vncutil.exe : 1.0.0.23
AlcMtr.exe : 1.6.0.4
AlcWzrd.exe : 1.1.0.37
AMBft64.sys : 5.10.0.4240
Mbnfilt.sys : 5.10.0.4112
Mbnft64.sys : 5.10.0.4115
AMBfilt.sys : 5.10.0.4240
RTSndMgr.cpl : 1.0.1.3
ALSndMgr.cpl : 1.0.0.11
RCoInst64XP.dll : 1.0.5.6
RTCOMDLL.dll : 1.0.0.103
RtkCoInstXP.dll : 1.0.5.6
RtlCPAPI.dll : 1.0.2.3
Vista/Win7 driver : -----
Vista/Win7 driver for x86
RTKVHDA.sys : 6.0.1.5864
AERTSrv.exe : 1.0.32.9
APOPCH.exe : 1.0.0.0
RtHDVCpl.exe : 1.0.0.356
RtkAudioService.exe : 1.0.0.19
RtlUpd.exe : 2.7.1.3
SkyTel.exe : 2.0.2.2
vncutil.exe : 1.0.0.23
RTSndMgr.cpl : 1.0.0.15
AERTACap.dll : 2.0.32.8
AERTARen.dll : 1.0.32.8
FMAP0.dll : 0.0.14.1
MaxxAudioAPO.dll : 1.2.2.0
MaxxAudioAPO20.dll : 2.2.2.0
MaxxAudioEQ.dll : 5.9.7.0
MBAP032.dll : 1.0.9.0
MBPPCn32.dll : 1.0.0.110
MBppld32.dll : 1.0.9.0
MBWp32.dll : 1.0.0.110
RP3DAA32.dll : 6.0.6001.18
RP3DHT32.dll : 6.0.6001.18
RTCOMDLL.dll : 2.0.0.113
RtkAPO.dll : 11.0.6000.99
RtkApoApi.dll : 1.0.0.10
RtkCfg.dll : 1.0.0.1
RtkCoInst.dll : 1.0.5.8
RtkPgExt.dll : 6.0.6000.79
RtlCPAPI.dll : 1.0.2.4
SFFXComm.dll : 2.0.0.6
SFFXDAP0.dll : 2.0.0.6
SFFXHAP0.dll : 2.0.0.6
SFFXProc.dll : 2.0.0.6
SFFXSAP0.dll : 2.0.0.6
slcshp32.dll : 1.0.3.0
slgeq32.dll : 1.0.1.0
slh36032.dll : 1.0.2.0
slInit32.dll : 1.1.3.0
slmaxv32.dll : 1.1.1.0
sltshd32.dll : 1.1.1.0
sluapo32.dll : 1.4.6.0
SRSHP360.dll : 1.1.0.0
SRSTSHD.dll : 1.1.4.0
SRSTSXT.dll : 3.2.0.0
SRSWOW.dll : 1.1.3.0
WavesLib.dll : 5.9.7.0
Vista/Win7 driver for x64
RTKVHD64.sys : 6.0.1.5864
AERTSr64.exe : 1.0.64.9
APOPCH.exe : 1.0.0.0
RAVCpl64.exe : 1.0.0.356
RtkAudioService64.exe : 1.0.0.19
RtlUpd64.exe : 2.7.1.3
SkyTel.exe : 2.0.2.2
vncutil64.exe : 1.0.0.23

```

Readme.txt

GWfilt64.sys	: 6.10.0.3
RTSnMg64.cpl	: 1.0.0.15
AERTAC64.dll	: 2.0.64.8
AERTAR64.dll	: 1.0.64.8
FMAP064.dll	: 0.0.14.1
MaxxAudioAPO20.dll	: 2.2.2.0
MBAP032.dll	: 1.0.9.0
MBAP064.dll	: 1.0.9.0
MBPPCn64.dll	: 1.0.0.110
MBpld64.dll	: 1.0.9.0
MBWrp64.dll	: 1.0.0.110
RCoInst64.dll	: 1.0.5.8
RP3DAA64.dll	: 6.0.6001.18
RP3DHT64.dll	: 6.0.6001.18
RtCOM64.dll	: 2.0.0.113
RTCOMDLL.dll	: 2.0.0.113
RtkApi64.dll	: 1.0.0.10
RtkAPO64.dll	: 11.0.6000.99
RtkCfg.dll	: 1.0.0.1
RtkCfg64.dll	: 1.0.0.1
RtlCPAPI.dll	: 1.0.2.4
RtlCPAPI64.dll	: 1.0.2.4
RtPgEx64.dll	: 6.0.6000.79
SFComm64.dll	: 2.0.0.6
SFDAPO64.dll	: 2.0.0.6
SFHAP064.dll	: 2.0.0.6
SFProc64.dll	: 2.0.0.6
SFSAP064.dll	: 2.0.0.6
slcshp64.dll	: 1.0.3.0
slgeq64.dll	: 1.0.1.0
slh36064.dll	: 1.0.2.0
slInit64.dll	: 1.1.3.0
slmaxv64.dll	: 1.1.1.0
sltshd64.dll	: 1.1.1.0
sluapo64.dll	: 1.4.6.0
SRSHP64.dll	: 1.1.0.0
SRSTSH64.dll	: 1.1.4.0
SRSTSX64.dll	: 3.2.0.0
SRSWOW64.dll	: 1.1.3.0

HDM Driver :	
Vista/Win7 x86:	
RtHDM V.sys	: 6.0.1.5857
RtkUpd.exe	: 2.7.1.3
RH3DAA32.dll	: 6.0.6001.18
RH3DHT32.dll	: 6.0.6001.18
RHCoInst.dll	: 1.0.4.9
RHDM Ext.dll	: 6.0.6000.79
RtkHDM.dll	: 11.0.6000.99
Vista/Win7 x64:	
RtHDM VX.sys	: 6.0.1.5857
RtkUpd64.exe	: 2.7.1.3
RH3DAA64.dll	: 6.0.6001.18
RH3DHT64.dll	: 6.0.6001.18
RHCoInst64.dll	: 1.0.4.4
RHDMEx64.dll	: 6.0.6000.79
RtkHDM64.dll	: 11.0.6000.99
XP/2K x86:	
RtkHDM.sys	: 5.10.0.5857
RtkUpd.exe	: 2.7.1.3
RHCoInstXP.dll	: 1.0.5.1
XP/2K x64:	
RtkHDMX.sys	: 5.10.0.5857
RtkUpd64.exe	: 2.7.1.3
RHCoInst64XP.dll	: 1.0.5.1
Driver Setup Program	: 2.76
Windows 2000/XP Operate on :	
Microsoft High Definition Audio Driver Package - KB888111	
Package file version (kb888111.exe) : 6.1.22.0	
Hdaudio.sys version : 5.10.00.5013	

Readme.txt

//=====

Driver Package R2.25

Realtek HD Audio Driver support all of Realtek HD Audio Codec .

1. Vista/Windows 7 WHQL Supporting: ALC882, ALC883, ALC885, ALC888, ALC889, ALC861VD, ALC660, ALC662, ALC663, ALC665, ALC260, ALC262, ALC267, ALC268, ALC269, ALC272, ALC273, ALC887

2. Windows 2000/XP WHQL Supporting: ALC880, ALC882, ALC883, ALC885, ALC888, ALC889, ALC861VC, ALC861VD, ALC660, ALC662, ALC663, ALC665, ALC260, ALC262, ALC267, ALC268, ALC269, ALC272, ALC273, ALC887

3. HDM Device WHQL Support: ATI HDM Devices

4. OS Supporting: Microsoft WindowsXP, Windows2000, Windows Server 2003, Vista, Windows Server 2008, Windows7 - x86/x64

5. Pack with Microsoft High Definition Audio UAAV1.0a(5013)

6. Add/Fix

1.) Driver :

1. Customizations.
2. Windows 7 WHQL Driver.

Windows 2000/XP : -----

Windows 2000/XP :

RTKHDA64.sys	: 5.10.0.5859
RTKHDAUD.sys	: 5.10.0.5859
Alcmtr.exe	: 1.6.0.4
AlcWzrd.exe	: 1.1.0.37
MicCal.exe	: 1.1.2.1
RTHDCPL.exe	: 2.2.9.0
RtkAudioService.exe	: 1.0.0.19
RtkAudioService64.exe	: 1.0.0.19
RTLCPPL.exe	: 1.0.1.66
RtlUpd.exe	: 2.7.1.3
RtlUpd64.exe	: 2.7.1.3
SkyTel.exe	: 2.0.2.0
SoundMan.exe	: 1.0.0.32
vncutil.exe	: 1.0.0.23
vncutil64.exe	: 1.0.0.23
AMBFilt.sys	: 5.10.0.4240
AMBFt64.sys	: 5.10.0.4240
Mnft64.sys	: 5.10.0.4112
Mnft64.sys	: 5.10.0.4115
ALSndMgr.cpl	: 1.0.0.11
RTSndMgr.cpl	: 1.0.1.3
RCoInst64XP.dll	: 1.0.5.6
RTCOMDLL.dll	: 1.0.0.103
RtkCoInstXP.dll	: 1.0.5.6
RtlCPAPI.dll	: 1.0.2.3

Vista/Win7 driver : -----

Vista/Win7 driver for x86

RTKVHDA.sys	: 6.0.1.5859
AERTSrv.exe	: 1.0.32.9
APOPCH.exe	: 1.0.0.0
RtHDVCpl.exe	: 1.0.0.353
RtkAudioService.exe	: 1.0.0.19
RtlUpd.exe	: 2.7.1.3
SkyTel.exe	: 2.0.2.2
vncutil.exe	: 1.0.0.23
RTSndMgr.cpl	: 1.0.0.15
AERTACap.dll	: 2.0.32.8
AERTARen.dll	: 1.0.32.8
FMAPO.dll	: 0.0.14.1
MaxxAudioAPO.dll	: 1.2.2.0
MaxxAudioAPO20.dll	: 2.2.2.0
MaxxAudioEQ.dll	: 5.9.7.0
MBAP032.dll	: 1.0.9.0
MBPPCn32.dll	: 1.0.0.110
MBppld32.dll	: 1.0.9.0
MBWrp32.dll	: 1.0.0.110
RP3DAA32.dll	: 6.0.6001.18
RP3DHT32.dll	: 6.0.6001.18
RTCOMDLL.dll	: 2.0.0.113
RtkAPO.dll	: 11.0.6000.99
RtkApoApi.dll	: 1.0.0.10
RtkCfg.dll	: 1.0.0.1
RtkCoInst.dll	: 1.0.5.8
RtkPgExt.dll	: 6.0.6000.79
RtlCPAPI.dll	: 1.0.2.4
SFFXComm.dll	: 2.0.0.6
SFFXDAP0.dll	: 2.0.0.6

Readme.txt

SFFXHAP0.dll	: 2.0.0.6
SFFXProc.dll	: 2.0.0.6
SFFXSAP0.dll	: 2.0.0.6
slcshp32.dll	: 1.0.3.0
slgeq32.dll	: 1.0.1.0
slh36032.dll	: 1.0.2.0
slInit32.dll	: 1.1.3.0
slmaxv32.dll	: 1.0.4.0
sltshd32.dll	: 1.1.1.0
sluapo32.dll	: 1.3.4.0
SRSHP360.dll	: 1.1.0.0
SRSTSHD.dll	: 1.1.4.0
SRSTSXT.dll	: 3.2.0.0
SRSWOW.dll	: 1.1.3.0
WavesLib.dll	: 5.9.7.0
Vista/Win7 driver for x64	
RTKVHD64.sys	: 6.0.1.5859
AERTSr64.exe	: 1.0.64.9
APOPCH.exe	: 1.0.0.0
RAVCpl64.exe	: 1.0.0.353
RtkAudioService64.exe	: 1.0.0.19
RtlUpd64.exe	: 2.7.1.3
SkyTel.exe	: 2.0.2.2
vncutil64.exe	: 1.0.0.23
GWfilt64.sys	: 6.10.0.3
RTSnMg64.cpl	: 1.0.0.15
AERTAC64.dll	: 2.0.64.8
AERTAR64.dll	: 1.0.64.8
FMAP064.dll	: 0.0.14.1
MaxxAudioAPO20.dll	: 2.2.2.0
MBAP032.dll	: 1.0.9.0
MBAP064.dll	: 1.0.9.0
MBPPCn64.dll	: 1.0.0.110
MBpld64.dll	: 1.0.9.0
MBWrp64.dll	: 1.0.0.110
RCoInst64.dll	: 1.0.5.8
RP3DAA64.dll	: 6.0.6001.18
RP3DHT64.dll	: 6.0.6001.18
RtCOM64.dll	: 2.0.0.113
RTCOMDLL.dll	: 2.0.0.113
RtkApi64.dll	: 1.0.0.10
RtkAPO64.dll	: 11.0.6000.99
RtkCfg.dll	: 1.0.0.1
RtkCfg64.dll	: 1.0.0.1
RtlCPAPI.dll	: 1.0.2.4
RtlCPAPI64.dll	: 1.0.2.4
RtPgEx64.dll	: 6.0.6000.79
SFComm64.dll	: 2.0.0.6
SFDAPO64.dll	: 2.0.0.6
SFHAP064.dll	: 2.0.0.6
SFProc64.dll	: 2.0.0.6
SFSAP064.dll	: 2.0.0.6
slcshp64.dll	: 1.0.3.0
slgeq64.dll	: 1.0.1.0
slh36064.dll	: 1.0.2.0
slInit64.dll	: 1.1.3.0
slmaxv64.dll	: 1.0.4.0
sltshd64.dll	: 1.1.1.0
sluapo64.dll	: 1.3.4.0
SRSHP64.dll	: 1.1.0.0
SRSTSH64.dll	: 1.1.4.0
SRSTX64.dll	: 3.2.0.0
SRSWOW64.dll	: 1.1.3.0
HDMI Driver : -----	
Vista/Win7 x86:	
RtHDM.V.sys	: 6.0.1.5857
RtkUpd.exe	: 2.7.1.3
RH3DAA32.dll	: 6.0.6001.18
RH3DHT32.dll	: 6.0.6001.18
RHCoInst.dll	: 1.0.4.9
RHDMExt.dll	: 6.0.6000.79
RtkHDM.dll	: 11.0.6000.99
Vista/Win7 x64:	
RtHDM.VX.sys	: 6.0.1.5857

Readme.txt

RtkUpd64.exe : 2.7.1.3
 RH3DAA64.dll : 6.0.6001.18
 RH3DHT64.dll : 6.0.6001.18
 RHCoInst64.dll : 1.0.4.4
 RHDME64.dll : 6.0.6000.79
 RtkHDM64.dll : 11.0.6000.99

XP/2K x86:
 RtkHDM.sys : 5.10.0.5857
 RtkUpd.exe : 2.7.1.3
 RHCoInstXP.dll : 1.0.5.1

XP/2K x64:
 RtkHDMX.sys : 5.10.0.5857
 RtkUpd64.exe : 2.7.1.3
 RHCoInst64XP.dll : 1.0.5.1

Driver Setup Program : 2.76

Windows 2000/XP Operate on :
 Microsoft High Definition Audio Driver Package - KB888111
 Package file version (kb888111.exe) : 6.1.22.0
 Hdaudio.sys version : 5.10.00.5013

//=====

Driver Package R2.24

Realtek HD Audio Driver support all of Realtek HD Audio Codec .

1. Vista WHQL Supporting: ALC882, ALC883, ALC885, ALC888, ALC889, ALC861VD, ALC660, ALC662, ALC663, ALC665, ALC260, ALC262, ALC267, ALC268, ALC269, ALC272, ALC273, ALC887
2. Windows 2000/XP WHQL Supporting: ALC880, ALC882, ALC883, ALC885, ALC888, ALC889, ALC861VC, ALC861VD, ALC660, ALC662, ALC663, ALC665, ALC260, ALC262, ALC267, ALC268, ALC269, ALC272, ALC273, ALC887
3. HDM Device WHQL Support: ATI HDM Devices
4. OS Supporting: Microsoft WindowsXP, Windows2000, Windows Server 2003, Vista, Windows Server 2008,

Windows7 - x86/x64

5. Pack with Microsoft High Definition Audio UAAV1.0a(5013)

6. Add/Fix

1.) Driver :

1. Customizations.

Windows 2000/XP : -----

Windows 2000/XP :

RTKHDA64.sys : 5.10.0.5854
 RTKHDAUD.sys : 5.10.0.5854
 MicCal.exe : 1.1.2.1
 RTHDCPL.exe : 2.2.8.8
 RtkAudioService64.exe : 1.0.0.19
 RtkAudioService.exe : 1.0.0.19
 RTLCPPL.exe : 1.0.1.66
 RtlUpd64.exe : 2.7.1.3
 RtlUpd.exe : 2.7.1.3
 SkyTel.exe : 2.0.2.0
 SoundMan.exe : 1.0.0.32
 vncutil64.exe : 1.0.0.23
 vncutil.exe : 1.0.0.23
 Alcmtr.exe : 1.6.0.4
 AlcWzrd.exe : 1.1.0.37
 Mnfilt.sys : 5.10.0.4112
 Mnf64.sys : 5.10.0.4115
 AMBFilt.sys : 5.10.0.4240
 AMBFt64.sys : 5.10.0.4240
 RTSndMgr.cpl : 1.0.1.3
 ALSndMgr.cpl : 1.0.0.11
 RCoInst64XP.dll : 1.0.5.6
 RTCOMDLL.dll : 1.0.0.102
 RtkCoInstXP.dll : 1.0.5.6
 RtlCPAPI.dll : 1.0.2.3

Vista driver : -----

Vista driver for x86

RTKVHDA.sys : 6.0.1.5854
 AERTSrv.exe : 1.0.32.9
 APOPCH.exe : 1.0.0.0
 RthDVCpl.exe : 1.0.0.352
 RtkAudioService.exe : 1.0.0.19
 RtlUpd.exe : 2.7.1.3
 SkyTel.exe : 2.0.2.2

Readme.txt

vncutil.exe : 1.0.0.23
RTSndMgr.cpl : 1.0.0.15
AERTACap.dll : 2.0.32.8
AERTARen.dll : 1.0.32.8
FMAP0.dll : 0.0.14.1
MaxxAudioAPO.dll : 1.2.2.0
MaxxAudioAPO20.dll : 2.2.2.0
MaxxAudioEQ.dll : 5.9.7.0
MBAP032.dll : 1.0.0.630
MBPPCn32.dll : 1.0.0.80
MBppld32.dll : 1.0.0.630
MBWp32.dll : 1.0.0.80
RP3DAA32.dll : 6.0.6001.18
RP3DHT32.dll : 6.0.6001.18
RTCOMDLL.dll : 2.0.0.113
RtkAPO.dll : 11.0.6000.99
RtkApoApi.dll : 1.0.0.10
RtkCfg.dll : 1.0.0.1
RtkCoInst.dll : 1.0.5.7
RtkPgExt.dll : 6.0.6000.79
RtlCPAPI.dll : 1.0.2.4
SFFXComm.dll : 2.0.0.6
SFFXDAP0.dll : 2.0.0.6
SFFXHAP0.dll : 2.0.0.6
SFFXProc.dll : 2.0.0.6
SFFXSAP0.dll : 2.0.0.6
slcshp32.dll : 1.0.3.0
slgeq32.dll : 1.0.1.0
slh36032.dll : 1.0.2.0
slInit32.dll : 1.1.3.0
slmaxv32.dll : 1.0.4.0
sltshd32.dll : 1.1.1.0
sluapo32.dll : 1.3.4.0
SRSHP360.dll : 1.1.0.0
SRSTSHD.dll : 1.1.4.0
SRSTSXT.dll : 3.2.0.0
SRSWOW.dll : 1.1.3.0
WavesLib.dll : 5.9.7.0
Vista driver for x64
RTKVHD64.sys : 6.0.1.5854
AERTSr64.exe : 1.0.64.9
APOPCH.exe : 1.0.0.0
RAVCpl64.exe : 1.0.0.352
RtkAudioService64.exe : 1.0.0.19
RtlUpd64.exe : 2.7.1.3
SkyTel.exe : 2.0.2.2
vncutil64.exe : 1.0.0.23
GFWilt64.sys : 6.10.0.3
RTSnMg64.cpl : 1.0.0.15
AERTAC64.dll : 2.0.64.8
AERTAR64.dll : 1.0.64.8
FMAP064.dll : 0.0.14.1
MaxxAudioAPO20.dll : 2.2.2.0
MBAP032.dll : 1.0.0.630
MBAP064.dll : 1.0.0.630
MBPPCn64.dll : 1.0.0.80
MBppld64.dll : 1.0.0.630
MBWp64.dll : 1.0.0.80
RCoInst64.dll : 1.0.5.7
RP3DAA64.dll : 6.0.6001.18
RP3DHT64.dll : 6.0.6001.18
RtCOM64.dll : 2.0.0.113
RTCOMDLL.dll : 2.0.0.113
RtkApi64.dll : 1.0.0.10
RtkAPO64.dll : 11.0.6000.99
RtkCfg.dll : 1.0.0.1
RtkCfg64.dll : 1.0.0.1
RtlCPAPI.dll : 1.0.2.4
RtlCPAPI64.dll : 1.0.2.4
RtPgEx64.dll : 6.0.6000.79
SFComm64.dll : 2.0.0.6
SFDAP064.dll : 2.0.0.6
SFHAP064.dll : 2.0.0.6
SFProc64.dll : 2.0.0.6
SFSAP064.dll : 2.0.0.6

Readme.txt

```

slcshp64.dll           : 1.0.3.0
slgeg64.dll           : 1.0.1.0
slh36064.dll          : 1.0.2.0
slInit64.dll          : 1.1.3.0
slmaxv64.dll          : 1.0.4.0
sltshd64.dll          : 1.1.1.0
sluapo64.dll          : 1.3.4.0
SRSHp64.dll           : 1.1.0.0
SRSTSH64.dll          : 1.1.4.0
SRSTSX64.dll          : 3.2.0.0
SRSWOW64.dll          : 1.1.3.0
HDMI Driver : -----
Vista x86:
RtHDMV.sys            : 6.0.1.5832
RtkUpd.exe            : 2.7.1.3
RH3DAA32.dll          : 6.0.6001.18
RH3DHT32.dll          : 6.0.6001.18
RHCoInst.dll          : 1.0.4.9
RHDMExt.dll           : 6.0.6000.75
RtkHDM.dll            : 11.0.6000.95

Vista x64:
RtHDMVX.sys           : 6.0.1.5832
RtkUpd64.exe          : 2.7.1.3
RH3DAA64.dll          : 6.0.6001.18
RH3DHT64.dll          : 6.0.6001.18
RHCoInst64.dll        : 1.0.4.4
RHDMEx64.dll          : 6.0.6000.75
RtkHDM64.dll          : 11.0.6000.95

XP/2K x86:
RtkHDM.sys            : 5.10.0.5832
RtkUpd.exe            : 2.7.1.3
RHCoInstXP.dll        : 1.0.5.1

XP/2K x64:
RtkHDMX.sys           : 5.10.0.5832
RtkUpd64.exe          : 2.7.1.3
RHCoInst64XP.dll      : 1.0.5.1

Driver Setup Program  : 2.76

Windows 2000/XP Operate on :
Microsoft High Definition Audio Driver Package - KB888111
Package file version (kb888111.exe) : 6.1.22.0
Hdaudio.sys version : 5.10.00.5013

```

//=====

Driver Package R2.23

Realtek HD Audio Driver support all of Realtek HD Audio Codec .

1. Vista WHQL Supporting: ALC882, ALC883, ALC885, ALC888, ALC889, ALC861VD, ALC660, ALC662, ALC663, ALC665, ALC260, ALC262, ALC267, ALC268, ALC269, ALC272, ALC273, ALC887
2. Windows 2000/XP WHQL Supporting: ALC880, ALC882, ALC883, ALC885, ALC888, ALC889, ALC861VC, ALC861VD, ALC660, ALC662, ALC663, ALC665, ALC260, ALC262, ALC267, ALC268, ALC269, ALC272, ALC273, ALC887
3. HDMI Device WHQL Support: ATI HDMI Devices
4. OS Supporting: Microsoft WindowsXP, Windows2000, Windows Server 2003, Vista, Windows Server 2008, Windows7 - x86/x64
5. Pack with Microsoft High Definition Audio UAAV1.0a(5013)
6. Add/Fix
 - 1.) Driver :
 1. Customizations.
 2. Fix DTM 1.4 lullaby test & wave pull mode test issue.

Windows 2000/XP : -----

```

Windows 2000/XP :
RTKHDA64.sys        : 5.10.0.5845
RTKHDAUD.sys        : 5.10.0.5845
Alcmtr.exe          : 1.6.0.4
AlcWzrd.exe         : 1.1.0.37
Mccal.exe           : 1.1.2.1
RTHDCPL.exe         : 2.2.8.4
RtkAudioService64.exe : 1.0.0.19
RtkAudioService.exe : 1.0.0.19
RTLCPPL.exe         : 1.0.1.66
RtlUpd64.exe        : 2.7.1.3

```

Readme.txt

```

RtlUpd.exe           : 2.7.1.3
SkyTel.exe           : 2.0.2.0
SoundMan.exe         : 1.0.0.32
vncutil64.exe        : 1.0.0.23
vncutil.exe          : 1.0.0.23
AMBFilt.sys          : 5.10.0.4240
AMBFt64.sys          : 5.10.0.4240
Mnft64.sys           : 5.10.0.4112
Mnft64.sys           : 5.10.0.4115
ALSndMgr.cpl         : 1.0.0.11
RTSndMgr.cpl         : 1.0.1.3
RCoInst64XP.dll     : 1.0.5.3
RTCOMDLL.dll        : 1.0.0.102
RtkCoInstXP.dll     : 1.0.5.3
RtlCPAPI.dll         : 1.0.2.3
Vista driver : -----
Vista driver for x86
RTKVHDA.sys          : 6.0.1.5845
AERTSrv.exe          : 1.0.32.9
APOPCH.exe           : 1.0.0.0
RtHDVCpl.exe        : 1.0.0.345
RtkAudioService.exe : 1.0.0.19
RtlUpd.exe           : 2.7.1.3
SkyTel.exe           : 2.0.2.2
vncutil.exe          : 1.0.0.23
RTSndMgr.cpl         : 1.0.0.15
AERTACap.dll         : 2.0.32.8
AERTARen.dll         : 1.0.32.8
FMAP0.dll            : 0.0.14.1
MaxxAudioAPO.dll    : 1.2.2.0
MaxxAudioAPO20.dll  : 2.2.2.0
MaxxAudioEQ.dll     : 5.9.7.0
MBAP032.dll          : 1.0.0.630
MBPPCn32.dll         : 1.0.0.80
MBpld32.dll          : 1.0.0.630
MBWp32.dll           : 1.0.0.80
RP3DAA32.dll         : 6.0.6001.18
RP3DHT32.dll         : 6.0.6001.18
RTCOMDLL.dll        : 2.0.0.113
RtkAPO.dll           : 11.0.6000.98
RtkApoApi.dll        : 1.0.0.10
RtkCfg.dll           : 1.0.0.1
RtkCoInst.dll        : 1.0.5.5
RtkPgExt.dll         : 6.0.6000.78
RtlCPAPI.dll         : 1.0.2.4
SFFXComm.dll         : 2.0.0.6
SFFXDAP0.dll         : 2.0.0.6
SFFXHAP0.dll         : 2.0.0.6
SFFXProc.dll         : 2.0.0.6
SFFXSAP0.dll         : 2.0.0.6
slcshp32.dll         : 1.0.3.0
slgeq32.dll          : 1.0.1.0
slh36032.dll         : 1.0.2.0
slint32.dll          : 1.1.3.0
slmaxv32.dll         : 1.0.4.0
sltshd32.dll         : 1.1.1.0
sluapo32.dll         : 1.3.4.0
SRSHP360.dll         : 1.1.0.0
SRSTSHD.dll         : 1.1.4.0
SRSTSXT.dll         : 3.2.0.0
SRSWOW.dll           : 1.1.3.0
WavesLib.dll         : 5.9.7.0
Vista driver for x64
RTKVHD64.sys         : 6.0.1.5845
AERTSr64.exe         : 1.0.64.9
APOPCH.exe           : 1.0.0.0
RAVCpl64.exe         : 1.0.0.345
RtkAudioService64.exe : 1.0.0.19
RtlUpd64.exe         : 2.7.1.3
SkyTel.exe           : 2.0.2.2
vncutil64.exe        : 1.0.0.23
GWFilt64.sys         : 6.10.0.3
RTSnMg64.cpl         : 1.0.0.15
AERTAC64.dll         : 2.0.64.8
AERTAR64.dll         : 1.0.64.8

```


Readme.txt

FMAP064.dll : 0.0.14.1
 MaxxAudioAPO20.dll : 2.2.2.0
 MBAP032.dll : 1.0.0.630
 MBAP064.dll : 1.0.0.630
 MBPPCn64.dll : 1.0.0.80
 MBppld64.dll : 1.0.0.630
 MBWrp64.dll : 1.0.0.80
 RCoInst64.dll : 1.0.5.5
 RP3DAA64.dll : 6.0.6001.18
 RP3DHT64.dll : 6.0.6001.18
 RtCOM64.dll : 2.0.0.113
 RTCOMDLL.dll : 2.0.0.113
 RtkApi64.dll : 1.0.0.10
 RtkAPO64.dll : 11.0.6000.98
 RtkCfg.dll : 1.0.0.1
 RtkCfg64.dll : 1.0.0.1
 RtlCPAPI.dll : 1.0.2.4
 RtlCPAPI64.dll : 1.0.2.4
 RtpgEx64.dll : 6.0.6000.78
 SFComm64.dll : 2.0.0.6
 SFDAP064.dll : 2.0.0.6
 SFHAP064.dll : 2.0.0.6
 SFProc64.dll : 2.0.0.6
 SFSAP064.dll : 2.0.0.6
 slcshp64.dll : 1.0.3.0
 slgeq64.dll : 1.0.1.0
 slh36064.dll : 1.0.2.0
 slInit64.dll : 1.1.3.0
 slmaxv64.dll : 1.0.4.0
 sltshd64.dll : 1.1.1.0
 sluapo64.dll : 1.3.4.0
 SRSHP64.dll : 1.1.0.0
 SRSTSH64.dll : 1.1.4.0
 SRSTSX64.dll : 3.2.0.0
 SRSWOW64.dll : 1.1.3.0

HDMI Driver : -----

Vista x86:
 RtHDMV.sys : 6.0.1.5832
 RtkUpd.exe : 2.7.1.3
 RH3DAA32.dll : 6.0.6001.18
 RH3DHT32.dll : 6.0.6001.18
 RHCoInst.dll : 1.0.4.9
 RHDMExt.dll : 6.0.6000.75
 RtkHDM.dll : 11.0.6000.95

Vista x64:
 RtHDMVX.sys : 6.0.1.5832
 RtkUpd64.exe : 2.7.1.3
 RH3DAA64.dll : 6.0.6001.18
 RH3DHT64.dll : 6.0.6001.18
 RHCoInst64.dll : 1.0.4.4
 RHDMEx64.dll : 6.0.6000.75
 RtkHDM64.dll : 11.0.6000.95

XP/2K x86:
 RtkHDM.sys : 5.10.0.5832
 RtkUpd.exe : 2.7.1.3
 RHCoInstXP.dll : 1.0.5.1

XP/2K x64:
 RtkHDMX.sys : 5.10.0.5832
 RtkUpd64.exe : 2.7.1.3
 RHCoInst64XP.dll : 1.0.5.1

Driver Setup Program : 2.75

Windows 2000/XP Operate on :
 Microsoft High Definition Audio Driver Package - KB888111
 Package file version (kb888111.exe) : 6.1.22.0
 Hdaudio.sys version : 5.10.00.5013

//=====

Driver Package R2.22

Realtek HD Audio Driver support all of Realtek HD Audio Codec .

1. Vista WHQL Supporting: ALC882, ALC883, ALC885, ALC888, ALC889, ALC861VD, ALC660, ALC662, ALC663,

Readme.txt

- ALC665, ALC260, ALC262, ALC267, ALC268, ALC269, ALC272, ALC273, ALC887
 2. Windows 2000/XP WHQL Supporting: ALC880, ALC882, ALC883, ALC885, ALC888, ALC889, ALC861VC,
 ALC861VD, ALC660, ALC662, ALC663, ALC665, ALC260, ALC262, ALC267, ALC268, ALC269, ALC272, ALC273, ALC887
 3. HDM Device WHQL Support: ATI HDM Devices
 4. OS Supporting: Microsoft WindowsXP, Windows2000, Windows Server 2003, Vista, Windows Server 2008,
 Windows7 - x86/x64
 5. Pack with Microsoft High Definition Audio UAAV1.0a(5013)

6. Add/Fix
 1.) Driver :
 1. Customizations.

Windows 2000/XP : -----

Windows 2000/XP :
 RTKHDA64.sys : 5.10.0.5832
 RTKHDAUD.sys : 5.10.0.5832
 McCal.exe : 1.1.2.1
 RTHDCPL.exe : 2.2.7.8
 RtkAudioService64.exe : 1.0.0.19
 RtkAudioService.exe : 1.0.0.19
 RTLCPL.exe : 1.0.1.66
 RtlUpd64.exe : 2.7.1.3
 RtlUpd.exe : 2.7.1.3
 SkyTel.exe : 2.0.2.0
 SoundMan.exe : 1.0.0.32
 vncutil64.exe : 1.0.0.23
 vncutil.exe : 1.0.0.23
 Alcmtr.exe : 1.6.0.4
 AlcWzrd.exe : 1.1.0.37
 Mnflt.sys : 5.10.0.4112
 Mnft64.sys : 5.10.0.4115
 AMBFlt.sys : 5.10.0.4240
 AMBFt64.sys : 5.10.0.4240
 RTSndMgr.cpl : 1.0.1.2
 ALSndMgr.cpl : 1.0.0.11
 RCoInst64XP.dll : 1.0.5.0
 RTCOMDLL.dll : 1.0.0.101
 RtkCoInstXP.dll : 1.0.5.0
 RtlCPAPI.dll : 1.0.2.2

Vista driver : -----

Vista driver for x86
 RTKVHDA.sys : 6.0.1.5832
 AERTSrv.exe : 1.0.32.8
 APOPCH.exe : 1.0.0.0
 Rthdvcpl.exe : 1.0.0.334
 RtkAudioService.exe : 1.0.0.19
 RtlUpd.exe : 2.7.1.3
 SkyTel.exe : 2.0.2.2
 vncutil.exe : 1.0.0.23
 RTSndMgr.cpl : 1.0.0.15
 AERTACap.dll : 2.0.32.7
 AERTARen.dll : 1.0.32.7
 FMAPO.dll : 0.0.14.1
 MaxxAudioAPO.dll : 1.2.2.0
 MaxxAudioAPO20.dll : 2.2.2.0
 MaxxAudioEQ.dll : 5.9.7.0
 MBAP032.dll : 1.0.0.630
 MBPPCn32.dll : 1.0.0.80
 MBppld32.dll : 1.0.0.630
 MBWrp32.dll : 1.0.0.80
 RP3DAA32.dll : 6.0.6001.18
 RP3DHT32.dll : 6.0.6001.18
 RTCOMDLL.dll : 2.0.0.111
 RtkAPO.dll : 11.0.6000.95
 RtkApoApi.dll : 1.0.0.10
 RtkCfg.dll : 1.0.0.1
 RtkCoInst.dll : 1.0.5.2
 RtkPgExt.dll : 6.0.6000.75
 RtlCPAPI.dll : 1.0.2.2
 SFCPStr.dll : 1.1.0.3
 SFFXComm.dll : 1.1.0.3
 SFFXCP.dll : 1.1.0.3
 SFFXLAPO.dll : 1.1.0.3
 SFFXProc.dll : 1.1.0.3
 SFFXSAP0.dll : 1.1.0.3
 slcshp32.dll : 1.0.3.0

Readme.txt

slgeq32.dll	: 1.0.1.0
slh36032.dll	: 1.0.2.0
slInit32.dll	: 1.1.3.0
slmaxv32.dll	: 1.0.4.0
sltshd32.dll	: 1.1.1.0
sluapo32.dll	: 1.3.4.0
SRSHP360.dll	: 1.1.0.0
SRSTSHD.dll	: 1.1.4.0
SRSTSXT.dll	: 3.2.0.0
SRSWOW.dll	: 1.1.3.0
WavesLib.dll	: 5.9.7.0
Vista driver for x64	
RTKVHD64.sys	: 6.0.1.5832
AERTSr64.exe	: 1.0.64.8
APOPCH.exe	: 1.0.0.0
RAVCpl64.exe	: 1.0.0.334
RtkAudioService64.exe	: 1.0.0.19
RtlUpd64.exe	: 2.7.1.3
SkyTel.exe	: 2.0.2.2
vncutil64.exe	: 1.0.0.23
GWfilt64.sys	: 6.10.0.3
RTSnMg64.cpl	: 1.0.0.15
AERTAC64.dll	: 2.0.64.7
AERTAR64.dll	: 1.0.64.7
FMAP064.dll	: 0.0.14.1
MaxxAudioAPO20.dll	: 2.2.2.0
MBAP032.dll	: 1.0.0.630
MBAP064.dll	: 1.0.0.630
MBPPCn64.dll	: 1.0.0.80
MBpld64.dll	: 1.0.0.630
MBWrp64.dll	: 1.0.0.80
RCoInst64.dll	: 1.0.5.2
RP3DAA64.dll	: 6.0.6001.18
RP3DHT64.dll	: 6.0.6001.18
RtCOM64.dll	: 2.0.0.111
RTCOMDLL.dll	: 2.0.0.111
RtkApi64.dll	: 1.0.0.10
RtkAPO64.dll	: 11.0.6000.95
RtkCfg.dll	: 1.0.0.1
RtkCfg64.dll	: 1.0.0.1
RtlCPAPI.dll	: 1.0.2.2
RtlCPAPI64.dll	: 1.0.2.2
RtPgEx64.dll	: 6.0.6000.75
SFComm64.dll	: 1.1.0.3
SFCP64.dll	: 1.1.0.3
SFCPStr.dll	: 1.1.0.3
SFLAP064.dll	: 1.1.0.3
SFProc64.dll	: 1.1.0.3
SFSAP064.dll	: 1.1.0.3
slcshp64.dll	: 1.0.3.0
slgeq64.dll	: 1.0.1.0
slh36064.dll	: 1.0.2.0
slInit64.dll	: 1.1.3.0
slmaxv64.dll	: 1.0.4.0
sltshd64.dll	: 1.1.1.0
sluapo64.dll	: 1.3.4.0
SRSHP64.dll	: 1.1.0.0
SRSTSH64.dll	: 1.1.4.0
SRSTSX64.dll	: 3.2.0.0
SRSWOW64.dll	: 1.1.3.0

HDM Driver :	
Vista x86:	
RtHDM V.sys	: 6.0.1.5796
RtkUpd.exe	: 2.7.1.2
AHPCEE32.dll	: 6.0.6001.17
RHCoInst.dll	: 1.0.4.4
RHDM Ext.dll	: 6.0.6000.69
RtkHDM.dll	: 11.0.6000.88
Vista x64:	
RtHDM VX.sys	: 6.0.1.5796
RtkUpd64.exe	: 2.7.1.2
AHPCEE64.dll	: 6.0.6001.17
RHCoInst64.dll	: 1.0.4.4
RHDMEx64.dll	: 6.0.6000.69

Readme.txt

RtkHDM64.dll : 11.0.6000.88

XP/2K x86:
 RtkHDM.sys : 5.10.0.5796
 RtkUpd.exe : 2.7.1.2

XP/2K x64:
 RtkHDMX.sys : 5.10.0.5796
 RtkUpd64.exe : 2.7.1.2

Driver Setup Program : 2.75

Windows 2000/XP Operate on :
 Microsoft High Definition Audio Driver Package - KB888111
 Package file version (kb888111.exe) : 6.1.22.0
 Hdaudio.sys version : 5.10.00.5013

//=====

Driver Package R2.21

Realtek HD Audio Driver support all of Realtek HD Audio Codec .

1. Vista WHQL Supporting: ALC882, ALC883, ALC885, ALC888, ALC889, ALC861VD, ALC660, ALC662, ALC663, ALC665, ALC260, ALC262, ALC267, ALC268, ALC269, ALC272, ALC273, ALC887
2. Windows 2000/XP WHQL Supporting: ALC880, ALC882, ALC883, ALC885, ALC888, ALC889, ALC861VC, ALC861VD, ALC660, ALC662, ALC663, ALC665, ALC260, ALC262, ALC267, ALC268, ALC269, ALC272, ALC273, ALC887
3. HDM Device WHQL Support: ATI HDM Devices
4. OS Supporting: Microsoft WindowsXP, Widnows2000, Windows Server 2003, Vista, Windows Server 2008, Windows7 - x86/x64
5. Pack with Microsoft High Definition Audio UAAV1.0a(5013)
6. Add/Fix
 - 1.) Driver :
 1. Customizations.
 2. Support ALC275.

Windows 2000/XP : -----

Windows 2000/XP :

RTKHDA64.sys : 5.10.0.5821
 RTKHDAUD.sys : 5.10.0.5821
 McCal.exe : 1.1.2.1
 RTHDCPL.exe : 2.2.7.5
 RtkAudioService64.exe : 1.0.0.19
 RtkAudioService.exe : 1.0.0.19
 RTLCPPL.exe : 1.0.1.66
 RtlUpd64.exe : 2.7.1.2
 RtlUpd.exe : 2.7.1.2
 SkyTel.exe : 2.0.2.0
 SoundMan.exe : 1.0.0.32
 vncutil64.exe : 1.0.0.23
 vncutil.exe : 1.0.0.23
 Alcmtr.exe : 1.6.0.4
 AlcWzrd.exe : 1.1.0.37
 Mbnfilt.sys : 5.10.0.4112
 Mbnft64.sys : 5.10.0.4115
 AMBFilt.sys : 5.10.0.4240
 AMBFt64.sys : 5.10.0.4240
 RTSndMgr.cpl : 1.0.1.2
 ALSndMgr.cpl : 1.0.0.11
 RCoInst64XP.dll : 1.0.5.0
 RTCOMDLL.dll : 1.0.0.100
 RtkCoInstXP.dll : 1.0.5.0
 RtlCPAPI.dll : 1.0.2.2

Vista driver : -----

Vista driver for x86

RTKVHDA.sys : 6.0.1.5821
 AERTSrv.exe : 1.0.32.8
 APOPCH.exe : 1.0.0.0
 RtHDVCpl.exe : 1.0.0.323
 RtkAudioService.exe : 1.0.0.19
 RtlUpd.exe : 2.7.1.2
 SkyTel.exe : 2.0.2.2
 vncutil.exe : 1.0.0.23
 RTSndMgr.cpl : 1.0.0.15
 AERTACap.dll : 2.0.32.7
 AERTARen.dll : 1.0.32.7
 FMAPO.dll : 0.0.14.1
 MaxxAudioAPO.dll : 1.2.2.0

Readme.txt

MaxxAudioAP020.dll	: 2.2.2.0
MaxxAudioEQ.dll	: 5.9.7.0
MBAP032.dll	: 1.0.0.630
MBPPCn32.dll	: 1.0.0.80
Mbpld32.dll	: 1.0.0.630
MBWp32.dll	: 1.0.0.80
RTCOMDLL.dll	: 2.0.0.110
RtkAPO.dll	: 11.0.6000.90
RtkApoApi.dll	: 1.0.0.10
RtkCfg.dll	: 1.0.0.1
RtkCoInst.dll	: 1.0.5.0
RtkPgExt.dll	: 6.0.6000.70
RtlCPAPI.dll	: 1.0.2.2
RTPCEE32.dll	: 6.0.6001.17
slcshp32.dll	: 1.0.3.0
slgeq32.dll	: 1.0.1.0
slh36032.dll	: 1.0.2.0
slInit32.dll	: 1.1.3.0
slmaxv32.dll	: 1.0.4.0
sltshd32.dll	: 1.1.1.0
sluapo32.dll	: 1.3.4.0
SRSHp360.dll	: 1.1.0.0
SRSTSHD.dll	: 1.1.4.0
SRSTSXT.dll	: 3.2.0.0
SRSWOW.dll	: 1.1.3.0
WavesLib.dll	: 5.9.7.0
Vista driver for x64	
RTKVHD64.sys	: 6.0.1.5821
AERTSr64.exe	: 1.0.64.8
APOPCH.exe	: 1.0.0.0
RAVCpl64.exe	: 1.0.0.323
RtkAudioService64.exe	: 1.0.0.19
RtlUpd64.exe	: 2.7.1.2
SkyTel.exe	: 2.0.2.2
vncutil64.exe	: 1.0.0.23
GWfilt64.sys	: 6.10.0.3
RTSnMg64.cpl	: 1.0.0.15
AERTAC64.dll	: 2.0.64.7
AERTAR64.dll	: 1.0.64.7
FMAP064.dll	: 0.0.14.1
MaxxAudioAP020.dll	: 2.2.2.0
MBAP032.dll	: 1.0.0.630
MBAP064.dll	: 1.0.0.630
MBPPCn64.dll	: 1.0.0.80
Mbpld64.dll	: 1.0.0.630
MBWp64.dll	: 1.0.0.80
RCoInst64.dll	: 1.0.5.0
RtCOM64.dll	: 2.0.0.110
RTCOMDLL.dll	: 2.0.0.110
RtkApi64.dll	: 1.0.0.10
RtkAPO64.dll	: 11.0.6000.90
RtkCfg.dll	: 1.0.0.1
RtkCfg64.dll	: 1.0.0.1
RtlCPAPI.dll	: 1.0.2.2
RtlCPAPI64.dll	: 1.0.2.2
RTPCEE64.dll	: 6.0.6001.17
RtPgEx64.dll	: 6.0.6000.70
slcshp64.dll	: 1.0.3.0
slgeq64.dll	: 1.0.1.0
slh36064.dll	: 1.0.2.0
slInit64.dll	: 1.1.3.0
slmaxv64.dll	: 1.0.4.0
sltshd64.dll	: 1.1.1.0
sluapo64.dll	: 1.3.4.0
SRSHp64.dll	: 1.1.0.0
SRSTSH64.dll	: 1.1.4.0
SRSTSX64.dll	: 3.2.0.0
SRSWOW64.dll	: 1.1.3.0

HDMI Driver :	
Vista x86:	
RtHDM V.sys	: 6.0.1.5796
RtkUpd.exe	: 2.7.1.2
AHPCEE32.dll	: 6.0.6001.17
RHCoInst.dll	: 1.0.4.4
RHDM Ext.dll	: 6.0.6000.69

Readme.txt

RtkHDM.dll : 11.0.6000.88

Vista x64:
 RtHDM.VX.sys : 6.0.1.5796
 RtkUpd64.exe : 2.7.1.2
 AHPCEE64.dll : 6.0.6001.17
 RHCoInst64.dll : 1.0.4.4
 RHDME64.dll : 6.0.6000.69
 RtkHDM64.dll : 11.0.6000.88

XP/2K x86:
 RtkHDM.sys : 5.10.0.5796
 RtkUpd.exe : 2.7.1.2

XP/2K x64:
 RtkHDMX.sys : 5.10.0.5796
 RtkUpd64.exe : 2.7.1.2

Driver Setup Program : 2.74

Windows 2000/XP Operate on :
 Microsoft High Definition Audio Driver Package - KB888111
 Package file version (kb888111.exe) : 6.1.22.0
 Hdaudio.sys version : 5.10.00.5013

//=====

Driver Package R2.20

Realtek HD Audio Driver support all of Realtek HD Audio Codec .

1. Vista WHQL Supporting: ALC882, ALC883, ALC885, ALC888, ALC889, ALC861VD, ALC660, ALC662, ALC663, ALC665, ALC260, ALC262, ALC267, ALC268, ALC269, ALC272, ALC273, ALC887
2. Windows 2000/XP WHQL Supporting: ALC880, ALC882, ALC883, ALC885, ALC888, ALC889, ALC861VC, ALC861VD, ALC660, ALC662, ALC663, ALC665, ALC260, ALC262, ALC267, ALC268, ALC269, ALC272, ALC273, ALC887
3. HDM Device WHQL Support: ATI HDM Devices
4. OS Supporting: Microsoft WindowsXP, Windows2000, Windows Server 2003, Vista, Windows Server 2008, Windows7 - x86/x64
5. Pack with Microsoft High Definition Audio UAAV1.0a(5013)
6. Add/Fix
 - 1.) Driver :
 1. Customizations.

Windows 2000/XP : -----

Windows 2000/XP :
 RTKHDA64.sys : 5.10.0.5817
 RTKHDAUD.sys : 5.10.0.5817
 Alcmtr.exe : 1.6.0.4
 AlcWzrd.exe : 1.1.0.37
 Mccal.exe : 1.1.2.1
 RTHDCPL.exe : 2.2.7.4
 RtkAudioService64.exe : 1.0.0.19
 RtkAudioService.exe : 1.0.0.19
 RTLCPPL.exe : 1.0.1.66
 RtlUpd64.exe : 2.7.1.2
 RtlUpd.exe : 2.7.1.2
 SkyTel.exe : 2.0.2.0
 SoundMan.exe : 1.0.0.32
 vncutil64.exe : 1.0.0.23
 vncutil.exe : 1.0.0.23
 AMBFilt.sys : 5.10.0.4240
 AMBFt64.sys : 5.10.0.4240
 Mbnfilt.sys : 5.10.0.4112
 Mbnft64.sys : 5.10.0.4115
 ALSndMgr.cpl : 1.0.0.11
 RTSndMgr.cpl : 1.0.1.2
 RCoInst64XP.dll : 1.0.5.0
 RTCOMDLL.dll : 1.0.0.99
 RtkCoInstXP.dll : 1.0.5.0
 RtlCPAPI.dll : 1.0.2.2

Vista driver : -----

Vista driver for x86
 RTKVHDA.sys : 6.0.1.5817
 AERTSrv.exe : 1.0.32.8
 APOPCH.exe : 1.0.0.0
 RtHDVCpl.exe : 1.0.0.319
 RtkAudioService.exe : 1.0.0.19

Readme.txt

RtlUpd.exe : 2.7.1.2
 SkyTel.exe : 2.0.2.2
 vncutil.exe : 1.0.0.23
 RTSndMgr.cpl : 1.0.0.15
 AERTACap.dll : 2.0.32.5
 AERTARen.dll : 1.0.32.7
 FMAP0.dll : 0.0.14.1
 MaxxAudioAPO.dll : 1.2.2.0
 MaxxAudioAPO20.dll : 2.2.2.0
 MaxxAudioEQ.dll : 5.9.7.0
 MBAP032.dll : 1.0.0.630
 MBPPCn32.dll : 1.0.0.80
 MBppld32.dll : 1.0.0.630
 MBWrp32.dll : 1.0.0.80
 RTCOMDLL.dll : 2.0.0.109
 RtkAPO.dll : 11.0.6000.90
 RtkApoApi.dll : 1.0.0.10
 RtkCfg.dll : 1.0.0.1
 RtkCoInst.dll : 1.0.5.0
 RtkPgExt.dll : 6.0.6000.70
 RtlCPAPI.dll : 1.0.2.2
 RTPCEE32.dll : 6.0.6001.17
 slcshp32.dll : 1.0.3.0
 slgeq32.dll : 1.0.1.0
 slh36032.dll : 1.0.2.0
 slInit32.dll : 1.1.1.0
 sltshd32.dll : 1.1.0.0
 sluapo32.dll : 1.2.6.0
 SRSHp360.dll : 1.1.0.0
 SRSTSHD.dll : 1.1.4.0
 SRSTSXT.dll : 3.2.0.0
 SRSWOW.dll : 1.1.3.0
 WavesLib.dll : 5.9.7.0
 Vista driver for x64
 RTKVHD64.sys : 6.0.1.5817
 AERTSr64.exe : 1.0.64.8
 APOPCH.exe : 1.0.0.0
 RAVCpl64.exe : 1.0.0.319
 RtkAudioService64.exe : 1.0.0.19
 RtlUpd64.exe : 2.7.1.2
 SkyTel.exe : 2.0.2.2
 vncutil64.exe : 1.0.0.23
 GWfilt64.sys : 6.10.0.3
 RTSnMg64.cpl : 1.0.0.15
 AERTAC64.dll : 2.0.64.1
 AERTAR64.dll : 1.0.64.7
 FMAP064.dll : 0.0.14.1
 MaxxAudioAPO20.dll : 2.2.2.0
 MBAP032.dll : 1.0.0.630
 MBAP064.dll : 1.0.0.630
 MBPPCn64.dll : 1.0.0.80
 MBppld64.dll : 1.0.0.630
 MBWrp64.dll : 1.0.0.80
 RCoInst64.dll : 1.0.5.0
 RtCOM64.dll : 2.0.0.109
 RTCOMDLL.dll : 2.0.0.109
 RtkApi64.dll : 1.0.0.10
 RtkAPO64.dll : 11.0.6000.90
 RtkCfg.dll : 1.0.0.1
 RtkCfg64.dll : 1.0.0.1
 RtlCPAPI.dll : 1.0.2.2
 RtlCPAPI64.dll : 1.0.2.2
 RTPCEE64.dll : 6.0.6001.17
 RtpgEx64.dll : 6.0.6000.70
 slcshp64.dll : 1.0.3.0
 slgeq64.dll : 1.0.1.0
 slh36064.dll : 1.0.2.0
 slInit64.dll : 1.1.1.0
 sltshd64.dll : 1.1.0.0
 sluapo64.dll : 1.2.6.0
 SRSHp64.dll : 1.1.0.0
 SRSTSH64.dll : 1.1.4.0
 SRSTSX64.dll : 3.2.0.0
 SRSWOW64.dll : 1.1.3.0

HDMI Driver : -----

Readme.txt

Vista x86:
 RtHDM.V.sys : 6.0.1.5796
 RtkUpd.exe : 2.7.1.2
 AHPCEE32.dll : 6.0.6001.17
 RHCoInst.dll : 1.0.4.4
 RHDMExt.dll : 6.0.6000.69
 RtkHDM.dll : 11.0.6000.88

Vista x64:
 RtHDM.VX.sys : 6.0.1.5796
 RtkUpd64.exe : 2.7.1.2
 AHPCEE64.dll : 6.0.6001.17
 RHCoInst64.dll : 1.0.4.4
 RHDMEx64.dll : 6.0.6000.69
 RtkHDM64.dll : 11.0.6000.88

XP/2K x86:
 RtkHDM.sys : 5.10.0.5796
 RtkUpd.exe : 2.7.1.2

XP/2K x64:
 RtkHDMX.sys : 5.10.0.5796
 RtkUpd64.exe : 2.7.1.2

Driver Setup Program : 2.74

Windows 2000/XP Operate on :
 Microsoft High Definition Audio Driver Package - KB888111
 Package file version (kb888111.exe) : 6.1.22.0
 Hdaudio.sys version : 5.10.00.5013

//=====

Driver Package R2.19

Realtek HD Audio Driver support all of Realtek HD Audio Codec in Vista/WinXP/Win2000/Win2003 .

1. Vista WHQL Supporting: ALC882, ALC883, ALC885, ALC888, ALC889, ALC861VD, ALC660, ALC662, ALC663, ALC665, ALC260, ALC262, ALC267, ALC268, ALC269, ALC272, ALC273, ALC887
2. Windows 2000/XP WHQL Supporting: ALC880, ALC882, ALC883, ALC885, ALC888, ALC889, ALC861VC, ALC861VD, ALC660, ALC662, ALC663, ALC665, ALC260, ALC262, ALC267, ALC268, ALC269, ALC272, ALC273, ALC887
3. HDM Device WHQL Support: ATI HDM Devices
4. OS Supporting: Microsoft WindowsXP, Winnows2000, Vista, Windows7 x86/x64
5. Pack with Microsoft High Definition Audio UAAV1.0a(5013)
6. Add/Fix
 - 1.) Driver :
 1. Customizations.
 - 2.) Package :
 1. Fix upgraded warning dialog for Small VGA mode .
 2. Add failed run installation by count .

Windows 2000/XP : -----

Windows 2000/XP :
 RTKHDA64.sys : 5.10.0.5809
 RTKHDAUD.sys : 5.10.0.5809
 Alcmtr.exe : 1.6.0.4
 AlcWzrd.exe : 1.1.0.37
 MlcCal.exe : 1.1.2.1
 RTHDCPL.exe : 2.2.7.1
 RtkAudioService64.exe : 1.0.0.17
 RtkAudioService.exe : 1.0.0.16
 RTLCPL.exe : 1.0.1.66
 RtlUpd64.exe : 2.7.1.2
 RtlUpd.exe : 2.7.1.2
 SkyTel.exe : 2.0.2.0
 SoundMan.exe : 1.0.0.32
 vncutil64.exe : 1.0.0.23
 vncutil.exe : 1.0.0.23
 AMBFilt.sys : 5.10.0.4240
 AMBFt64.sys : 5.10.0.4240
 Mbnfilt.sys : 5.10.0.4112
 Mbnft64.sys : 5.10.0.4115
 ALSndMgr.cpl : 1.0.0.11
 RTSndMgr.cpl : 1.0.1.0
 RCoInst64XP.dll : 1.0.4.9
 RTCOMDLL.dll : 1.0.0.99
 RtkCoInstXP.dll : 1.0.4.9
 RtlCPAPI.dll : 1.0.2.2

Readme.txt

Vista driver : -----

Vista driver for x86

RTKVHDA.sys	: 6.0.1.5809
AERTSrv.exe	: 1.0.32.8
APOPCH.exe	: 1.0.0.0
RtHDVCpl.exe	: 1.0.0.314
RtkAudioService.exe	: 1.0.0.17
RtlUpd.exe	: 2.7.1.2
SkyTel.exe	: 2.0.2.2
vncutil.exe	: 1.0.0.23
RTSndMgr.cpl	: 1.0.0.15
AERTACap.dll	: 2.0.32.1
AERTARen.dll	: 1.0.32.7
FMAP0.dll	: 0.0.14.1
MaxxAudioAPO.dll	: 1.2.2.0
MaxxAudioAPO20.dll	: 2.2.2.0
MaxxAudioEQ.dll	: 5.9.7.0
MBAP032.dll	: 1.0.0.630
MBPPCn32.dll	: 1.0.0.80
MBpld32.dll	: 1.0.0.630
MBWrp32.dll	: 1.0.0.80
RTCOMDLL.dll	: 2.0.0.109
RtkAPO.dll	: 11.0.6000.89
RtkApoApi.dll	: 1.0.0.10
RtkCfg.dll	: 1.0.0.1
RtkCoInst.dll	: 1.0.4.9
RtkPgExt.dll	: 6.0.6000.70
RtlCPAPI.dll	: 1.0.2.2
RTPCEE32.dll	: 6.0.6001.17
slcshp32.dll	: 1.0.3.0
slgeq32.dll	: 1.0.1.0
slh36032.dll	: 1.0.2.0
slInit32.dll	: 1.1.1.0
sltshd32.dll	: 1.1.0.0
sluapo32.dll	: 1.2.6.0
SRSHP360.dll	: 1.1.0.0
SRSTSHD.dll	: 1.1.4.0
SRSTSXT.dll	: 3.2.0.0
SRSWOW.dll	: 1.1.3.0
WavesLib.dll	: 5.9.7.0

Vista driver for x64

RTKVHD64.sys	: 6.0.1.5809
AERTSr64.exe	: 1.0.64.8
APOPCH.exe	: 1.0.0.0
RAVCpl64.exe	: 1.0.0.314
RtkAudioService64.exe	: 1.0.0.17
RtlUpd64.exe	: 2.7.1.2
SkyTel.exe	: 2.0.2.2
vncutil64.exe	: 1.0.0.23
GWfilt64.sys	: 6.10.0.3
RTSnMg64.cpl	: 1.0.0.15
AERTAC64.dll	: 2.0.64.1
AERTAR64.dll	: 1.0.64.7
FMAP064.dll	: 0.0.14.1
MaxxAudioAPO20.dll	: 2.2.2.0
MBAP032.dll	: 1.0.0.630
MBAP064.dll	: 1.0.0.630
MBPPCn64.dll	: 1.0.0.80
MBpld64.dll	: 1.0.0.630
MBWrp64.dll	: 1.0.0.80
RCoInst64.dll	: 1.0.4.9
RtCOMB4.dll	: 2.0.0.109
RTCOMDLL.dll	: 2.0.0.109
RtkApi64.dll	: 1.0.0.10
RtkAPO64.dll	: 11.0.6000.89
RtkCfg.dll	: 1.0.0.1
RtkCfg64.dll	: 1.0.0.1
RtlCPAPI.dll	: 1.0.2.2
RtlCPAPI64.dll	: 1.0.2.2
RTPCEE64.dll	: 6.0.6001.17
RtPgEx64.dll	: 6.0.6000.70
slcshp64.dll	: 1.0.3.0
slgeq64.dll	: 1.0.1.0
slh36064.dll	: 1.0.2.0
slInit64.dll	: 1.1.1.0

Readme.txt

```

sltshd64.dll : 1.1.0.0
sluapo64.dll : 1.2.6.0
SRSHp64.dll : 1.1.0.0
SRSTSH64.dll : 1.1.4.0
SRSTSX64.dll : 3.2.0.0
SRSWOW64.dll : 1.1.3.0
HDM Driver : -----
Vista x86:
RtHDMV.sys : 6.0.1.5796
RtkUpd.exe : 2.7.1.2
AHPCEE32.dll : 6.0.6001.17
RHCoInst.dll : 1.0.4.4
RHDMExt.dll : 6.0.6000.69
RtkHDM.dll : 11.0.6000.88

Vista x64:
RtHDMVX.sys : 6.0.1.5796
RtkUpd64.exe : 2.7.1.2
AHPCEE64.dll : 6.0.6001.17
RHCoInst64.dll : 1.0.4.4
RHDMEx64.dll : 6.0.6000.69
RtkHDM64.dll : 11.0.6000.88

XP/2K x86:
RtkHDM.sys : 5.10.0.5796
RtkUpd.exe : 2.7.1.2

XP/2K x64:
RtkHDMX.sys : 5.10.0.5796
RtkUpd64.exe : 2.7.1.2

Driver Setup Program : 2.73

Windows 2000/XP Operate on :
Microsoft High Definition Audio Driver Package - KB888111
Package file version (kb888111.exe) : 6.1.22.0
Hdaudio.sys version : 5.10.00.5013

```

//=====

Driver Package R2.18

- Realtek HD Audio Driver support all of Realtek HD Audio Codec in Vista/WinXP/Win2000/Win2003 .
1. Vista WHQL Supporting: ALC882, ALC883, ALC885, ALC888, ALC889, ALC861VD, ALC660, ALC662, ALC663, ALC665, ALC260, ALC262, ALC267, ALC268, ALC269, ALC272, ALC273, ALC887
 2. Windows 2000/XP WHQL Supporting: ALC880, ALC882, ALC883, ALC885, ALC888, ALC889, ALC861VC, ALC861VD, ALC660, ALC662, ALC663, ALC665, ALC260, ALC262, ALC267, ALC268, ALC269, ALC272, ALC273, ALC887
 3. HDM Device WHQL Support: ATI HDM Devices
 4. OS Supporting: Microsoft WindowsXP, Windows2000, Vista, Windows7 x86/x64
 5. Pack with Microsoft High Definition Audio UAAV1.0a(5013)
 6. Add/Fix
 - 1.) Driver :
 1. Customizations.
 - 2.) Package :
 1. Support driver folder of Windows Server 2008 in package .
 2. Disable Status Dialog when small VGA Mode enabled .
 3. Fix CreativeUp folder disappear issue .

Windows 2000/XP : -----

```

Windows 2000/XP :
RTKHDA64.sys : 5.10.0.5804
RTKHDAUD.sys : 5.10.0.5804
McCal.exe : 1.1.2.0
RTHDCPL.exe : 2.2.6.9
RtkAudioService64.exe : 1.0.0.17
RtkAudioService.exe : 1.0.0.16
RTLCP.exe : 1.0.1.66
RtlUpd64.exe : 2.7.1.2
RtlUpd.exe : 2.7.1.2
SkyTel.exe : 2.0.2.0
SoundMan.exe : 1.0.0.32
vncutil64.exe : 1.0.0.23
vncutil.exe : 1.0.0.23
Alcmtr.exe : 1.6.0.4
AlcWzrd.exe : 1.1.0.37
Mnflt.sys : 5.10.0.4112
Mnft64.sys : 5.10.0.4115

```

Readme.txt

AMBFilt.sys	: 5.10.0.4240
AMBFt64.sys	: 5.10.0.4240
RTSndMgr.cpl	: 1.0.1.0
ALSndMgr.cpl	: 1.0.0.11
RCoInst64XP.dll	: 1.0.4.8
RTCOMDLL.dll	: 1.0.0.98
RtkCoInstXP.dll	: 1.0.4.8
RtlCPAPI.dll	: 1.0.2.1

Vista driver :	
Vista driver for x86	
RTKVHDA.sys	: 6.0.1.5804
AERTSrv.exe	: 1.0.32.8
APOPCH.exe	: 1.0.0.0
RtHDVCpl.exe	: 1.0.0.311
RtkAudioService.exe	: 1.0.0.17
RtlUpd.exe	: 2.7.1.2
SkyTel.exe	: 2.0.2.2
vncutil.exe	: 1.0.0.23
RTSndMgr.cpl	: 1.0.0.15
AERTACap.dll	: 2.0.32.1
AERTARen.dll	: 1.0.32.7
FMAP0.dll	: 0.0.14.1
MaxxAudioAPO.dll	: 1.2.2.0
MaxxAudioAPO20.dll	: 2.2.2.0
MaxxAudioEQ.dll	: 5.9.7.0
MBAP032.dll	: 1.0.0.630
MBPPCn32.dll	: 1.0.0.80
MBpld32.dll	: 1.0.0.630
MBWrp32.dll	: 1.0.0.80
RTCOMDLL.dll	: 2.0.0.108
RtkAPO.dll	: 11.0.6000.89
RtkApoApi.dll	: 1.0.0.10
RtkCfg.dll	: 1.0.0.1
RtkCoInst.dll	: 1.0.4.8
RtkPgExt.dll	: 6.0.6000.69
RtlCPAPI.dll	: 1.0.2.1
RTPCEE32.dll	: 6.0.6001.17
slcshp32.dll	: 1.0.3.0
slgeq32.dll	: 1.0.1.0
slh36032.dll	: 1.0.2.0
slInit32.dll	: 1.1.1.0
sltshd32.dll	: 1.1.0.0
sluapo32.dll	: 1.2.6.0
SRSHP360.dll	: 1.1.0.0
SRSTSHD.dll	: 1.1.4.0
SRSTSXT.dll	: 3.2.0.0
SRSWOW.dll	: 1.1.3.0
WavesLib.dll	: 5.9.7.0
Vista driver for x64	
RTKVHD64.sys	: 6.0.1.5804
AERTSr64.exe	: 1.0.64.8
APOPCH.exe	: 1.0.0.0
RAVCpl64.exe	: 1.0.0.311
RtkAudioService64.exe	: 1.0.0.17
RtlUpd64.exe	: 2.7.1.2
SkyTel.exe	: 2.0.2.2
vncutil64.exe	: 1.0.0.23
GWfilt64.sys	: 6.10.0.3
RTSnMg64.cpl	: 1.0.0.15
AERTAC64.dll	: 2.0.64.1
AERTAR64.dll	: 1.0.64.7
FMAP064.dll	: 0.0.14.1
MaxxAudioAPO20.dll	: 2.2.2.0
MBAP032.dll	: 1.0.0.630
MBAP064.dll	: 1.0.0.630
MBPPCn64.dll	: 1.0.0.80
MBpld64.dll	: 1.0.0.630
MBWrp64.dll	: 1.0.0.80
RCoInst64.dll	: 1.0.4.8
RtCOMB4.dll	: 2.0.0.108
RTCOMDLL.dll	: 2.0.0.108
RtkApi64.dll	: 1.0.0.10
RtkAPO64.dll	: 11.0.6000.89
RtkCfg.dll	: 1.0.0.1
RtkCfg64.dll	: 1.0.0.1

Readme.txt

```

RtlCPAPI.dll : 1.0.2.1
RtlCPAPI64.dll : 1.0.2.1
RTPCEE64.dll : 6.0.6001.17
RtPgEx64.dll : 6.0.6000.69
slcshp64.dll : 1.0.3.0
slgeq64.dll : 1.0.1.0
slh36064.dll : 1.0.2.0
slInit64.dll : 1.1.1.0
sltshd64.dll : 1.1.0.0
sluapo64.dll : 1.2.6.0
SRSHp64.dll : 1.1.0.0
SRSTSH64.dll : 1.1.4.0
SRSTSX64.dll : 3.2.0.0
SRSWOW64.dll : 1.1.3.0
HDMI Driver : -----
Vista x86:
RtHDMV.sys : 6.0.1.5796
RtkUpd.exe : 2.7.1.2
AHPCEE32.dll : 6.0.6001.17
RHCoInst.dll : 1.0.4.4
RHDMEExt.dll : 6.0.6000.69
RtkHDM.dll : 11.0.6000.88

Vista x64:
RtHDMVX.sys : 6.0.1.5796
RtkUpd64.exe : 2.7.1.2
AHPCEE64.dll : 6.0.6001.17
RHCoInst64.dll : 1.0.4.4
RHDMEExt64.dll : 6.0.6000.69
RtkHDM64.dll : 11.0.6000.88

XP/2K x86:
RtkHDM.sys : 5.10.0.5796
RtkUpd.exe : 2.7.1.2

XP/2K x64:
RtkHDMX.sys : 5.10.0.5796
RtkUpd64.exe : 2.7.1.2

Driver Setup Program : 2.72

Windows 2000/XP Operate on :
Microsoft High Definition Audio Driver Package - KB888111
Package file version (kb888111.exe) : 6.1.22.0
Hdaudio.sys version : 5.10.00.5013

```

//=====

Driver Package R2.17

- Realtek HD Audio Driver support all of Realtek HD Audio Codec in Vista/WinXP/Win2000/Win2003 .
1. Vista WHQL Supporting: ALC882, ALC883, ALC885, ALC888, ALC889, ALC861VD, ALC660, ALC662, ALC663, ALC665, ALC260, ALC262, ALC267, ALC268, ALC269, ALC272, ALC273, ALC887
 2. Windows 2000/XP WHQL Supporting: ALC880, ALC882, ALC883, ALC885, ALC888, ALC889, ALC861VC, ALC861VD, ALC660, ALC662, ALC663, ALC665, ALC260, ALC262, ALC267, ALC268, ALC269, ALC272, ALC273, ALC887
 3. HDMI Device WHQL Support: ATI HDMI Devices
 4. OS Supporting: Microsoft WindowsXP, Windows2000, Vista, Windows7 x86/x64
 5. Pack with Microsoft High Definition Audio UAAV1.0a(5013)
 6. Add/Fix
 - 1.) Driver :
 1. Customizations.

Windows 2000/XP : -----

```

Windows 2000/XP :
RTKHDA64.sys : 5.10.0.5794
RTKHDAUD.sys : 5.10.0.5794
McCal.exe : 1.1.2.0
RTHDCPL.exe : 2.2.6.5
RtkAudioService64.exe : 1.0.0.17
RtkAudioService.exe : 1.0.0.16
RTLCPPL.exe : 1.0.1.66
RtlUpd64.exe : 2.7.1.2
RtlUpd.exe : 2.7.1.2
SkyTel.exe : 2.0.2.0
SoundMan.exe : 1.0.0.32
vncutil64.exe : 1.0.0.23
vncutil.exe : 1.0.0.23

```

Readme.txt

Alcmtr.exe	: 1.6.0.3
AlcWzrd.exe	: 1.1.0.37
Mbnfilt.sys	: 5.10.0.4112
Mbnft64.sys	: 5.10.0.4115
AMBFilt.sys	: 5.10.0.4240
AMBFt64.sys	: 5.10.0.4240
RTSndMgr.cpl	: 1.0.1.0
ALSndMgr.cpl	: 1.0.0.11
RCoInst64XP.dll	: 1.0.4.8
RTCOMDLL.dll	: 1.0.0.97
RtkCoInstXP.dll	: 1.0.4.8
RtlCPAPI.dll	: 1.0.2.1

Vista driver :	
Vista driver for x86	
RTKVHDA.sys	: 6.0.1.5794
AERTSrv.exe	: 1.0.32.8
APOPCH.exe	: 1.0.0.0
RtHDVCpl.exe	: 1.0.0.306
RtkAudioService.exe	: 1.0.0.17
RtlUpd.exe	: 2.7.1.2
SkyTel.exe	: 2.0.2.2
vncutil.exe	: 1.0.0.23
RTSndMgr.cpl	: 1.0.0.15
AERTACap.dll	: 2.0.32.1
AERTARen.dll	: 1.0.32.7
FMAP0.dll	: 0.0.14.1
MaxxAudioAPO.dll	: 1.2.2.0
MaxxAudioAPO20.dll	: 2.2.2.0
MaxxAudioEQ.dll	: 5.9.7.0
MBAP032.dll	: 1.0.0.630
MBPPCn32.dll	: 1.0.0.80
MBpld32.dll	: 1.0.0.630
MBWrp32.dll	: 1.0.0.80
RTCOMDLL.dll	: 2.0.0.106
RtkAPO.dll	: 11.0.6000.88
RtkApoApi.dll	: 1.0.0.10
RtkCfg.dll	: 1.0.0.1
RtkCoInst.dll	: 1.0.4.8
RtkPgExt.dll	: 6.0.6000.69
RtlCPAPI.dll	: 1.0.2.1
RTPCEE32.dll	: 6.0.6001.17
slcshp32.dll	: 1.0.3.0
slgeq32.dll	: 1.0.1.0
slh36032.dll	: 1.0.2.0
slinit32.dll	: 1.1.1.0
sltshd32.dll	: 1.1.0.0
sluapo32.dll	: 1.2.6.0
SRSHP360.dll	: 1.1.0.0
SRSTSHD.dll	: 1.1.4.0
SRSTSXT.dll	: 3.2.0.0
SRSWOW.dll	: 1.1.3.0
WavesLib.dll	: 5.9.7.0
Vista driver for x64	
RTKVHD64.sys	: 6.0.1.5794
AERTSr64.exe	: 1.0.64.8
APOPCH.exe	: 1.0.0.0
RAVCpl64.exe	: 1.0.0.306
RtkAudioService64.exe	: 1.0.0.17
RtlUpd64.exe	: 2.7.1.2
SkyTel.exe	: 2.0.2.2
vncutil64.exe	: 1.0.0.23
GWfilt64.sys	: 6.10.0.3
RTSnMg64.cpl	: 1.0.0.15
AERTAC64.dll	: 2.0.64.1
AERTAR64.dll	: 1.0.64.7
FMAP064.dll	: 0.0.14.1
MaxxAudioAPO20.dll	: 2.2.2.0
MBAP032.dll	: 1.0.0.630
MBAP064.dll	: 1.0.0.630
MBPPCn64.dll	: 1.0.0.80
MBpld64.dll	: 1.0.0.630
MBWrp64.dll	: 1.0.0.80
RCoInst64.dll	: 1.0.4.8
RtCOMB4.dll	: 2.0.0.106
RTCOMDLL.dll	: 2.0.0.106

Readme.txt

RtkApi64.dll : 1.0.0.10
 RtkAPO64.dll : 11.0.6000.88
 RtkCfg.dll : 1.0.0.1
 RtkCfg64.dll : 1.0.0.1
 RtlCPAPI.dll : 1.0.2.1
 RtlCPAPI64.dll : 1.0.2.1
 RTPCEE64.dll : 6.0.6001.17
 RtpgEx64.dll : 6.0.6000.69
 slcshp64.dll : 1.0.3.0
 slgeq64.dll : 1.0.1.0
 slh36064.dll : 1.0.2.0
 slInit64.dll : 1.1.1.0
 sltshd64.dll : 1.1.0.0
 sluapo64.dll : 1.2.6.0
 SRSHp64.dll : 1.1.0.0
 SRSTSH64.dll : 1.1.4.0
 SRSTSX64.dll : 3.2.0.0
 SRSWOW64.dll : 1.1.3.0

HDMI Driver : -----

Vista x86:
 RtHDMV.sys : 6.0.1.5766
 RtkUpd.exe : 2.7.1.1
 RHCoInst.dll : 1.0.3.2
 RHDMExt.dll : 6.0.6000.66
 RtkHDM.dll : 11.0.6000.85

Vista x64:
 RtHDMVX.sys : 6.0.1.5766
 RtkUpd64.exe : 2.7.1.1
 RHCoInst64.dll : 1.0.3.2
 RHDMEx64.dll : 6.0.6000.66
 RtkHDM64.dll : 11.0.6000.85

XP/2K x86:
 RtkHDM.sys : 5.10.0.5766
 RtkUpd.exe : 2.7.1.1

XP/2K x64:
 RtHDMX.sys : 5.10.0.5766
 RtkUpd64.exe : 2.7.1.1

Driver Setup Program : 2.70

Windows 2000/XP Operate on :
 Microsoft High Definition Audio Driver Package - KB888111
 Package file version (kb888111.exe) : 6.1.22.0
 Hdaudio.sys version : 5.10.00.5013

//=====

Driver Package R2.16

Realtek HD Audio Driver support all of Realtek HD Audio Codec in Vista/WinXP/Win2000/Win2003 .

1. Vista WHQL Supporting: ALC882, ALC883, ALC885, ALC888, ALC889, ALC861VD, ALC660, ALC662, ALC663, ALC665, ALC260, ALC262, ALC267, ALC268, ALC269, ALC272, ALC273, ALC887
2. Windows 2000/XP WHQL Supporting: ALC880, ALC882, ALC883, ALC885, ALC888, ALC889, ALC861VC, ALC861VD, ALC660, ALC662, ALC663, ALC665, ALC260, ALC262, ALC267, ALC268, ALC269, ALC272, ALC273, ALC887
3. HDMI Device WHQL Support: ATI HDMI Devices
4. OS Supporting: Microsoft WindowsXP, Windows2000, Vista, Windows7 x86/x64
5. Pack with Microsoft High Definition Audio UAAV1.0a(5013)
6. Add/Fix

- 1.) Driver :
 1. Customizations.
 2. Update directsound acceleration engine for XP driver.

Windows 2000/XP : -----

Windows 2000/XP :
 RTKHDA64.sys : 5.10.0.5791
 RTKHDAUD.sys : 5.10.0.5791
 MicCal.exe : 1.1.2.0
 RTHDCPL.exe : 2.2.6.3
 RtkAudioService64.exe : 1.0.0.17
 RtkAudioService.exe : 1.0.0.16
 RTLCPPL.exe : 1.0.1.66
 RtlUpd64.exe : 2.7.1.2
 RtlUpd.exe : 2.7.1.2
 SkyTel.exe : 2.0.2.0

Readme.txt

SoundMan.exe	: 1.0.0.32
vncutil64.exe	: 1.0.0.23
vncutil.exe	: 1.0.0.23
Alcmtr.exe	: 1.6.0.3
AlcWzrd.exe	: 1.1.0.37
Mnflt.sys	: 5.10.0.4112
Mnft64.sys	: 5.10.0.4115
AMBflt.sys	: 5.10.0.4240
AMBft64.sys	: 5.10.0.4240
RTSndMgr.cpl	: 1.0.1.0
ALSndMgr.cpl	: 1.0.0.11
RCoInst64XP.dll	: 1.0.4.8
RTCOMDLL.dll	: 1.0.0.97
RtkCoInstXP.dll	: 1.0.4.8
RtlCPAPI.dll	: 1.0.2.1
Vista driver : -----	
Vista driver for x86	
RTKVHDA.sys	: 6.0.1.5791
AERTSrv.exe	: 1.0.32.8
APOPCH.exe	: 1.0.0.0
RtHDVCpl.exe	: 1.0.0.304
RtkAudioService.exe	: 1.0.0.17
RtlUpd.exe	: 2.7.1.2
SkyTel.exe	: 2.0.2.2
vncutil.exe	: 1.0.0.23
RTSndMgr.cpl	: 1.0.0.15
AERTACap.dll	: 2.0.32.1
AERTARen.dll	: 1.0.32.7
FMAP0.dll	: 0.0.14.1
MaxxAudioAPO.dll	: 1.2.2.0
MaxxAudioAPO20.dll	: 2.2.2.0
MaxxAudioEQ.dll	: 5.9.7.0
MBAP032.dll	: 1.0.0.630
MBPPCn32.dll	: 1.0.0.80
MBpld32.dll	: 1.0.0.630
MBWrp32.dll	: 1.0.0.80
RTCOMDLL.dll	: 2.0.0.106
RtkAPO.dll	: 11.0.6000.88
RtkApoApi.dll	: 1.0.0.10
RtkCfg.dll	: 1.0.0.1
RtkCoInst.dll	: 1.0.4.8
RtkPgExt.dll	: 6.0.6000.69
RtlCPAPI.dll	: 1.0.2.1
RTPCEE32.dll	: 6.0.6001.17
slcshp32.dll	: 1.0.3.0
slgeq32.dll	: 1.0.1.0
slh36032.dll	: 1.0.2.0
slinit32.dll	: 1.1.1.0
sltshd32.dll	: 1.1.0.0
sluapo32.dll	: 1.2.6.0
SRSHP360.dll	: 1.1.0.0
SRSTSHD.dll	: 1.1.4.0
SRSTSXT.dll	: 3.2.0.0
SRSWOW.dll	: 1.1.3.0
WavesLib.dll	: 5.9.7.0
Vista driver for x64	
RTKVHD64.sys	: 6.0.1.5791
AERTSr64.exe	: 1.0.64.8
APOPCH.exe	: 1.0.0.0
RAVCpl64.exe	: 1.0.0.304
RtkAudioService64.exe	: 1.0.0.17
RtlUpd64.exe	: 2.7.1.2
SkyTel.exe	: 2.0.2.2
vncutil64.exe	: 1.0.0.23
GWflt64.sys	: 6.10.0.3
RTSnMg64.cpl	: 1.0.0.15
AERTAC64.dll	: 2.0.64.1
AERTAR64.dll	: 1.0.64.7
FMAP064.dll	: 0.0.14.1
MaxxAudioAPO20.dll	: 2.2.2.0
MBAP032.dll	: 1.0.0.630
MBAP064.dll	: 1.0.0.630
MBPPCn64.dll	: 1.0.0.80
MBpld64.dll	: 1.0.0.630
MBWrp64.dll	: 1.0.0.80

Readme.txt

RCoInst64.dll : 1.0.4.8
 RtCOMB4.dll : 2.0.0.106
 RTCOMDLL.dll : 2.0.0.106
 RtkApi64.dll : 1.0.0.10
 RtkAPO64.dll : 11.0.6000.88
 RtkCfg.dll : 1.0.0.1
 RtkCfg64.dll : 1.0.0.1
 RtLCPAPI.dll : 1.0.2.1
 RtLCPAPI64.dll : 1.0.2.1
 RTPCEE64.dll : 6.0.6001.17
 RtPgEx64.dll : 6.0.6000.69
 slcshp64.dll : 1.0.3.0
 slgeq64.dll : 1.0.1.0
 slh36064.dll : 1.0.2.0
 slInit64.dll : 1.1.1.0
 sltshd64.dll : 1.1.0.0
 sluapo64.dll : 1.2.6.0
 SRSHP64.dll : 1.1.0.0
 SRSTSH64.dll : 1.1.4.0
 SRSTSX64.dll : 3.2.0.0
 SRSWOW64.dll : 1.1.3.0

HDMI Driver : -----

Vista x86:
 RtHDMV.sys : 6.0.1.5766
 RtkUpd.exe : 2.7.1.1
 RHCoInst.dll : 1.0.3.2
 RHDMExt.dll : 6.0.6000.66
 RtkHDM.dll : 11.0.6000.85

Vista x64:
 RtHDMVX.sys : 6.0.1.5766
 RtkUpd64.exe : 2.7.1.1
 RHCoInst64.dll : 1.0.3.2
 RHDMEx64.dll : 6.0.6000.66
 RtkHDM64.dll : 11.0.6000.85

XP/2K x86:
 RtkHDM.sys : 5.10.0.5766
 RtkUpd.exe : 2.7.1.1

XP/2K x64:
 RtHDMX.sys : 5.10.0.5766
 RtkUpd64.exe : 2.7.1.1

Driver Setup Program : 2.70

Windows 2000/XP Operate on :
 Microsoft High Definition Audio Driver Package - KB888111
 Package file version (kb888111.exe) : 6.1.22.0
 Hdaudio.sys version : 5.10.00.5013

//=====

Driver Package R2.15

Realtek HD Audio Driver support all of Realtek HD Audio Codec in Vista/WinXP/Win2000/Win2003 .

1. Vista WHQL Supporting: ALC882, ALC883, ALC885, ALC888, ALC889, ALC861VD, ALC660, ALC662, ALC663, ALC665, ALC260, ALC262, ALC267, ALC268, ALC269, ALC272, ALC273, ALC887
2. Windows 2000/XP WHQL Supporting: ALC880, ALC882, ALC883, ALC885, ALC888, ALC889, ALC861VC, ALC861VD, ALC660, ALC662, ALC663, ALC665, ALC260, ALC262, ALC267, ALC268, ALC269, ALC272, ALC273, ALC887
3. HDMI Device WHQL Support: ATI HDMI Devices
4. OS Supporting: Microsoft WindowsXP, Win2000, Vista x86/x64
5. Pack with Microsoft High Definition Audio UAAV1.0a(5013)
6. Add/Fix
 - 1.) Driver :
 1. Customizations.
 2. Change Creative components for the certain customers.
 - 2.) Package :
 1. Change Japanese language on finish Dialog of installation .
 2. Fix DCC uninstalled issue. Both MSI and GUID uninstalation procedure supported .
 3. Fix uninstal problem in Windows 7 . The DIFxAPI DLL file supported in Windows 7 .

Windows 2000/XP : -----

Windows 2000/XP :
 RTKHDA64.sys : 5.10.0.5783
 RTKHDAUD.sys : 5.10.0.5783
 MicCal.exe : 1.1.2.0

Readme.txt

RTHDCPL.exe	: 2.2.6.2
RtkAudioService64.exe	: 1.0.0.17
RtkAudioService.exe	: 1.0.0.16
RTLCPL.exe	: 1.0.1.66
RtlUpd64.exe	: 2.7.1.2
RtlUpd.exe	: 2.7.1.2
SkyTel.exe	: 2.0.2.0
SoundMan.exe	: 1.0.0.32
vncutil64.exe	: 1.0.0.23
vncutil.exe	: 1.0.0.23
Alcmtr.exe	: 1.6.0.3
AlcWzrd.exe	: 1.1.0.37
Mnflt.sys	: 5.10.0.4112
Mnft64.sys	: 5.10.0.4115
AMBFlt.sys	: 5.10.0.4240
AMBft64.sys	: 5.10.0.4240
RTSndMgr.cpl	: 1.0.1.0
ALSndMgr.cpl	: 1.0.0.11
RCoInst64XP.dll	: 1.0.4.8
RTCOMDLL.dll	: 1.0.0.97
RtkCoInstXP.dll	: 1.0.4.8
RtlCPAPI.dll	: 1.0.1.9
Vista driver : -----	
Vista driver for x86	
RTKVHDA.sys	: 6.0.1.5783
AERTSrv.exe	: 1.0.32.8
APOPCH.exe	: 1.0.0.0
RtHDVCpl.exe	: 1.0.0.300
RtkAudioService.exe	: 1.0.0.17
RtlUpd.exe	: 2.7.1.2
SkyTel.exe	: 2.0.2.2
vncutil.exe	: 1.0.0.23
RTSndMgr.cpl	: 1.0.0.13
AERTACap.dll	: 2.0.32.1
AERTARen.dll	: 1.0.32.7
FMAPO.dll	: 0.0.12.1
MaxxAudioAPO.dll	: 1.2.2.0
MaxxAudioAPO20.dll	: 2.2.2.0
MaxxAudioEQ.dll	: 5.9.7.0
MBAP032.dll	: 1.0.0.630
MBPPCn32.dll	: 1.0.0.80
MBpld32.dll	: 1.0.0.630
MBWrp32.dll	: 1.0.0.80
RTCOMDLL.dll	: 2.0.0.106
RtkAPO.dll	: 11.0.6000.87
RtkApoApi.dll	: 1.0.0.10
RtkCfg.dll	: 1.0.0.1
RtkCoInst.dll	: 1.0.4.8
RtkPgExt.dll	: 6.0.6000.67
RtlCPAPI.dll	: 1.0.2.1
RTPCEE32.dll	: 6.0.6001.14
slcshp32.dll	: 1.0.3.0
slgeq32.dll	: 1.0.1.0
slh36032.dll	: 1.0.2.0
slInit32.dll	: 1.1.1.0
sltshd32.dll	: 1.1.0.0
sluapo32.dll	: 1.2.6.0
SRSHP360.dll	: 1.1.0.0
SRSTSHD.dll	: 1.1.4.0
SRSTSXT.dll	: 3.2.0.0
SRSWOW.dll	: 1.1.3.0
WavesLib.dll	: 5.9.7.0
Vista driver for x64	
RTKVHD64.sys	: 6.0.1.5783
AERTSr64.exe	: 1.0.64.8
APOPCH.exe	: 1.0.0.0
RAVCpl64.exe	: 1.0.0.300
RtkAudioService64.exe	: 1.0.0.17
RtlUpd64.exe	: 2.7.1.2
SkyTel.exe	: 2.0.2.2
vncutil64.exe	: 1.0.0.23
GWFlt64.sys	: 6.10.0.3
RTSnMg64.cpl	: 1.0.0.13
AERTAC64.dll	: 2.0.64.1
AERTAR64.dll	: 1.0.64.7

Readme.txt

FMAP064.dll : 0.0.12.1
 MaxxAudioAPO20.dll : 2.2.2.0
 MBAP032.dll : 1.0.0.630
 MBAP064.dll : 1.0.0.630
 MBPPCn64.dll : 1.0.0.80
 MBppld64.dll : 1.0.0.630
 MBWrp64.dll : 1.0.0.80
 RCoInst64.dll : 1.0.4.8
 RtCOM64.dll : 2.0.0.106
 RTCOMDLL.dll : 2.0.0.106
 RtkApi64.dll : 1.0.0.10
 RtkAPO64.dll : 11.0.6000.87
 RtkCfg.dll : 1.0.0.1
 RtkCfg64.dll : 1.0.0.1
 RtlCPAPI.dll : 1.0.2.1
 RtlCPAPI64.dll : 1.0.2.1
 RTPCEE64.dll : 6.0.6001.14
 RtpgEx64.dll : 6.0.6000.67
 slcshp64.dll : 1.0.3.0
 slgeq64.dll : 1.0.1.0
 slh36064.dll : 1.0.2.0
 slInit64.dll : 1.1.1.0
 sltshd64.dll : 1.1.0.0
 sluapo64.dll : 1.2.6.0
 SRSHp64.dll : 1.1.0.0
 SRSTSH64.dll : 1.1.4.0
 SRSTSX64.dll : 3.2.0.0
 SRSWOW64.dll : 1.1.3.0

HDMI Driver : -----

Vista x86:
 RtHDMV.sys : 6.0.1.5766
 RtkUpd.exe : 2.7.1.1
 RHCoInst.dll : 1.0.3.2
 RHDMEExt.dll : 6.0.6000.66
 RtkHDM.dll : 11.0.6000.85

Vista x64:
 RtHDMVX.sys : 6.0.1.5766
 RtkUpd64.exe : 2.7.1.1
 RHCoInst64.dll : 1.0.3.2
 RHDMEx64.dll : 6.0.6000.66
 RtkHDM64.dll : 11.0.6000.85

XP/2K x86:
 RtkHDM.sys : 5.10.0.5766
 RtkUpd.exe : 2.7.1.1

XP/2K x64:
 RtHDMX.sys : 5.10.0.5766
 RtkUpd64.exe : 2.7.1.1

Driver Setup Program : 2.70

Windows 2000/XP Operate on :
 Microsoft High Definition Audio Driver Package - KB888111
 Package file version (kb888111.exe) : 6.1.22.0
 Hdaudio.sys version : 5.10.00.5013

//=====

Driver Package R2.14

Realtek HD Audio Driver support all of Realtek HD Audio Codec in Vista/WinXP/Win2000/Win2003 .

1. Vista WHQL Supporting: ALC882, ALC883, ALC885, ALC888, ALC889, ALC861VD, ALC660, ALC662, ALC663, ALC665, ALC260, ALC262, ALC267, ALC268, ALC269, ALC272, ALC273, ALC887
2. Windows 2000/XP WHQL Supporting: ALC880, ALC882, ALC883, ALC885, ALC888, ALC889, ALC861VC, ALC861VD, ALC660, ALC662, ALC663, ALC665, ALC260, ALC262, ALC267, ALC268, ALC269, ALC272, ALC273, ALC887
3. HDMI Device WHQL Support: ATI HDMI Devices
4. OS Supporting: Microsoft WindowsXP, Win2000, Vista x86/x64
5. Pack with Microsoft High Definition Audio UAAV1.0a(5013)
6. Add/Fix

- 1.) Driver :
 1. Customizations.
 2. Change EAPD control method for the certain codecs.

Windows 2000/XP : -----

Windows 2000/XP :

Readme.txt

RTKHDA64.sys	: 5.10.0.5772
RTKHDAUD.sys	: 5.10.0.5772
Alcmtr.exe	: 1.6.0.3
AlcWzrd.exe	: 1.1.0.37
McCal.exe	: 1.1.2.0
RTHDCPL.exe	: 2.2.5.9
RtkAudioService64.exe	: 1.0.0.17
RtkAudioService.exe	: 1.0.0.16
RTLCPPL.exe	: 1.0.1.66
RtlUpd64.exe	: 2.7.1.1
RtlUpd.exe	: 2.7.1.1
SkyTel.exe	: 2.0.2.0
SoundMan.exe	: 1.0.0.32
vncutil64.exe	: 1.0.0.23
vncutil.exe	: 1.0.0.23
AMBFilt64.sys	: 5.10.0.4240
AMBFilt.sys	: 5.10.0.4240
Mnfil64.sys	: 5.10.0.4115
Mnfil.sys	: 5.10.0.4112
ALSndMgr.cpl	: 1.0.0.11
RTSndMgr.cpl	: 1.0.1.0
RCoInst64XP.dll	: 1.0.4.4
RTCOMDLL.dll	: 1.0.0.97
RtkCoInstXP.dll	: 1.0.4.4
RtlCPAPI.dll	: 1.0.1.9
Vista driver : -----	
Vista driver for x86	
RTKVHDA.sys	: 6.0.1.5772
AERTSrv.exe	: 1.0.32.8
RtHDVCpl.exe	: 1.0.0.291
RtkAudioService.exe	: 1.0.0.17
RtlUpd.exe	: 2.7.1.1
SkyTel.exe	: 2.0.2.2
vncutil.exe	: 1.0.0.23
RTSndMgr.cpl	: 1.0.0.13
AERTACap.dll	: 2.0.32.1
AERTARen.dll	: 1.0.32.7
CTAP032.dll	: 1.0.0.530
ctppld.dll	: 1.0.0.530
DaisyWrp.dll	: 1.0.0.70
FMAPO.dll	: 0.0.12.1
MaxxAudioAPO.dll	: 1.2.2.0
MaxxAudioAPO20.dll	: 2.2.2.0
MaxxAudioEQ.dll	: 5.9.7.0
ppchain.dll	: 1.0.0.70
RTCOMDLL.dll	: 2.0.0.105
RtkAPO.dll	: 11.0.6000.85
RtkApoApi.dll	: 1.0.0.9
RtkCfg.dll	: 1.0.0.1
RtkCoInst.dll	: 1.0.4.4
RtkPgExt.dll	: 6.0.6000.66
RtlCPAPI.dll	: 1.0.2.1
slcshp32.dll	: 1.0.3.0
slgeq32.dll	: 1.0.1.0
slh36032.dll	: 1.0.2.0
slinit32.dll	: 1.1.1.0
sltshd32.dll	: 1.1.0.0
sluapo32.dll	: 1.2.6.0
SRSHP360.dll	: 1.1.0.0
SRSTSHD.dll	: 1.1.4.0
SRSTSXT.dll	: 3.2.0.0
SRSWOW.dll	: 1.1.3.0
WavesLib.dll	: 5.9.7.0
Vista driver for x64	
RTKVHD64.sys	: 6.0.1.5772
AERTSr64.exe	: 1.0.64.8
RAVCpl64.exe	: 1.0.0.291
RtkAudioService64.exe	: 1.0.0.17
RtlUpd64.exe	: 2.7.1.1
SkyTel.exe	: 2.0.2.2
vncutil64.exe	: 1.0.0.23
GWFilt64.sys	: 6.10.0.3
RTSnMg64.cpl	: 1.0.0.13
AERTAC64.dll	: 2.0.64.1
AERTAR64.dll	: 1.0.64.7

Readme.txt

CTAP032.dll : 1.0.0.530
 CTAP064.dll : 1.0.0.530
 ctppld.dll : 1.0.0.530
 DaisyWrp.dll : 1.0.0.70
 FMAP064.dll : 0.0.12.1
 MaxxAudioAPO20.dll : 2.2.2.0
 ppchain.dll : 1.0.0.70
 RCoInst64.dll : 1.0.4.4
 RtCOMB4.dll : 2.0.0.105
 RTCOMDLL.dll : 2.0.0.105
 RtkApi64.dll : 1.0.0.9
 RtkAPO64.dll : 11.0.6000.85
 RtkCfg.dll : 1.0.0.1
 RtkCfg64.dll : 1.0.0.1
 RtlCPAPI.dll : 1.0.2.1
 RtlCPAPI64.dll : 1.0.2.1
 RtlPgEx64.dll : 6.0.6000.66
 slcshp64.dll : 1.0.3.0
 slgeq64.dll : 1.0.1.0
 slh36064.dll : 1.0.2.0
 slInit64.dll : 1.1.1.0
 sltshd64.dll : 1.1.0.0
 sluapo64.dll : 1.2.6.0
 SRSHp64.dll : 1.1.0.0
 SRSTSH64.dll : 1.1.4.0
 SRSTSX64.dll : 3.2.0.0
 SRSWOW64.dll : 1.1.3.0
HDMI Driver : -----
 Vista x86:
 RtHDMV.sys : 6.0.1.5766
 RtkUpd.exe : 2.7.1.1
 RHCoInst.dll : 1.0.3.2
 RHDMExt.dll : 6.0.6000.66
 RtkHDM.dll : 11.0.6000.85

 Vista x64:
 RtHDMVX.sys : 6.0.1.5766
 RtkUpd64.exe : 2.7.1.1
 RHCoInst64.dll : 1.0.3.2
 RHDMEx64.dll : 6.0.6000.66
 RtkHDM64.dll : 11.0.6000.85

 XP/2K x86:
 RtkHDM.sys : 5.10.0.5766
 RtkUpd.exe : 2.7.1.1

 XP/2K x64:
 RtHDMX.sys : 5.10.0.5766
 RtkUpd64.exe : 2.7.1.1

 Driver Setup Program : 2.69

 Windows 2000/XP Operate on :
 Microsoft High Definition Audio Driver Package - KB888111
 Package file version (kb888111.exe) : 6.1.22.0
 Hdaudio.sys version : 5.10.00.5013

//=====

Driver Package R2.13
 Realtek HD Audio Driver support all of Realtek HD Audio Codec in Vista/WInXP/WIn2000/WIn2003 .
 1. Vista WHQL Supporting: ALC882, ALC883, ALC885, ALC888, ALC889, ALC861VD, ALC660, ALC662, ALC663, ALC665, ALC260, ALC262, ALC267, ALC268, ALC269, ALC272, ALC273, ALC887
 2. Windows 2000/XP WHQL Supporting: ALC880, ALC882, ALC883, ALC885, ALC888, ALC889, ALC861VC, ALC861VD, ALC660, ALC662, ALC663, ALC665, ALC260, ALC262, ALC267, ALC268, ALC269, ALC272, ALC273, ALC887
 3. HDMI Device WHQL Support: ATI HDMI Devices
 4. OS Supporting: Microsoft WindowsXP, WIn2000, Vista x86/x64
 5. Pack with Microsoft High Definition Audio UAAV1.0a(5013)
 6. Add/Fix
 1.) Driver :
 1. Customizations.

Windows 2000/XP : -----
 Windows 2000/XP :
 RTKHDA64.sys : 5.10.0.5767
 RTKHDAUD.sys : 5.10.0.5767

Readme.txt

```

M cCal . exe           : 1.1.2.0
RTHDCPL . exe         : 2.2.5.8
RtkAudioService64 . exe : 1.0.0.17
RtkAudioService . exe : 1.0.0.16
RTLCPPL . exe        : 1.0.1.66
RtlUpd64 . exe       : 2.7.1.1
RtlUpd . exe         : 2.7.1.1
SkyTel . exe         : 2.0.2.0
SoundMan . exe       : 1.0.0.32
vncutil64 . exe      : 1.0.0.23
vncutil . exe        : 1.0.0.23
Alcmtr . exe         : 1.6.0.3
AlcWzrd . exe        : 1.1.0.37
AMBFilt64 . sys      : 5.10.0.4240
AMBFilt . sys        : 5.10.0.4240
Mnfil t64 . sys      : 5.10.0.4115
Mnfil t . sys        : 5.10.0.4112
RTSndMgr . cpl       : 1.0.1.0
ALSndMgr . cpl       : 1.0.0.11
RCoInst64XP . dll    : 1.0.4.3
RTCOMDLL . dll       : 1.0.0.97
RtkCoInstXP . dll    : 1.0.4.3
RtlCPAPI . dll       : 1.0.1.9
Vista driver : -----
Vista driver for x86
RTKVHDA . sys        : 6.0.1.5767
AERTSrv . exe        : 1.0.32.8
RtHDVCpl . exe       : 1.0.0.288
RtkAudioService . exe : 1.0.0.17
RtlUpd . exe         : 2.7.1.1
SkyTel . exe         : 2.0.2.2
vncutil . exe        : 1.0.0.23
RTSndMgr . cpl       : 1.0.0.13
AERTACap . dll       : 2.0.32.1
AERTARen . dll       : 1.0.32.7
CTAP032 . dll        : 1.0.0.530
ctppld . dll         : 1.0.0.530
DaisyWrp . dll       : 1.0.0.70
FMAPO . dll          : 0.0.12.1
MaxxAudioAPO . dll   : 1.2.2.0
MaxxAudioAPO20 . dll : 2.2.2.0
MaxxAudioEQ . dll    : 5.9.7.0
ppchain . dll        : 1.0.0.70
RTCOMDLL . dll       : 2.0.0.105
RtkAPO . dll         : 11.0.6000.85
RtkApoApi . dll      : 1.0.0.9
RtkCfg . dll         : 1.0.0.1
RtkCoInst . dll      : 1.0.4.3
RtkPgExt . dll       : 6.0.6000.66
RtlCPAPI . dll       : 1.0.2.1
slcshp32 . dll       : 1.0.3.0
slgeq32 . dll        : 1.0.1.0
slh36032 . dll       : 1.0.2.0
slinit32 . dll       : 1.1.1.0
sltshd32 . dll       : 1.1.0.0
sluapo32 . dll       : 1.2.6.0
SRSHp360 . dll       : 1.1.0.0
SRSTSHD . dll        : 1.1.4.0
SRSTSXT . dll        : 3.2.0.0
SRSWOW . dll         : 1.1.3.0
WavesLib . dll       : 5.9.7.0
Vista driver for x64
RTKVHD64 . sys       : 6.0.1.5767
AERTSr64 . exe       : 1.0.64.8
RAVCpl64 . exe       : 1.0.0.288
RtkAudioService64 . exe : 1.0.0.17
RtlUpd64 . exe       : 2.7.1.1
SkyTel . exe         : 2.0.2.2
vncutil64 . exe      : 1.0.0.23
GWfilt64 . sys       : 6.10.0.3
RTSnMg64 . cpl       : 1.0.0.13
AERTAC64 . dll       : 2.0.64.1
AERTAR64 . dll       : 1.0.64.7
CTAP032 . dll        : 1.0.0.530
CTAP064 . dll        : 1.0.0.530

```

Readme.txt

```

ctpld.dll : 1.0.0.530
DaisyWrp.dll : 1.0.0.70
FMAP064.dll : 0.0.12.1
MaxxAudioAPO20.dll : 2.2.2.0
ppchain.dll : 1.0.0.70
RCoInst64.dll : 1.0.4.3
RtCOMB4.dll : 2.0.0.105
RTCOMDLL.dll : 2.0.0.105
RtkApi64.dll : 1.0.0.9
RtkAPO64.dll : 11.0.6000.85
RtkCfg.dll : 1.0.0.1
RtkCfg64.dll : 1.0.0.1
RtlCPAPI.dll : 1.0.2.1
RtlCPAPI64.dll : 1.0.2.1
RtPgEx64.dll : 6.0.6000.66
slcshp64.dll : 1.0.3.0
slgeq64.dll : 1.0.1.0
slh36064.dll : 1.0.2.0
slInit64.dll : 1.1.1.0
sltshd64.dll : 1.1.0.0
sluapo64.dll : 1.2.6.0
SRSHP64.dll : 1.1.0.0
SRSTSH64.dll : 1.1.4.0
SRSTSX64.dll : 3.2.0.0
SRSWOW64.dll : 1.1.3.0
HDMI Driver : -----
Vista x86:
RtHDMV.sys : 6.0.1.5766
RtkUpd.exe : 2.7.1.1
RHCoInst.dll : 1.0.3.2
RHDMExt.dll : 6.0.6000.66
RtkHDM.dll : 11.0.6000.85

Vista x64:
RtHDMVX.sys : 6.0.1.5766
RtkUpd64.exe : 2.7.1.1
RHCoInst64.dll : 1.0.3.2
RHDMEx64.dll : 6.0.6000.66
RtkHDM64.dll : 11.0.6000.85

XP/2K x86:
RtkHDM.sys : 5.10.0.5766
RtkUpd.exe : 2.7.1.1

XP/2K x64:
RtHDMX.sys : 5.10.0.5766
RtkUpd64.exe : 2.7.1.1

Driver Setup Program : 2.69

Windows 2000/XP Operate on :
Microsoft High Definition Audio Driver Package - KB888111
Package file version (kb888111.exe) : 6.1.22.0
Hdaudio.sys version : 5.10.00.5013

```

//=====

Driver Package R2.12

Realtek HD Audio Driver support all of Realtek HD Audio Codec in Vista/WinXP/Win2000/Win2003 .

1. Vista WHQL Supporting: ALC882, ALC883, ALC885, ALC888, ALC889, ALC861VD, ALC660, ALC662, ALC663, ALC665, ALC260, ALC262, ALC267, ALC268, ALC269, ALC272, ALC273, ALC887
2. Windows 2000/XP WHQL Supporting: ALC880, ALC882, ALC883, ALC885, ALC888, ALC889, ALC861VC, ALC861VD, ALC660, ALC662, ALC663, ALC665, ALC260, ALC262, ALC267, ALC268, ALC269, ALC272, ALC273, ALC887
3. HDMI Device WHQL Support: ATI HDMI Devices
4. OS Supporting: Microsoft WindowsXP, Win2000, Vista x86/x64
5. Pack with Microsoft High Definition Audio UAAV1.0a(5013)
6. Add/Fix
 - 1.) Driver :
 1. Customizations.
 2. Support encryption feature for ALC670.

Windows 2000/XP : -----

```

Windows 2000/XP :
RTKHDA64.sys : 5.10.0.5764
RTKHDAUD.sys : 5.10.0.5764

```

Readme.txt

Alcmtr.exe	: 1.6.0.3
AlcWzrd.exe	: 1.1.0.37
Mccal.exe	: 1.1.2.0
RTHDCPL.exe	: 2.2.5.6
RtkAudioService64.exe	: 1.0.0.17
RtkAudioService.exe	: 1.0.0.16
RTLCPPL.exe	: 1.0.1.66
RtlUpd64.exe	: 2.7.1.1
RtlUpd.exe	: 2.7.1.1
SkyTel.exe	: 2.0.2.0
SoundMan.exe	: 1.0.0.32
vncutil64.exe	: 1.0.0.23
vncutil.exe	: 1.0.0.23
AMBFilt64.sys	: 5.10.0.4240
AMBFilt.sys	: 5.10.0.4240
Mnfil64.sys	: 5.10.0.4115
Mnfil.sys	: 5.10.0.4112
ALSndMgr.cpl	: 1.0.0.11
RTSndMgr.cpl	: 1.0.1.0
RCoInst64XP.dll	: 1.0.4.3
RTCOMDLL.dll	: 1.0.0.97
RtkCoInstXP.dll	: 1.0.4.3
RtlCPAPI.dll	: 1.0.1.9
Vista driver : -----	
Vista driver for x86	
RTKVHDA.sys	: 6.0.1.5764
AERTSrv.exe	: 1.0.32.8
RtHDVCpl.exe	: 1.0.0.286
RtkAudioService.exe	: 1.0.0.17
RtlUpd.exe	: 2.7.1.1
SkyTel.exe	: 2.0.2.2
vncutil.exe	: 1.0.0.23
RTSndMgr.cpl	: 1.0.0.13
AERTACap.dll	: 2.0.32.1
AERTARen.dll	: 1.0.32.7
CTAP032.dll	: 1.0.0.530
ctpld.dll	: 1.0.0.530
DaisyWrp.dll	: 1.0.0.70
FMAPO.dll	: 0.0.12.1
MaxxAudioAPO.dll	: 1.2.2.0
MaxxAudioAPO20.dll	: 2.2.2.0
MaxxAudioEQ.dll	: 5.9.7.0
ppchain.dll	: 1.0.0.70
RTCOMDLL.dll	: 2.0.0.105
RtkAPO.dll	: 11.0.6000.85
RtkApoApi.dll	: 1.0.0.9
RtkCfg.dll	: 1.0.0.1
RtkCoInst.dll	: 1.0.4.3
RtkPgExt.dll	: 6.0.6000.66
RtlCPAPI.dll	: 1.0.2.1
slcshp32.dll	: 1.0.3.0
slgeq32.dll	: 1.0.1.0
slh36032.dll	: 1.0.2.0
slinit32.dll	: 1.1.1.0
sltshd32.dll	: 1.1.0.0
sluapo32.dll	: 1.2.6.0
SRSHP360.dll	: 1.1.0.0
SRSTSHD.dll	: 1.1.4.0
SRSTSXT.dll	: 3.2.0.0
SRSWOW.dll	: 1.1.3.0
WavesLib.dll	: 5.9.7.0
Vista driver for x64	
RTKVHD64.sys	: 6.0.1.5764
AERTSr64.exe	: 1.0.64.8
RAVCpl64.exe	: 1.0.0.286
RtkAudioService64.exe	: 1.0.0.17
RtlUpd64.exe	: 2.7.1.1
SkyTel.exe	: 2.0.2.2
vncutil64.exe	: 1.0.0.23
GWfilt64.sys	: 6.10.0.3
RTSnMg64.cpl	: 1.0.0.13
AERTAC64.dll	: 2.0.64.1
AERTAR64.dll	: 1.0.64.7
CTAP032.dll	: 1.0.0.530
CTAP064.dll	: 1.0.0.530

Readme.txt

```

ctpld.dll : 1.0.0.530
DaisyWrp.dll : 1.0.0.70
FMAP064.dll : 0.0.12.1
MaxxAudioAPO20.dll : 2.2.2.0
ppchain.dll : 1.0.0.70
RCoInst64.dll : 1.0.4.3
RtCOMB4.dll : 2.0.0.105
RTCOMDLL.dll : 2.0.0.105
RtkApi64.dll : 1.0.0.9
RtkAPO64.dll : 11.0.6000.85
RtkCfg.dll : 1.0.0.1
RtkCfg64.dll : 1.0.0.1
RtlCPAPI.dll : 1.0.2.1
RtlCPAPI64.dll : 1.0.2.1
RtPgEx64.dll : 6.0.6000.66
slcshp64.dll : 1.0.3.0
slgeq64.dll : 1.0.1.0
slh36064.dll : 1.0.2.0
slInit64.dll : 1.1.1.0
sltshd64.dll : 1.1.0.0
sluapo64.dll : 1.2.6.0
SRSHp64.dll : 1.1.0.0
SRSTSH64.dll : 1.1.4.0
SRSTSx64.dll : 3.2.0.0
SRSWOW64.dll : 1.1.3.0
HDMI Driver : -----
Vista x86:
RtHDMV.sys : 6.0.1.5735
RtkUpd.exe : 2.7.1.1
RHCoInst.dll : 1.0.3.2
RHDMExt.dll : 6.0.6000.64
RtkHDM.dll : 11.0.6000.80

Vista x64:
RtHDMVX.sys : 6.0.1.5735
RtkUpd64.exe : 2.7.1.1
RHCoInst64.dll : 1.0.3.2
RHDMEx64.dll : 6.0.6000.64
RtkHDM64.dll : 11.0.6000.80

XP/2K x86:
RtHDM.sys : 5.10.0.5735
RtkUpd.exe : 2.7.1.1
XP/2K x64:
RtHDMX.sys : 5.10.0.5735
RtkUpd64.exe : 2.7.1.1

Driver Setup Program : 2.69

Windows 2000/XP Operate on :
Microsoft High Definition Audio Driver Package - KB888111
Package file version (kb888111.exe) : 6.1.22.0
Hdaudio.sys version : 5.10.00.5013

```

//=====

Driver Package R2.11

Realtek HD Audio Driver support all of Realtek HD Audio Codec in Vista/WInXP/WIn2000/WIn2003 .

1. Vista WHQL Supporting: ALC882, ALC883, ALC885, ALC888, ALC889, ALC861VD, ALC660, ALC662, ALC663, ALC665, ALC260, ALC262, ALC267, ALC268, ALC269, ALC272, ALC273, ALC887
2. Windows 2000/XP WHQL Supporting: ALC880, ALC882, ALC883, ALC885, ALC888, ALC889, ALC861VC, ALC861VD, ALC660, ALC662, ALC663, ALC665, ALC260, ALC262, ALC267, ALC268, ALC269, ALC272, ALC273, ALC887
3. HDMI Device WHQL Support: ATI HDMI Devices
4. OS Supporting: Microsoft WindowsXP, WIn2000, Vista x86/x64
5. Pack with Microsoft High Definition Audio UAAV1.0a(5013)
6. Add/Fix
 - 1.) Driver :
 1. Customizations.
 2. Add DisplayVersion registry key in INF files.

Windows 2000/XP : -----

```

Windows 2000/XP :
RTKHDA64.sys : 5.10.0.5755
RTKHDAUD.sys : 5.10.0.5755

```


Readme.txt

Alcmtr.exe	: 1.6.0.3
AlcWzrd.exe	: 1.1.0.37
Mccal.exe	: 1.1.2.0
RTHDCPL.exe	: 2.2.5.5
RtkAudioService64.exe	: 1.0.0.17
RtkAudioService.exe	: 1.0.0.16
RTLCPPL.exe	: 1.0.1.66
RtlUpd64.exe	: 2.7.1.1
RtlUpd.exe	: 2.7.1.1
SkyTel.exe	: 2.0.2.0
SoundMan.exe	: 1.0.0.32
vncutil64.exe	: 1.0.0.22
vncutil.exe	: 1.0.0.22
AMBFilt64.sys	: 5.10.0.4240
AMBFilt.sys	: 5.10.0.4240
Mnfil64.sys	: 5.10.0.4115
Mnfil.sys	: 5.10.0.4112
ALSndMgr.cpl	: 1.0.0.11
RTSndMgr.cpl	: 1.0.1.0
RCoInst64XP.dll	: 1.0.4.1
RTCOMDLL.dll	: 1.0.0.97
RtkCoInstXP.dll	: 1.0.4.1
RtlCPAPI.dll	: 1.0.1.9
Vista driver : -----	
Vista driver for x86	
RTKVHDA.sys	: 6.0.1.5755
AERTSrv.exe	: 1.0.32.8
RtHDVCpl.exe	: 1.0.0.281
RtkAudioService.exe	: 1.0.0.17
RtlUpd.exe	: 2.7.1.1
SkyTel.exe	: 2.0.2.2
vncutil.exe	: 1.0.0.23
RTSndMgr.cpl	: 1.0.0.13
AERTACap.dll	: 2.0.32.1
AERTARen.dll	: 1.0.32.7
CTAP032.dll	: 1.0.0.530
ctppld.dll	: 1.0.0.530
DaisyWrp.dll	: 1.0.0.70
FMAPO.dll	: 0.0.12.1
MaxxAudioAPO.dll	: 1.2.2.0
MaxxAudioAPO20.dll	: 2.2.2.0
MaxxAudioEQ.dll	: 5.9.7.0
ppchain.dll	: 1.0.0.70
RTCOMDLL.dll	: 2.0.0.103
RtkAPO.dll	: 11.0.6000.81
RtkApoApi.dll	: 1.0.0.9
RtkCfg.dll	: 1.0.0.1
RtkCoInst.dll	: 1.0.4.1
RtkPgExt.dll	: 6.0.6000.65
RtlCPAPI.dll	: 1.0.2.1
slcshp32.dll	: 1.0.3.0
slgeq32.dll	: 1.0.1.0
slh36032.dll	: 1.0.2.0
slinit32.dll	: 1.1.1.0
sltshd32.dll	: 1.1.0.0
sluapo32.dll	: 1.2.6.0
SRSHP360.dll	: 1.1.0.0
SRSTSHD.dll	: 1.1.4.0
SRSTSXT.dll	: 3.2.0.0
SRSWOW.dll	: 1.1.3.0
WavesLib.dll	: 5.9.7.0
Vista driver for x64	
RTKVHD64.sys	: 6.0.1.5755
AERTSr64.exe	: 1.0.64.8
RAVCpl64.exe	: 1.0.0.281
RtkAudioService64.exe	: 1.0.0.17
RtlUpd64.exe	: 2.7.1.1
SkyTel.exe	: 2.0.2.2
vncutil64.exe	: 1.0.0.23
GWfilt64.sys	: 6.10.0.3
RTSnMg64.cpl	: 1.0.0.13
AERTAC64.dll	: 2.0.64.1
AERTAR64.dll	: 1.0.64.7
CTAP032.dll	: 1.0.0.530
CTAP064.dll	: 1.0.0.530

Readme.txt

```

ctpld.dll : 1.0.0.530
DaisyWrp.dll : 1.0.0.70
FMAP064.dll : 0.0.12.1
MaxxAudioAPO20.dll : 2.2.2.0
ppchain.dll : 1.0.0.70
RCoInst64.dll : 1.0.4.1
RtCOMB4.dll : 2.0.0.103
RTCOMDLL.dll : 2.0.0.103
RtkApi64.dll : 1.0.0.9
RtkAPO64.dll : 11.0.6000.81
RtkCfg.dll : 1.0.0.1
RtkCfg64.dll : 1.0.0.1
RtlCPAPI.dll : 1.0.2.1
RtlCPAPI64.dll : 1.0.2.1
RtPgEx64.dll : 6.0.6000.65
slcshp64.dll : 1.0.3.0
slgeq64.dll : 1.0.1.0
slh36064.dll : 1.0.2.0
slInit64.dll : 1.1.1.0
sltshd64.dll : 1.1.0.0
sluapo64.dll : 1.2.6.0
SRSHp64.dll : 1.1.0.0
SRSTSH64.dll : 1.1.4.0
SRSTSx64.dll : 3.2.0.0
SRSWOW64.dll : 1.1.3.0
HDMI Driver : -----
Vista x86:
RtHDMV.sys : 6.0.1.5735
RtkUpd.exe : 2.7.1.1
RHCoInst.dll : 1.0.3.2
RHDMExt.dll : 6.0.6000.64
RtkHDM.dll : 11.0.6000.80

Vista x64:
RtHDMVX.sys : 6.0.1.5735
RtkUpd64.exe : 2.7.1.1
RHCoInst64.dll : 1.0.3.2
RHDMEx64.dll : 6.0.6000.64
RtkHDM64.dll : 11.0.6000.80

XP/2K x86:
RtHDM.sys : 5.10.0.5735
RtkUpd.exe : 2.7.1.1
XP/2K x64:
RtHDMX.sys : 5.10.0.5735
RtkUpd64.exe : 2.7.1.1

Driver Setup Program : 2.69

Windows 2000/XP Operate on :
Microsoft High Definition Audio Driver Package - KB888111
Package file version (kb888111.exe) : 6.1.22.0
Hdaudio.sys version : 5.10.00.5013

```

//=====

Driver Package R2.10

- Realtek HD Audio Driver support all of Realtek HD Audio Codec in Vista/WinXP/Win2000/Win2003 .
1. Vista WHQL Supporting: ALC882, ALC883, ALC885, ALC888, ALC889, ALC861VD, ALC660, ALC662, ALC663, ALC665, ALC260, ALC262, ALC267, ALC268, ALC269, ALC272, ALC273, ALC887
 2. Windows 2000/XP WHQL Supporting: ALC880, ALC882, ALC883, ALC885, ALC888, ALC889, ALC861VC, ALC861VD, ALC660, ALC662, ALC663, ALC665, ALC260, ALC262, ALC267, ALC268, ALC269, ALC272, ALC273, ALC887
 3. HDMI Device WHQL Support: ATI HDMI Devices
 4. OS Supporting: Microsoft WindowsXP, Win2000, Vista x86/x64
 5. Pack with Microsoft High Definition Audio UAAV1.0a(5013)
 6. Add/Fix
 - 1.) Driver :
 1. Customizations.
 2. Support ALC665.

```

Windows 2000/XP : -----
Windows 2000/XP :
RTKHDA64.sys : 5.10.0.5745

```

Readme.txt

RTKHDAUD.sys : 5.10.0.5745
 McCal.exe : 1.1.2.0
 RTHDCPL.exe : 2.2.5.2
 RtkAudioService64.exe : 1.0.0.17
 RtkAudioService.exe : 1.0.0.16
 RTLCPL.exe : 1.0.1.66
 RtlUpd64.exe : 2.7.1.1
 RtlUpd.exe : 2.7.1.1
 SkyTel.exe : 2.0.2.0
 SoundMan.exe : 1.0.0.32
 vncutil64.exe : 1.0.0.22
 vncutil.exe : 1.0.0.22
 Alcmtr.exe : 1.6.0.3
 AlcWzrd.exe : 1.1.0.37
 AMBFilt64.sys : 5.10.0.4240
 AMBFilt.sys : 5.10.0.4240
 Mnfilt64.sys : 5.10.0.4115
 Mnfilt.sys : 5.10.0.4112
 RTSndMgr.cpl : 1.0.1.0
 ALSndMgr.cpl : 1.0.0.11
 RCoInst64XP.dll : 1.0.4.1
 RTCOMDLL.dll : 1.0.0.97
 RtkCoInstXP.dll : 1.0.4.1
 RtlCPAPI.dll : 1.0.1.9

Vista driver :

 Vista driver for x86

RTKVHDA.sys : 6.0.1.5745
 AERTSrv.exe : 1.0.32.8
 RthDVCpl.exe : 1.0.0.273
 RtkAudioService.exe : 1.0.0.17
 RtlUpd.exe : 2.7.1.1
 SkyTel.exe : 2.0.2.2
 vncutil.exe : 1.0.0.22
 RTSndMgr.cpl : 1.0.0.13
 AERTACap.dll : 2.0.32.1
 AERTARen.dll : 1.0.32.7
 CTAP032.dll : 1.0.0.530
 ctppld.dll : 1.0.0.530
 DaisyWrp.dll : 1.0.0.70
 FMAP0.dll : 0.0.12.1
 MaxxAudioAPO.dll : 1.2.2.0
 MaxxAudioAPO20.dll : 2.2.2.0
 MaxxAudioEQ.dll : 5.9.7.0
 ppchain.dll : 1.0.0.70
 RCoInst64.dll : 1.0.4.0
 RTCOMDLL.dll : 2.0.0.103
 RtkAPO.dll : 11.0.6000.81
 RtkApoApi.dll : 1.0.0.9
 RtkCfg.dll : 1.0.0.1
 RtkCoInst.dll : 1.0.4.1
 RtkPgExt.dll : 6.0.6000.65
 RtlCPAPI.dll : 1.0.2.1
 slcshp32.dll : 1.0.3.0
 slgeq32.dll : 1.0.1.0
 slh36032.dll : 1.0.2.0
 slinit32.dll : 1.1.1.0
 sltshd32.dll : 1.1.0.0
 sluapo32.dll : 1.2.6.0
 SRSHP360.dll : 1.1.0.0
 SRSTSHD.dll : 1.1.4.0
 SRSTSXT.dll : 3.2.0.0
 SRSWOW.dll : 1.1.3.0
 WavesLib.dll : 5.9.7.0

Vista driver for x64

RTKVHD64.sys : 6.0.1.5745
 AERTSr64.exe : 1.0.64.8
 RAVCpl64.exe : 1.0.0.273
 RtkAudioService64.exe : 1.0.0.17
 RtlUpd64.exe : 2.7.1.1
 SkyTel.exe : 2.0.2.2
 vncutil64.exe : 1.0.0.22
 GWFilt64.sys : 6.10.0.3
 RTSnMg64.cpl : 1.0.0.13
 AERTAC64.dll : 2.0.64.1
 AERTAR64.dll : 1.0.64.7

Readme.txt

CTAP032.dll : 1.0.0.530
 CTAP064.dll : 1.0.0.530
 ctppld.dll : 1.0.0.530
 DaisyWrp.dll : 1.0.0.70
 FMAP064.dll : 0.0.12.1
 MaxxAudioAPO20.dll : 2.2.2.0
 ppchain.dll : 1.0.0.70
 RCoInst64.dll : 1.0.4.1
 RtCOMB4.dll : 2.0.0.103
 RTCOMDLL.dll : 2.0.0.103
 RtkApi64.dll : 1.0.0.9
 RtkAPO64.dll : 11.0.6000.81
 RtkCfg.dll : 1.0.0.1
 RtkCfg64.dll : 1.0.0.1
 RtkCoInst.dll : 1.0.4.0
 RtlCPAPI.dll : 1.0.2.1
 RtlCPAPI64.dll : 1.0.2.1
 RtpgEx64.dll : 6.0.6000.65
 slcshp64.dll : 1.0.3.0
 slgeq64.dll : 1.0.1.0
 slh36064.dll : 1.0.2.0
 slInit64.dll : 1.1.1.0
 sltshd64.dll : 1.1.0.0
 sluapo64.dll : 1.2.6.0
 SRSHP64.dll : 1.1.0.0
 SRSTSH64.dll : 1.1.4.0
 SRSTSX64.dll : 3.2.0.0
 SRSWOW64.dll : 1.1.3.0

HDMI Driver : -----

Vista x86:
 RtHDMV.sys : 6.0.1.5735
 RtkUpd.exe : 2.7.1.1
 RHCoInst.dll : 1.0.3.2
 RHDMEExt.dll : 6.0.6000.64
 RtkHDM.dll : 11.0.6000.80

Vista x64:
 RtHDMVX.sys : 6.0.1.5735
 RtkUpd64.exe : 2.7.1.1
 RHCoInst64.dll : 1.0.3.2
 RHDMEExt64.dll : 6.0.6000.64
 RtkHDM64.dll : 11.0.6000.80

XP/2K x86:
 RtHDM.sys : 5.10.0.5735
 RtkUpd.exe : 2.7.1.1
 XP/2K x64:
 RtHDMX.sys : 5.10.0.5735
 RtkUpd64.exe : 2.7.1.1

Driver Setup Program : 2.69

Windows 2000/XP Operate on :
 Microsoft High Definition Audio Driver Package - KB888111
 Package file version (kb888111.exe) : 6.1.22.0
 Hdaudio.sys version : 5.10.00.5013

//=====

Driver Package R2.09

Realtek HD Audio Driver support all of Realtek HD Audio Codec in Vista/WinXP/Win2000/Win2003 .

1. Vista WHQL Supporting: ALC882, ALC883, ALC885, ALC888, ALC889, ALC861VD, ALC660, ALC662, ALC663, ALC260, ALC262, ALC267, ALC268, ALC269, ALC272, ALC273, ALC887

2. Windows 2000/XP WHQL Supporting: ALC880, ALC882, ALC883, ALC885, ALC888, ALC889, ALC861VC, ALC861VD, ALC660, ALC662, ALC663, ALC260, ALC262, ALC267, ALC268, ALC269, ALC272, ALC273, ALC887

3. HDMI Device WHQL Support: ATI HDMI Devices

4. OS Supporting: Microsoft WindowsXP, Windows2000, Vista x86/x64

5. Pack with Microsoft High Definition Audio UAAV1.0a(5013)

6. Add/Fix

1.) Driver :

1. Customizations.

Windows 2000/XP : -----

Readme.txt

Windows 2000/XP :

RTKHDA64.sys : 5.10.0.5735
 RTKHDAUD.sys : 5.10.0.5735
 Alcmtr.exe : 1.6.0.3
 AlcWzrd.exe : 1.1.0.37
 McCal.exe : 1.1.2.0
 RTHDCPL.exe : 2.2.5.1
 RtkAudioService.exe : 1.0.0.16
 RtkAudioService64.exe : 1.0.0.17
 RTLCPL.exe : 1.0.1.66
 RtlUpd.exe : 2.7.1.1
 RtlUpd64.exe : 2.7.1.1
 SkyTel.exe : 2.0.2.0
 SoundMan.exe : 1.0.0.32
 vncutil.exe : 1.0.0.22
 vncutil64.exe : 1.0.0.22
 AMBFilt.sys : 5.10.0.4240
 AMBFilt64.sys : 5.10.0.4240
 Mbnfilt.sys : 5.10.0.4112
 Mbnfilt64.sys : 5.10.0.4115
 ALSndMgr.cpl : 1.0.0.11
 RTSndMgr.cpl : 1.0.1.0
 RCoInst64XP.dll : 1.0.3.9
 RTCOMDLL.dll : 1.0.0.97
 RtkCoInstXP.dll : 1.0.3.9
 RtlCPAPI.dll : 1.0.1.9

Vista driver :

Vista driver for x86
 RTKVHDA.sys : 6.0.1.5735
 AERTSrv.exe : 1.0.32.8
 RtHDVCpl.exe : 1.0.0.264
 RtkAudioService.exe : 1.0.0.17
 RtlUpd.exe : 2.7.1.1
 SkyTel.exe : 2.0.2.1
 vncutil.exe : 1.0.0.22
 RTSndMgr.cpl : 1.0.0.13
 AERTACap.dll : 2.0.32.1
 AERTARen.dll : 1.0.32.7
 CTAP032.dll : 1.0.0.530
 ctppld.dll : 1.0.0.530
 DaisyWrp.dll : 1.0.0.70
 FMAP0.dll : 0.0.12.1
 MaxxAudioAPO.dll : 1.2.2.0
 MaxxAudioAPO20.dll : 2.2.2.0
 MaxxAudioEQ.dll : 5.9.7.0
 ppchain.dll : 1.0.0.70
 RTCOMDLL.dll : 2.0.0.100
 RtkAPO.dll : 11.0.6000.80
 RtkApoApi.dll : 1.0.0.8
 RtkCoInst.dll : 1.0.3.9
 RtkPgExt.dll : 6.0.6000.64
 RtlCPAPI.dll : 1.0.1.9
 slcshp32.dll : 1.0.3.0
 slgeq32.dll : 1.0.1.0
 slh36032.dll : 1.0.2.0
 slinit32.dll : 1.1.1.0
 sltshd32.dll : 1.1.0.0
 sluapo32.dll : 1.2.6.0
 SRSHP360.dll : 1.1.0.0
 SRSTSHD.dll : 1.1.4.0
 SRSTSXT.dll : 3.2.0.0
 SRSWOW.dll : 1.1.3.0
 WavesLib.dll : 5.9.7.0

Vista driver for x64
 RTKVHD64.sys : 6.0.1.5735
 AERTSr64.exe : 1.0.64.8
 RAVCpl64.exe : 1.0.0.264
 RtkAudioService64.exe : 1.0.0.17
 RtlUpd64.exe : 2.7.1.1
 SkyTel.exe : 2.0.2.1
 vncutil64.exe : 1.0.0.22
 GWFilt64.sys : 6.10.0.3
 RTSnMg64.cpl : 1.0.0.13
 AERTAC64.dll : 2.0.64.1
 AERTAR64.dll : 1.0.64.7

Readme.txt

CTAP032.dll : 1.0.0.530
 CTAP064.dll : 1.0.0.530
 ctppld.dll : 1.0.0.530
 DaisyWrp.dll : 1.0.0.70
 FMAP064.dll : 0.0.12.1
 MaxxAudioAPO20.dll : 2.2.2.0
 ppchain.dll : 1.0.0.70
 RCoInst64.dll : 1.0.3.9
 RtCOM64.dll : 2.0.0.100
 RTCOMDLL.dll : 2.0.0.100
 RtkApi64.dll : 1.0.0.8
 RtkAPO64.dll : 11.0.6000.80
 RtlCPAPI.dll : 1.0.1.9
 RtlPgEx64.dll : 6.0.6000.64
 slcshp64.dll : 1.0.3.0
 slgeq64.dll : 1.0.1.0
 slh36064.dll : 1.0.2.0
 slInit64.dll : 1.1.1.0
 sltshd64.dll : 1.1.0.0
 sluapo64.dll : 1.2.6.0
 SRSHP64.dll : 1.1.0.0
 SRSTSH64.dll : 1.1.4.0
 SRSTSX64.dll : 3.2.0.0
 SRSWOW64.dll : 1.1.3.0

HDMI Driver : -----
 Vista x86:
 RtHDMV.sys : 6.0.1.5735
 RtkUpd.exe : 2.7.1.1
 RHCoInst.dll : 1.0.3.2
 RHDMEExt.dll : 6.0.6000.64
 RtkHDM.dll : 11.0.6000.80

Vista x64:
 RtHDMVX.sys : 6.0.1.5735
 RtkUpd64.exe : 2.7.1.1
 RHCoInst64.dll : 1.0.3.2
 RHDMEx64.dll : 6.0.6000.64
 RtkHDM64.dll : 11.0.6000.80

XP/2K x86:
 RtHDM.sys : 5.10.0.5735
 RtkUpd.exe : 2.7.1.1
 XP/2K x64:
 RtHDMX.sys : 5.10.0.5735
 RtkUpd64.exe : 2.7.1.1

Driver Setup Program : 2.67

Windows 2000/XP Operate on :
 Microsoft High Definition Audio Driver Package - KB888111
 Package file version (kb888111.exe) : 6.1.22.0
 Hdaudio.sys version : 5.10.00.5013

//=====

Driver Package R2.08

Realtek HD Audio Driver support all of Realtek HD Audio Codec in Vista/WinXP/Win2000/Win2003 .

1. Vista WHQL Supporting: ALC882, ALC883, ALC885, ALC888, ALC889, ALC861VD, ALC660, ALC662, ALC663, ALC260, ALC262, ALC267, ALC268, ALC269, ALC272, ALC273, ALC887

2. Windows 2000/XP WHQL Supporting: ALC880, ALC882, ALC883, ALC885, ALC888, ALC889, ALC861VC, ALC861VD, ALC660, ALC662, ALC663, ALC260, ALC262, ALC267, ALC268, ALC269, ALC272, ALC273, ALC887

3. HDMI Device WHQL Support: ATI HDMI Devices

4. OS Supporting: Microsoft WindowsXP, Windows2000, Vista x86/x64

5. Pack with Microsoft High Definition Audio UAAV1.0a(5013)

6. Add/Fix

1.) Driver :

1. Customizations.

2. Support Andrea microphone effect mixer type GUI.

2.) Package:

1. Change setup program install location to meet the requirements of OEM Ready Certification

Tool 1.1.0.1101

Windows 2000/XP : -----

Readme.txt

Windows 2000/XP :

RTKHDA64.sys : 5.10.0.5730
 RTKHDAUD.sys : 5.10.0.5730
 M cCal.exe : 1.1.2.0
 RTHDCPL.exe : 2.2.4.9
 RtkAudioService64.exe : 1.0.0.17
 RtkAudioService.exe : 1.0.0.16
 RTLCPL.exe : 1.0.1.66
 RtlUpd64.exe : 2.7.1.1
 RtlUpd.exe : 2.7.1.1
 SkyTel.exe : 2.0.2.0
 SoundMn.exe : 1.0.0.32
 vncutil64.exe : 1.0.0.22
 vncutil.exe : 1.0.0.22
 Alcmtr.exe : 1.6.0.3
 AlcWzrd.exe : 1.1.0.37
 Mnfilt64.sys : 5.10.0.4115
 Mnfilt.sys : 5.10.0.4112
 AMBFilt64.sys : 5.10.0.4240
 AMBFilt.sys : 5.10.0.4240
 RTSndMgr.cpl : 1.0.1.0
 ALSndMgr.cpl : 1.0.0.11
 RCoInst64XP.dll : 1.0.3.8
 RTCOMDLL.dll : 1.0.0.97
 RtkCoInstXP.dll : 1.0.3.8
 RtlCPAPI.dll : 1.0.1.9

Vista driver :

Vista driver for x86

RTKVHDA.sys : 6.0.1.5730
 AERTSrv.exe : 1.0.32.8
 Rthdvcpl.exe : 1.0.0.257
 RtkAudioService.exe : 1.0.0.17
 RtlUpd.exe : 2.7.1.1
 SkyTel.exe : 2.0.2.1
 vncutil.exe : 1.0.0.22
 RTSndMgr.cpl : 1.0.0.10
 AERTACap.dll : 2.0.32.1
 AERTARen.dll : 1.0.32.7
 CTAP032.dll : 1.0.0.530
 ctppld.dll : 1.0.0.530
 DaisyWrp.dll : 1.0.0.70
 FMAP0.dll : 0.0.12.1
 MaxxAudioAPO.dll : 1.2.2.0
 MaxxAudioAPO20.dll : 2.0.13.0
 MaxxAudioEQ.dll : 5.9.7.0
 ppchain.dll : 1.0.0.70
 RTCOMDLL.dll : 2.0.0.100
 RtkAPO.dll : 11.0.6000.79
 RtkApoApi.dll : 1.0.0.8
 RtkCoInst.dll : 1.0.3.8
 RtkPgExt.dll : 6.0.6000.64
 RtlCPAPI.dll : 1.0.1.9
 slcshp32.dll : 1.0.3.0
 slgeq32.dll : 1.0.1.0
 slh36032.dll : 1.0.2.0
 slinit32.dll : 1.1.1.0
 sltshd32.dll : 1.1.0.0
 sluapo32.dll : 1.2.6.0
 SRSHP360.dll : 1.1.0.0
 SRSTSHD.dll : 1.1.4.0
 SRSTSXT.dll : 3.2.0.0
 SRSWOW.dll : 1.1.3.0
 WavesLib.dll : 5.9.7.0

Vista driver for x64

RTKVHD64.sys : 6.0.1.5730
 AERTSr64.exe : 1.0.64.8
 RAVCpl64.exe : 1.0.0.257
 RtkAudioService64.exe : 1.0.0.17
 RtlUpd64.exe : 2.7.1.1
 SkyTel.exe : 2.0.2.1
 vncutil64.exe : 1.0.0.22
 GWFilt64.sys : 6.10.0.3
 RTSnMg64.cpl : 1.0.0.10
 AERTAC64.dll : 2.0.64.1
 AERTAR64.dll : 1.0.64.7

Readme.txt

CTAP032.dll : 1.0.0.530
 CTAP064.dll : 1.0.0.530
 ctppld.dll : 1.0.0.530
 DaisyWrp.dll : 1.0.0.70
 FMAP064.dll : 0.0.12.1
 MaxxAudioAPO20.dll : 2.0.12.0
 ppchain.dll : 1.0.0.70
 RCoInst64.dll : 1.0.3.8
 RtCOM64.dll : 2.0.0.100
 RTCOMDLL.dll : 2.0.0.100
 RtkApi64.dll : 1.0.0.8
 RtkAPO64.dll : 11.0.6000.79
 RtlCPAPI.dll : 1.0.1.9
 RtlPgEx64.dll : 6.0.6000.64
 slcshp64.dll : 1.0.3.0
 slgeq64.dll : 1.0.1.0
 slh36064.dll : 1.0.2.0
 slInit64.dll : 1.1.1.0
 sltshd64.dll : 1.1.0.0
 sluapo64.dll : 1.2.6.0
 SRSHP64.dll : 1.1.0.0
 SRSTSH64.dll : 1.1.4.0
 SRSTSX64.dll : 3.2.0.0
 SRSWOW64.dll : 1.1.3.0

HDMI Driver : -----

Vista x86:
 RtHDMV.sys : 6.0.1.5692
 RtkUpd.exe : 2.7.1.0
 RHCoInst.dll : 1.0.3.2
 RHDMEExt.dll : 6.0.6000.54
 RtkHDM.dll : 11.0.6000.72

Vista x64:
 RtHDMVX.sys : 6.0.1.5692
 RtkUpd64.exe : 2.7.1.0
 RHCoInst64.dll : 1.0.3.2
 RHDMEx64.dll : 6.0.6000.54
 RtkHDM64.dll : 11.0.6000.72

XP/2K x86:
 RtHDM.sys : 5.10.0.5692
 RtkUpd.exe : 2.7.1.0
 XP/2K x64:
 RtHDMX.sys : 5.10.0.5692
 RtkUpd64.exe : 2.7.1.0

Driver Setup Program : 2.67

Windows 2000/XP Operate on :
 Microsoft High Definition Audio Driver Package - KB888111
 Package file version (kb888111.exe) : 6.1.22.0
 Hdaudio.sys version : 5.10.00.5013

//=====

Driver Package R2.07
 Realtek HD Audio Driver support all of Realtek HD Audio Codec in Vista/WinXP/Win2000/Win2003 .
 1. Vista WHQL Supporting: ALC882, ALC883, ALC885, ALC888, ALC889, ALC861VD, ALC660, ALC662, ALC663, ALC260, ALC262, ALC267, ALC268, ALC269, ALC272, ALC273, ALC887
 2. Windows 2000/XP WHQL Supporting: ALC880, ALC882, ALC883, ALC885, ALC888, ALC889, ALC861VC, ALC861VD, ALC660, ALC662, ALC663, ALC260, ALC262, ALC267, ALC268, ALC269, ALC272, ALC273, ALC887
 3. HDMI Device WHQL Support: ATI HDMI Devices
 4. OS Supporting: Microsoft WindowsXP, Windows2000, Vista x86/x64
 5. Pack with Microsoft High Definition Audio UAAV1.0a(5013)
 6. Add/Fix
 1.) Driver :
 1. Customizations.

Windows 2000/XP : -----

Windows 2000/XP :
 RTKHDA64.sys : 5.10.0.5717
 RTKHDAUD.sys : 5.10.0.5717
 Alcmtr.exe : 1.6.0.3
 AlcWzrd.exe : 1.1.0.37
 McCal.exe : 1.1.2.0
 RTHDCPL.exe : 2.2.4.8

Readme.txt

```

RTLCPL.exe : 1.0.1.66
RtlUpd.exe : 2.7.1.1
RtlUpd64.exe : 2.7.1.1
SkyTel.exe : 2.0.2.0
SoundMan.exe : 1.0.0.32
AMBFilt.sys : 5.10.0.4240
AMBFilt64.sys : 5.10.0.4240
Mnfilt.sys : 5.10.0.4112
Mnfilt64.sys : 5.10.0.4115
ALSndMgr.cpl : 1.0.0.11
RTSndMgr.cpl : 1.0.1.0
RTCOMDLL.dll : 1.0.0.97
RtlCPAPI.dll : 1.0.1.9
Vista driver : -----
Vista driver for x86
RTKVHDA.sys : 6.0.1.5717
AERTSrv.exe : 1.0.32.7
RtHDVCpl.exe : 1.0.0.251
RtkAudioService.exe : 1.0.0.17
RtlUpd.exe : 2.7.1.1
SkyTel.exe : 2.0.2.1
vncutil.exe : 1.0.0.22
RTSndMgr.cpl : 1.0.0.10
AERTACap.dll : 1.0.32.7
AERTARen.dll : 1.0.32.3
CTAP032.dll : 1.0.0.530
ctppld.dll : 1.0.0.530
DaisyWrp.dll : 1.0.0.70
FMAP0.dll : 40.59.0.0
MaxxAudioAPO.dll : 1.2.2.0
MaxxAudioAPO20.dll : 2.0.13.0
MaxxAudioEQ.dll : 5.9.7.0
ppchain.dll : 1.0.0.70
RTCOMDLL.dll : 2.0.0.100
RtkAPO.dll : 11.0.6000.78
RtkApoApi.dll : 1.0.0.6
RtkCoInst.dll : 1.0.3.7
RtkPgExt.dll : 6.0.6000.61
RtlCPAPI.dll : 1.0.1.9
slcshp32.dll : 1.0.3.0
slgeq32.dll : 1.0.1.0
slh36032.dll : 1.0.2.0
slInit32.dll : 1.1.1.0
sltshd32.dll : 1.1.0.0
sluapo32.dll : 1.2.6.0
SRSHP360.dll : 1.1.0.0
SRSTSHD.dll : 1.1.4.0
SRSTSXT.dll : 3.2.0.0
SRSWOW.dll : 1.1.3.0
WavesLib.dll : 5.9.7.0
Vista driver for x64
RTKVHD64.sys : 6.0.1.5717
AERTSr64.exe : 1.0.64.7
RAVCpl64.exe : 1.0.0.251
RtkAudioService.exe : 1.0.0.17
RtlUpd64.exe : 2.7.1.1
SkyTel.exe : 2.0.2.1
vncutil.exe : 1.0.0.22
GWfilt64.sys : 6.10.0.3
RTSnMg64.cpl : 1.0.0.10
AERTAC64.dll : 1.0.64.7
AERTAR64.dll : 1.0.64.3
CTAP032.dll : 1.0.0.530
CTAP064.dll : 1.0.0.530
ctppld.dll : 1.0.0.530
DaisyWrp.dll : 1.0.0.70
FMAP064.dll : 40.59.0.0
MaxxAudioAPO20.dll : 2.0.12.0
ppchain.dll : 1.0.0.70
RCoInst64.dll : 1.0.3.7
RtCOM64.dll : 2.0.0.100
RTCOMDLL.dll : 2.0.0.100
RtkApi64.dll : 1.0.0.6
RtkAPO64.dll : 11.0.6000.78
RtlCPAPI.dll : 1.0.1.9

```

Readme.txt

RtPgEx64.dll : 6.0.6000.61
 slcshp64.dll : 1.0.3.0
 slgeq64.dll : 1.0.1.0
 slh36064.dll : 1.0.2.0
 slInit64.dll : 1.1.1.0
 sltshd64.dll : 1.1.0.0
 sluapo64.dll : 1.2.6.0
 SRSHp64.dll : 1.1.0.0
 SRSTSH64.dll : 1.1.4.0
 SRSTX64.dll : 3.2.0.0
 SRSWOW64.dll : 1.1.3.0

HDMI Driver : -----

Vista x86:
 RtHDMV.sys : 6.0.1.5692
 RtkUpd.exe : 2.7.1.0
 RHCoInst.dll : 1.0.3.2
 RHDMEt.dll : 6.0.6000.54
 RtkHDM.dll : 11.0.6000.72

Vista x64:
 RtHDMVX.sys : 6.0.1.5692
 RtkUpd64.exe : 2.7.1.0
 RHCoInst64.dll : 1.0.3.2
 RHDMEx64.dll : 6.0.6000.54
 RtkHDM64.dll : 11.0.6000.72

XP/2K x86:
 RtHDM.sys : 5.10.0.5692
 RtkUpd.exe : 2.7.1.0
 XP/2K x64:
 RtHDMX.sys : 5.10.0.5692
 RtkUpd64.exe : 2.7.1.0

Driver Setup Program : 2.64

Windows 2000/XP Operate on :

Microsoft High Definition Audio Driver Package - KB888111
 Package file version (kb888111.exe) : 6.1.22.0
 Hdaudio.sys version : 5.10.00.5013

//=====

Driver Package R2.06

Realtek HD Audio Driver support all of Realtek HD Audio Codec in Vista/WinXP/Win2000/Win2003 .

1. Vista WHQL Supporting: ALC882, ALC883, ALC885, ALC888, ALC889, ALC861VD, ALC660, ALC662, ALC663, ALC260, ALC262, ALC267, ALC268, ALC269, ALC272, ALC273, ALC887
2. Windows 2000/XP WHQL Supporting: ALC880, ALC882, ALC883, ALC885, ALC888, ALC889, ALC861VC, ALC861VD, ALC660, ALC662, ALC663, ALC260, ALC262, ALC267, ALC268, ALC269, ALC272, ALC273, ALC887
3. HDMI Device WHQL Support: ATI HDMI Devices
4. OS Supporting: Microsoft WindowsXP, Win2000, Vista x86/x64
5. Pack with Microsoft High Definition Audio UAAV1.0a(5013)
6. Add/Fix
 - 1.) Driver :
 1. Customizations.

Windows 2000/XP : -----

Windows 2000/XP :
 RTKHDA64.sys : 5.10.0.5713
 RTKHDAUD.sys : 5.10.0.5713
 Alcmtr.exe : 1.6.0.3
 AlcWzrd.exe : 1.1.0.37
 McCal.exe : 1.1.2.0
 RTHDCPL.exe : 2.2.4.6
 RTLCPL.exe : 1.0.1.66
 RtlUpd64.exe : 2.7.1.1
 RtlUpd.exe : 2.7.1.1
 SkyTel.exe : 2.0.2.0
 SoundMan.exe : 1.0.0.32
 AMBFilt64.sys : 5.10.0.4240
 AMBFilt.sys : 5.10.0.4240
 Monfilt64.sys : 5.10.0.4115
 Monfilt.sys : 5.10.0.4112
 ALSndMgr.cpl : 1.0.0.11
 RTSndMgr.cpl : 1.0.1.0
 RTCOMDLL.dll : 1.0.0.97
 RtlCPAPI.dll : 1.0.1.9

Readme.txt

```

Vista driver : -----
Vista driver for x86
RTKVHDA.sys           : 6.0.1.5713
AERTSrv.exe           : 1.0.32.7
RtHDVCpl.exe          : 1.0.0.248
RtkAudioService.exe  : 1.0.0.16
RtlUpd.exe            : 2.7.1.1
SkyTel.exe            : 2.0.2.1
vncutil.exe          : 1.0.0.22
RTSndMgr.cpl          : 1.0.0.10
AERTACap.dll          : 1.0.32.7
AERTARen.dll          : 1.0.32.3
CTAP032.dll           : 1.0.0.530
ctppld.dll            : 1.0.0.530
DaisyWrp.dll          : 1.0.0.70
FMAP0.dll             : 40.59.0.0
MaxxAudioAP0.dll     : 1.2.2.0
MaxxAudioAP020.dll   : 2.0.13.0
MaxxAudioEQ.dll      : 5.9.7.0
ppchain.dll           : 1.0.0.70
RTCOMDLL.dll         : 2.0.0.100
RtkAP0.dll            : 11.0.6000.77
RtkApoApi.dll        : 1.0.0.6
RtkCoInst.dll        : 1.0.3.6
RtkPgExt.dll         : 6.0.6000.61
RtlCPAPI.dll         : 1.0.1.9
slcshp32.dll         : 1.0.3.0
slgeq32.dll          : 1.0.1.0
slh36032.dll         : 1.0.2.0
slinit32.dll         : 1.1.1.0
sltshd32.dll         : 1.1.0.0
sluapo32.dll         : 1.2.6.0
SRSHp360.dll         : 1.1.0.0
SRSTSHD.dll          : 1.1.4.0
SRSTSXT.dll          : 3.2.0.0
SRSWOW.dll           : 1.1.3.0
WavesLib.dll         : 5.9.7.0
Vista driver for x64
RTKVHD64.sys         : 6.0.1.5713
AERTSr64.exe         : 1.0.64.7
RAVCpl64.exe         : 1.0.0.248
RtkAudioService.exe  : 1.0.0.16
RtlUpd64.exe         : 2.7.1.1
SkyTel.exe           : 2.0.2.1
vncutil.exe          : 1.0.0.22
GWfilt64.sys         : 6.10.0.3
RTSnMg64.cpl         : 1.0.0.10
AERTAC64.dll         : 1.0.64.7
AERTAR64.dll         : 1.0.64.3
CTAP032.dll          : 1.0.0.530
CTAP064.dll          : 1.0.0.530
ctppld.dll           : 1.0.0.530
DaisyWrp.dll         : 1.0.0.70
FMAP064.dll          : 40.59.0.0
MaxxAudioAP020.dll   : 2.0.12.0
ppchain.dll          : 1.0.0.70
RCoInst64.dll        : 1.0.3.6
RtCOMB4.dll          : 2.0.0.100
RTCOMDLL.dll         : 2.0.0.100
RtkApi64.dll         : 1.0.0.6
RtkAP064.dll         : 11.0.6000.77
RtlCPAPI.dll         : 1.0.1.9
RtPgEx64.dll         : 6.0.6000.61
slcshp64.dll         : 1.0.3.0
slgeq64.dll          : 1.0.1.0
slh36064.dll         : 1.0.2.0
slinit64.dll         : 1.1.1.0
sltshd64.dll         : 1.1.0.0
sluapo64.dll         : 1.2.6.0
SRSHp64.dll          : 1.1.0.0
SRSTSH64.dll         : 1.1.4.0
SRSTSX64.dll         : 3.2.0.0
SRSWOW64.dll         : 1.1.3.0
HDMI Driver : -----
Vista x86:

```

Readme.txt

RtHDMV.sys : 6.0.1.5692
 RtkUpd.exe : 2.7.1.0
 RHCoInst.dll : 1.0.3.2
 RHDMExt.dll : 6.0.6000.54
 RtkHDM.dll : 11.0.6000.72

Vista x64:
 RtHDMVX.sys : 6.0.1.5692
 RtkUpd64.exe : 2.7.1.0
 RHCoInst64.dll : 1.0.3.2
 RHDMEx64.dll : 6.0.6000.54
 RtkHDM64.dll : 11.0.6000.72

XP/2K x86:
 RtHDM.sys : 5.10.0.5692
 RtkUpd.exe : 2.7.1.0
 XP/2K x64:
 RtHDMX.sys : 5.10.0.5692
 RtkUpd64.exe : 2.7.1.0

Driver Setup Program : 2.64

Windows 2000/XP Operate on :
 Microsoft High Definition Audio Driver Package - KB888111
 Package file version (kb888111.exe) : 6.1.22.0
 Hdaudio.sys version : 5.10.00.5013

//=====

Driver Package R2.05

Realtek HD Audio Driver support all of Realtek HD Audio Codec in Vista/WinXP/Win2000/Win2003 .

1. Vista WHQL Supporting: ALC882, ALC883, ALC885, ALC888, ALC889, ALC861VD, ALC660, ALC662, ALC663, ALC260, ALC262, ALC267, ALC268, ALC269, ALC272, ALC273, ALC887

2. Windows 2000/XP WHQL Supporting: ALC880, ALC882, ALC883, ALC885, ALC888, ALC889, ALC861VC, ALC861VD, ALC660, ALC662, ALC663, ALC260, ALC262, ALC267, ALC268, ALC269, ALC272, ALC273, ALC887

3. HDM Device WHQL Support: ATI HDM Devices

4. OS Supporting: Microsoft WindowsXP, Windows2000, Vista x86/x64

5. Pack with Microsoft High Definition Audio UAAV1.0a(5013)

6. Add/Fix

- 1.) Driver :
 - 1. Customizations.
 - 2. Meet Microsoft OEM Ready program requirements.
- 2.) Package :
 - 1. Meet Microsoft OEM Ready program requirements.

Windows 2000/XP : -----

Windows 2000/XP :
 RTKHDA64.sys : 5.10.0.5708
 RTKHDAUD.sys : 5.10.0.5708
 McCal.exe : 1.1.1.9
 RTHDCPL.exe : 2.2.4.5
 RTLCPL.exe : 1.0.1.66
 RtlUpd64.exe : 2.7.1.1
 RtlUpd.exe : 2.7.1.1
 SkyTel.exe : 2.0.2.0
 SoundMan.exe : 1.0.0.32
 Alcmtr.exe : 1.6.0.3
 AlcWzrd.exe : 1.1.0.37
 Monfilt64.sys : 5.10.0.4115
 Monfilt.sys : 5.10.0.4112
 AMBFilt64.sys : 5.10.0.4240
 AMBFilt.sys : 5.10.0.4240
 RTSndMgr.cpl : 1.0.1.0
 ALSndMgr.cpl : 1.0.0.11
 RTCOMDLL.dll : 1.0.0.97
 RtlCPAPI.dll : 1.0.1.9

Vista driver : -----

Vista driver for x86
 RTKVHDA.sys : 6.0.1.5708
 AERTSrv.exe : 1.0.32.7
 Rthdvcpl.exe : 1.0.0.246
 RtkAudioService.exe : 1.0.0.16
 RtlUpd.exe : 2.7.1.1
 SkyTel.exe : 2.0.2.1
 vncutil.exe : 1.0.0.21
 RTSndMgr.cpl : 1.0.0.10

Readme.txt

AERTACap.dll	: 1.0.32.7
AERTARen.dll	: 1.0.32.3
CTAP032.dll	: 1.0.0.530
ctpld.dll	: 1.0.0.530
DaisyWrp.dll	: 1.0.0.70
FMAP0.dll	: 40.59.0.0
MaxxAudioAPO.dll	: 1.2.2.0
MaxxAudioAPO20.dll	: 2.0.13.0
MaxxAudioEQ.dll	: 5.9.7.0
ppchain.dll	: 1.0.0.70
RTCOMDLL.dll	: 2.0.0.100
RtkAPO.dll	: 11.0.6000.76
RtkApoApi.dll	: 1.0.0.4
RtkCoInst.dll	: 1.0.3.5
RtkPgExt.dll	: 6.0.6000.60
RtlCPAPI.dll	: 1.0.1.9
slcshp32.dll	: 1.0.3.0
slgeq32.dll	: 1.0.1.0
slh36032.dll	: 1.0.2.0
slInit32.dll	: 1.1.1.0
sltshd32.dll	: 1.1.0.0
sluapo32.dll	: 1.2.6.0
SRSH360.dll	: 1.1.0.0
SRSTSHD.dll	: 1.1.4.0
SRSTSXT.dll	: 3.2.0.0
SRSWOW.dll	: 1.1.3.0
WavesLib.dll	: 5.9.7.0
Vista driver for x64	
RTKVHD64.sys	: 6.0.1.5708
AERTSr64.exe	: 1.0.64.7
RAVCpl64.exe	: 1.0.0.246
RtkAudioService.exe	: 1.0.0.16
RtlUpd64.exe	: 2.7.1.1
SkyTel.exe	: 2.0.2.1
vncutil.exe	: 1.0.0.21
GWfilt64.sys	: 6.10.0.3
RTSnMg64.cpl	: 1.0.0.10
AERTAC64.dll	: 1.0.64.7
AERTAR64.dll	: 1.0.64.3
CTAP032.dll	: 1.0.0.530
CTAP064.dll	: 1.0.0.530
ctpld.dll	: 1.0.0.530
DaisyWrp.dll	: 1.0.0.70
FMAP064.dll	: 40.59.0.0
MaxxAudioAPO20.dll	: 2.0.12.0
ppchain.dll	: 1.0.0.70
RCoInst64.dll	: 1.0.3.5
RtCOM64.dll	: 2.0.0.100
RTCOMDLL.dll	: 2.0.0.100
RtkApi64.dll	: 1.0.0.4
RtkAPO64.dll	: 11.0.6000.76
RtlCPAPI.dll	: 1.0.1.9
RtPgEx64.dll	: 6.0.6000.60
slcshp64.dll	: 1.0.3.0
slgeq64.dll	: 1.0.1.0
slh36064.dll	: 1.0.2.0
slInit64.dll	: 1.1.1.0
sltshd64.dll	: 1.1.0.0
sluapo64.dll	: 1.2.6.0
SRSH64.dll	: 1.1.0.0
SRSTSH64.dll	: 1.1.4.0
SRSTSX64.dll	: 3.2.0.0
SRSWOW64.dll	: 1.1.3.0
HDM Driver : -----	
Vista x86:	
RtHDM.V.sys	: 6.0.1.5692
RtkUpd.exe	: 2.7.1.0
RHCoInst.dll	: 1.0.3.2
RHDMExt.dll	: 6.0.6000.54
RtkHDM.dll	: 11.0.6000.72
Vista x64:	
RtHDM.VX.sys	: 6.0.1.5692
RtkUpd64.exe	: 2.7.1.0
RHCoInst64.dll	: 1.0.3.2

Readme.txt

RHDMx64.dll : 6.0.6000.54
 RtkHDM64.dll : 11.0.6000.72

XP/2K x86:
 RtHDM.sys : 5.10.0.5692
 RtkUpd.exe : 2.7.1.0

XP/2K x64:
 RtHDMX.sys : 5.10.0.5692
 RtkUpd64.exe : 2.7.1.0

Driver Setup Program : 2.64

Windows 2000/XP Operate on :
 Microsoft High Definition Audio Driver Package - KB888111
 Package file version (kb888111.exe) : 6.1.22.0
 Hdaudio.sys version : 5.10.00.5013

//=====

Driver Package R2.04

Realtek HD Audio Driver support all of Realtek HD Audio Codec in Vista/WinXP/Win2000/Win2003 .

1. Vista WHQL Supporting: ALC882, ALC883, ALC885, ALC888, ALC889, ALC861VD, ALC660, ALC662, ALC663, ALC260, ALC262, ALC267, ALC268, ALC269, ALC272, ALC273, ALC887
2. Windows 2000/XP WHQL Supporting: ALC880, ALC882, ALC883, ALC885, ALC888, ALC889, ALC861VC, ALC861VD, ALC660, ALC662, ALC663, ALC260, ALC262, ALC267, ALC268, ALC269, ALC272, ALC273, ALC887
3. HDM Device WHQL Support: ATI HDM Devices
4. OS Supporting: Microsoft WindowsXP, Windows2000, Vista x86/x64
5. Pack with Microsoft High Definition Audio UAAV1.0a(5013)
6. Add/Fix
 - 1.) Driver :
 1. Customizations.
 2. Support ALC887.

Windows 2000/XP : -----

Windows 2000/XP :
 RTKHDA64.sys : 5.10.0.5700
 RTKHDAUD.sys : 5.10.0.5700
 Alcmtr.exe : 1.6.0.3
 AlcWzrd.exe : 1.1.0.37
 MicCal.exe : 1.1.1.8
 RTHDCPL.exe : 2.2.4.0
 RTLCPL.exe : 1.0.1.66
 RtlUpd64.exe : 2.7.1.0
 RtlUpd.exe : 2.7.1.0
 SkyTel.exe : 2.0.2.0
 SoundMan.exe : 1.0.0.32
 AMBFilt64.sys : 5.10.0.4240
 AMBFilt.sys : 5.10.0.4240
 Mbnfilt64.sys : 5.10.0.4115
 Mbnfilt.sys : 5.10.0.4112
 ALSndMgr.cpl : 1.0.0.11
 RTSndMgr.cpl : 1.0.1.0
 RTCOMDLL.dll : 1.0.0.97
 RtlCPAPI.dll : 1.0.1.9

Vista driver : -----

Vista driver for x86
 RTKVHDA.sys : 6.0.1.5700
 AERTSrv.exe : 1.0.32.7
 RtHDVCpl.exe : 1.0.0.240
 RtkAudioService.exe : 1.0.0.16
 RtlUpd.exe : 2.7.1.0
 SkyTel.exe : 2.0.2.1
 vncutil.exe : 1.0.0.21
 RTSndMgr.cpl : 1.0.0.9
 AERTACap.dll : 1.0.32.7
 AERTARen.dll : 1.0.32.3
 CTAP032.dll : 1.0.0.520
 ctppld.dll : 1.0.0.510
 DaisyWrp.dll : 1.0.0.70
 FMAPO.dll : 40.59.0.0
 MaxxAudioAPO.dll : 1.2.2.0
 MaxxAudioAPO20.dll : 2.0.13.0
 MaxxAudioEQ.dll : 5.9.7.0
 ppchain.dll : 1.0.0.70
 RTCOMDLL.dll : 2.0.0.100
 RtkAPO.dll : 11.0.6000.74

Readme.txt

```

RtkApoApi.dll : 1.0.0.4
RtkCoInst.dll : 1.0.3.2
RtkPgExt.dll : 6.0.6000.56
RtlCPAPI.dll : 1.0.1.9
SRSH360.dll : 1.1.0.0
SRSTSHD.dll : 1.1.4.0
SRSTSXT.dll : 3.2.0.0
SRSWOW.dll : 1.1.3.0
WavesLib.dll : 5.9.7.0
Vista driver for x64
GWfilt64.sys : 6.10.0.3
RTKVHD64.sys : 6.0.1.5700
AERTSr64.exe : 1.0.64.7
RAVCpl64.exe : 1.0.0.240
RtkAudioService.exe : 1.0.0.16
RtlUpd64.exe : 2.7.1.0
SkyTel.exe : 2.0.2.1
vncutil.exe : 1.0.0.21
RTSnMg64.cpl : 1.0.0.9
AERTAC64.dll : 1.0.64.7
AERTAR64.dll : 1.0.64.3
CTAP032.dll : 1.0.0.520
CTAP064.dll : 1.0.0.520
ctpld.dll : 1.0.0.510
DaisyWrp.dll : 1.0.0.70
FMAP064.dll : 40.59.0.0
MaxxAudioAP020.dll : 2.0.12.0
ppchain.dll : 1.0.0.70
RCoInst64.dll : 1.0.3.2
RtCOMB4.dll : 2.0.0.100
RTCOMDLL.dll : 2.0.0.100
RtkApi64.dll : 1.0.0.4
RtkAPO64.dll : 11.0.6000.74
RtlCPAPI.dll : 1.0.1.9
RtPgEx64.dll : 6.0.6000.56
SRSH64.dll : 1.1.0.0
SRSTSH64.dll : 1.1.4.0
SRSTSX64.dll : 3.2.0.0
SRSWOW64.dll : 1.1.3.0
HDMI Driver : -----
Vista x86:
RtHDMV.sys : 6.0.1.5692
RtkUpd.exe : 2.7.1.0
RHCoInst.dll : 1.0.3.2
RHDMExt.dll : 6.0.6000.54
RtkHDM.dll : 11.0.6000.72

Vista x64:
RtHDMVX.sys : 6.0.1.5692
RtkUpd64.exe : 2.7.1.0
RHCoInst64.dll : 1.0.3.2
RHDMEx64.dll : 6.0.6000.54
RtkHDM64.dll : 11.0.6000.72

XP/2K x86:
RtHDM.sys : 5.10.0.5692
RtkUpd.exe : 2.7.1.0
XP/2K x64:
RtHDMX.sys : 5.10.0.5692
RtkUpd64.exe : 2.7.1.0

Driver Setup Program : 2.62

```

Windows 2000/XP Operate on :

Microsoft High Definition Audio Driver Package - KB888111
 Package file version (kb888111.exe) : 6.1.22.0
 Hdaudio.sys version : 5.10.00.5013

//=====

Driver Package R2.03

Realtek HD Audio Driver support all of Realtek HD Audio Codec in Vista/WinXP/Win2000/Win2003 .

1. Vista WHQL Supporting: ALC882, ALC883, ALC885, ALC888, ALC889, ALC861VD, ALC660, ALC662, ALC663, ALC260, ALC262, ALC267, ALC268, ALC269, ALC272, ALC273
2. Windows 2000/XP WHQL Supporting: ALC880, ALC882, ALC883, ALC885, ALC888, ALC889, ALC861VC, ALC861VD, ALC660, ALC662, ALC663, ALC260, ALC262, ALC267, ALC268, ALC269, ALC272, ALC273
3. HDMI Device WHQL Support: ATI HDMI Devices

Readme.txt

4. OS Supporting: Microsoft WindowsXP, Windows2000, Vista x86/x64
5. Pack with Microsoft High Definition Audio UAAV1.0a(5013)
6. Add/Fix
 - 1.) Driver :
 1. Customizations.

Windows 2000/XP : -----

Windows 2000/XP :

RTKHDA64.sys	: 5.10.0.5694
RTKHDAUD.sys	: 5.10.0.5694
Alcmtr.exe	: 1.6.0.3
AlcWzrd.exe	: 1.1.0.37
McCal.exe	: 1.1.1.8
RTHDCPL.exe	: 2.2.3.8
RTLCPAPI.exe	: 1.0.1.66
RtlUpd64.exe	: 2.7.1.0
RtlUpd.exe	: 2.7.1.0
SkyTel.exe	: 2.0.2.0
SoundMan.exe	: 1.0.0.32
ALSndMgr.cpl	: 1.0.0.11
RTSndMgr.cpl	: 1.0.1.0
RTCOMDLL.dll	: 1.0.0.97
RtlCPAPI.dll	: 1.0.1.9

Vista driver : -----

Vista driver for x86

RTKVHDA.sys	: 6.0.1.5694
AERTSrv.exe	: 1.0.32.7
RtHDVCpl.exe	: 1.0.0.235
RtkAudioService.exe	: 1.0.0.16
RtlUpd.exe	: 2.7.1.0
SkyTel.exe	: 2.0.2.1
vncutil.exe	: 1.0.0.21
RTSndMgr.cpl	: 1.0.0.9
AERTACap.dll	: 1.0.32.7
AERTARen.dll	: 1.0.32.3
FMAP0.dll	: 40.59.0.0
MaxxAudioAPO.dll	: 1.2.2.0
MaxxAudioAPO20.dll	: 2.0.13.0
MaxxAudioEQ.dll	: 5.9.7.0
RTCOMDLL.dll	: 2.0.0.99
RtkAPO.dll	: 11.0.6000.72
RtkApoApi.dll	: 1.0.0.4
RtkCoInst.dll	: 1.0.3.2
RtkPgExt.dll	: 6.0.6000.54
RtlCPAPI.dll	: 1.0.1.9
SRSHP360.dll	: 1.1.0.0
SRSTSHD.dll	: 1.1.4.0
SRSTSXT.dll	: 3.2.0.0
SRSWOW.dll	: 1.1.3.0
WavesLib.dll	: 5.9.7.0

Vista driver for x64

RTKVHD64.sys	: 6.0.1.5694
AERTSr64.exe	: 1.0.64.7
RAVCpl64.exe	: 1.0.0.235
RtkAudioService.exe	: 1.0.0.16
RtlUpd64.exe	: 2.7.1.0
SkyTel.exe	: 2.0.2.1
vncutil.exe	: 1.0.0.21
RTSnMg64.cpl	: 1.0.0.9
AERTAC64.dll	: 1.0.64.7
AERTAR64.dll	: 1.0.64.3
FMAP064.dll	: 40.59.0.0
MaxxAudioAPO20.dll	: 2.0.12.0
RCoInst64.dll	: 1.0.3.2
RtCOMB4.dll	: 2.0.0.99
RTCOMDLL.dll	: 2.0.0.99
RtkApi64.dll	: 1.0.0.4
RtkAPO64.dll	: 11.0.6000.72
RtlCPAPI.dll	: 1.0.1.9
RtPgEx64.dll	: 6.0.6000.54
SRSHP64.dll	: 1.1.0.0
SRSTSH64.dll	: 1.1.4.0
SRSTSX64.dll	: 3.2.0.0
SRSWOW64.dll	: 1.1.3.0

Readme.txt

```
HDM Driver : -----
Vista x86:
RtHDM V.sys           : 6.0.1.5692
RtkUpd.exe           : 2.7.1.0
RHCoInst.dll         : 1.0.3.2
RHDM Ext.dll         : 6.0.6000.54
RtkHDM.dll           : 11.0.6000.72

Vista x64:
RtHDM VX.sys         : 6.0.1.5692
RtkUpd64.exe         : 2.7.1.0
RHCoInst64.dll       : 1.0.3.2
RHDMEx64.dll         : 6.0.6000.54
RtkHDM64.dll         : 11.0.6000.72

XP/2K x86:
RtHDM.sys            : 5.10.0.5692
RtkUpd.exe           : 2.7.1.0
XP/2K x64:
RtHDM X.sys          : 5.10.0.5692
RtkUpd64.exe         : 2.7.1.0

Driver Setup Program : 2.62
```

Windows 2000/XP Operate on :
 Microsoft High Definition Audio Driver Package - KB888111
 Package file version (kb888111.exe) : 6.1.22.0
 Hdaudio.sys version : 5.10.00.5013

//=====

Driver Package R2.02

Realtek HD Audio Driver support all of Realtek HD Audio Codec in Vista/WinXP/Win2000/Win2003 .

1. Vista WHQL Supporting: ALC882, ALC883, ALC885, ALC888, ALC889, ALC861VD, ALC660, ALC662, ALC663, ALC260, ALC262, ALC267, ALC268, ALC269, ALC272, ALC273
2. Windows 2000/XP WHQL Supporting: ALC880, ALC882, ALC883, ALC885, ALC888, ALC889, ALC861VC, ALC861VD, ALC660, ALC662, ALC663, ALC260, ALC262, ALC267, ALC268, ALC269, ALC272, ALC273
3. HDM Device WHQL Support: ATI HDM Devices
4. OS Supporting: Microsoft WindowsXP, Windows2000, Vista x86/x64
5. Pack with Microsoft High Definition Audio UAAV1.0a(5013)
6. Add/Fix
 - 1.) Driver :
 1. Customizations.
 2. Update ForteMedia microphone effect library.
 - 2.) Package :
 1. Delete driver file by Rtlupd.exe in Windows 2000/2003/XP System . (Rtlupd.exe 2.7.1.0)

Windows 2000/XP : -----

```
Windows 2000/XP :
RTKHDA64.sys         : 5.10.0.5683
RTKHDAUD.sys         : 5.10.0.5683
Alcmttr.exe          : 1.6.0.3
AlcWzrd.exe          : 1.1.0.37
McCal.exe            : 1.1.1.8
RTHDCPL.exe          : 2.2.3.3
RTLCPPL.exe          : 1.0.1.66
RtlUpd64.exe         : 2.7.1.0
RtlUpd.exe           : 2.7.1.0
SkyTel.exe           : 2.0.2.0
SoundMn.exe          : 1.0.0.31
ALSndMgr.cpl         : 1.0.0.11
RTSndMgr.cpl         : 1.0.1.0
RTCOMDLL.dll         : 1.0.0.97
RtlCPAPI.dll         : 1.0.1.9
```

Vista driver : -----

```
Vista driver for x86
RTKVHDA.sys          : 6.0.1.5683
AERTSrv.exe          : 1.0.32.7
RtHDVCpl.exe         : 1.0.0.227
RtkAudioService.exe : 1.0.0.16
RtlUpd.exe           : 2.7.1.0
SkyTel.exe           : 2.0.2.1
vncutil.exe          : 1.0.0.19
RTSndMgr.cpl         : 1.0.0.8
AERTACap.dll         : 1.0.32.7
```

Readme.txt

```

AERTARen.dll : 1.0.32.3
FMAP0.dll : 40.59.0.0
MaxxAudioAPO.dll : 1.2.2.0
MaxxAudioAPO20.dll : 2.0.13.0
MaxxAudioEQ.dll : 5.9.7.0
RTCOMDLL.dll : 2.0.0.99
RtkAPO.dll : 11.0.6000.71
RtkApoApi.dll : 1.0.0.4
RtkCoInst.dll : 1.0.3.2
RtkPgExt.dll : 6.0.6000.53
RtlCPAPI.dll : 1.0.1.9
SRSH360.dll : 1.1.0.0
SRSTSHD.dll : 1.1.4.0
SRSTSXT.dll : 3.2.0.0
SRSWOW.dll : 1.1.3.0
WavesLib.dll : 5.9.7.0
Vista driver for x64
RTKVHD64.sys : 6.0.1.5683
AERTSr64.exe : 1.0.64.7
RAVCpl64.exe : 1.0.0.227
RtkAudioService.exe : 1.0.0.16
RtlUpd64.exe : 2.7.1.0
SkyTel.exe : 2.0.2.1
vncutil.exe : 1.0.0.19
RTSnMg64.cpl : 1.0.0.8
AERTAC64.dll : 1.0.64.7
AERTAR64.dll : 1.0.64.3
FMAP064.dll : 40.59.0.0
MaxxAudioAPO20.dll : 2.0.12.0
RCoInst64.dll : 1.0.3.2
RtCOM64.dll : 2.0.0.99
RTCOMDLL.dll : 2.0.0.99
RtkApi64.dll : 1.0.0.4
RtkAPO64.dll : 11.0.6000.71
RtlCPAPI.dll : 1.0.1.9
RtPgEx64.dll : 6.0.6000.53
SRSH64.dll : 1.1.0.0
SRSTSH64.dll : 1.1.4.0
SRSTSX64.dll : 3.2.0.0
SRSWOW64.dll : 1.1.3.0
-----
HDMI Driver :
Vista x86:
RtHDMV.sys : 6.0.1.5668
RtkUpd.exe : 2.7.0.9
RHCoInst.dll : 1.0.2.9
RHDMExt.dll : 6.0.6000.52
RtkHDM.dll : 11.0.6000.69

Vista x64:
RtHDMVX.sys : 6.0.1.5668
RtkUpd64.exe : 2.7.0.9
RHCoInst64.dll : 1.0.2.9
RHDMEx64.dll : 6.0.6000.52
RtkHDM64.dll : 11.0.6000.69

XP/2K x86:
RtHDM.sys : 5.10.0.5668
RtkUpd.exe : 2.7.0.9
XP/2K x64:
RtHDMX.sys : 5.10.0.5668
RtkUpd64.exe : 2.7.0.9

Driver Setup Program : 2.62

```

Windows 2000/XP Operate on :

```

Microsoft High Definition Audio Driver Package - KB888111
Package file version (kb888111.exe) : 6.1.22.0
Hdaudio.sys version : 5.10.00.5013

```

//=====

Driver Package R2.01

Realtek HD Audio Driver support all of Realtek HD Audio Codec in Vista/WinXP/Win2000/Win2003 .

1. Vista WHQL Supporting: ALC882, ALC883, ALC885, ALC888, ALC889, ALC861VD, ALC660, ALC662, ALC663, ALC260, ALC262, ALC267, ALC268, ALC269, ALC272, ALC273

2. Windows 2000/XP WHQL Supporting: ALC880, ALC882, ALC883, ALC885, ALC888, ALC889, ALC861VC, ALC861VD, ALC660, ALC662, ALC663, ALC260, ALC262, ALC267, ALC268, ALC269, ALC272, ALC273

Readme.txt

3. HDM Device WHQL Support: ATI HDM Devices
4. OS Supporting: Microsoft WindowsXP, Widnows2000, Vista x86/x64
5. Pack with Microsoft High Definition Audio UAAV1.0a(5013)
6. Add/Fix
 - 1.) Driver :
 1. Customizations.
 2. Support ALC273.
 - 2.) Package :
 1. Change warning message for upgrade driver .
 2. ChCfg.exe add version and manifest embedded feature .
 3. Add Manifest to Rtlupd.exe and HideWin.exe .
 4. The SetCDFmt function was included by RtlExUpd.dll Ver. 1.0.1.1

Windows 2000/XP : -----

Windows 2000/XP :

RTKHDA64.sys	: 5.10.0.5680
RTKHDAUD.sys	: 5.10.0.5680
Alcmtr.exe	: 1.6.0.3
AlcWzrd.exe	: 1.1.0.37
Mccal.exe	: 1.1.1.8
RTHDCPL.exe	: 2.2.3.3
RTLCPPL.exe	: 1.0.1.66
RtlUpd64.exe	: 2.7.0.9
RtlUpd.exe	: 2.7.0.9
SkyTel.exe	: 2.0.2.0
SoundMn.exe	: 1.0.0.31
ALSndMgr.cpl	: 1.0.0.11
RTSndMgr.cpl	: 1.0.1.0
RTCOMDLL.dll	: 1.0.0.97
RtlCPAPI.dll	: 1.0.1.9

Vista driver : -----

Vista driver for x86

RTKVHDA.sys	: 6.0.1.5680
AERTSrv.exe	: 1.0.32.7
RtHDVCpl.exe	: 1.0.0.224
RtkAudioService.exe	: 1.0.0.16
RtlUpd.exe	: 2.7.0.9
SkyTel.exe	: 2.0.2.1
vncutil.exe	: 1.0.0.19
RTSndMgr.cpl	: 1.0.0.8
AERTACap.dll	: 1.0.32.7
AERTARen.dll	: 1.0.32.3
FMAPO.dll	: 40.59.0.0
MaxxAudioAPO.dll	: 1.2.2.0
MaxxAudioAPO20.dll	: 2.0.13.0
MaxxAudioEQ.dll	: 5.9.7.0
RTCOMDLL.dll	: 2.0.0.99
RtkAPO.dll	: 11.0.6000.71
RtkApoApi.dll	: 1.0.0.4
RtkCoInst.dll	: 1.0.3.2
RtkPgExt.dll	: 6.0.6000.53
RtlCPAPI.dll	: 1.0.1.9
SRSHP360.dll	: 1.1.0.0
SRSTSHD.dll	: 1.1.4.0
SRSTSXT.dll	: 3.2.0.0
SRSWOW.dll	: 1.1.3.0
WavesLib.dll	: 5.9.7.0

Vista driver for x64

RTKVHD64.sys	: 6.0.1.5680
AERTSr64.exe	: 1.0.64.7
RAVCpl64.exe	: 1.0.0.224
RtkAudioService.exe	: 1.0.0.16
RtlUpd64.exe	: 2.7.0.9
SkyTel.exe	: 2.0.2.1
vncutil.exe	: 1.0.0.19
RTSnMg64.cpl	: 1.0.0.8
AERTAC64.dll	: 1.0.64.7
AERTAR64.dll	: 1.0.64.3
FMAPO64.dll	: 40.59.0.0
MaxxAudioAPO20.dll	: 2.0.12.0
RCoInst64.dll	: 1.0.3.2
RtCOMB4.dll	: 2.0.0.99
RTCOMDLL.dll	: 2.0.0.99

Readme.txt

RtkApi64.dll : 1.0.0.4
 RtkAPO64.dll : 11.0.6000.71
 RtlCPAPI.dll : 1.0.1.9
 RtlPgEx64.dll : 6.0.6000.53
 SRSHp64.dll : 1.1.0.0
 SRSTSH64.dll : 1.1.4.0
 SRSTSX64.dll : 3.2.0.0
 SRSWOW64.dll : 1.1.3.0

HDMI Driver : -----

Vista x86:
 RtHDMV.sys : 6.0.1.5668
 RtkUpd.exe : 2.7.0.9
 RHCoInst.dll : 1.0.2.9
 RHDMExt.dll : 6.0.6000.52
 RtkHDM.dll : 11.0.6000.69

Vista x64:
 RtHDMVX.sys : 6.0.1.5668
 RtkUpd64.exe : 2.7.0.9
 RHCoInst64.dll : 1.0.2.9
 RHDMEx64.dll : 6.0.6000.52
 RtkHDM64.dll : 11.0.6000.69

XP/2K x86:
 RtHDM.sys : 5.10.0.5668
 RtkUpd.exe : 2.7.0.9
 XP/2K x64:
 RtHDMX.sys : 5.10.0.5668
 RtkUpd64.exe : 2.7.0.9

Driver Setup Program : 2.61

Windows 2000/XP Operate on :

Microsoft High Definition Audio Driver Package - KB888111
 Package file version (kb888111.exe) : 6.1.22.0
 Hdaudio.sys version : 5.10.00.5013

//=====

Driver Package R2.00

Realtek HD Audio Driver support all of Realtek HD Audio Codec in Vista/WinXP/Win2000/Win2003 .

1. Vista WHQL Supporting: ALC882, ALC883, ALC885, ALC888, ALC889, ALC861VD, ALC660, ALC662, ALC663, ALC260, ALC262, ALC267, ALC268, ALC269, ALC272

2. Windows 2000/XP WHQL Supporting: ALC880, ALC882, ALC883, ALC885, ALC888, ALC889, ALC861VC, ALC861VD, ALC660, ALC662, ALC663, ALC260, ALC262, ALC267, ALC268, ALC269, ALC272

3. HDMI Device WHQL Support: ATI HDMI Devices

4. OS Supporting: Microsoft WindowsXP, Windows2000, Vista x86/x64

5. Pack with Microsoft High Definition Audio UAAV1.0a(5013)

6. Add/Fix

1.) Driver :

1. Customizations.

Windows 2000/XP : -----

Windows 2000/XP :
 RTKHDA64.sys : 5.10.0.5672
 RTKHDAUD.sys : 5.10.0.5672
 Alcmtr.exe : 1.6.0.3
 AlcWzrd.exe : 1.1.0.37
 MicCal.exe : 1.1.1.8
 RTHDCPL.exe : 2.2.3.1
 RTLCPL.exe : 1.0.1.66
 RtlUpd64.exe : 2.7.0.9
 RtlUpd.exe : 2.7.0.9
 SkyTel.exe : 2.0.2.0
 SoundMn.exe : 1.0.0.31
 ALSndMgr.cpl : 1.0.0.11
 RTSndMgr.cpl : 1.0.1.0
 RTCOMDL.dll : 1.0.0.97
 RtlCPAPI.dll : 1.0.1.9

Vista driver : -----

Vista driver for x86
 RTKVHDA.sys : 6.0.1.5672
 AERTSrv.exe : 1.0.32.7
 RtHDVCpl.exe : 1.0.0.219
 RtkAudioService.exe : 1.0.0.16
 RtlUpd.exe : 2.7.0.9

Readme.txt

```

SkyTel.exe : 2.0.2.1
vncutil.exe : 1.0.0.19
RTSndMgr.cpl : 1.0.0.8
AERTACap.dll : 1.0.32.7
AERTARen.dll : 1.0.32.3
FMAP0.dll : 40.59.0.0
MaxxAudioAPO.dll : 1.2.2.0
MaxxAudioAPO20.dll : 2.0.13.0
MaxxAudioEQ.dll : 5.9.7.0
RTCOMDLL.dll : 2.0.0.98
RtkAPO.dll : 11.0.6000.70
RtkApoApi.dll : 1.0.0.4
RtkCoInst.dll : 1.0.3.1
RtkPgExt.dll : 6.0.6000.53
RtlCPAPI.dll : 1.0.1.9
SRSH360.dll : 1.1.0.0
SRSTSHD.dll : 1.1.4.0
SRSTSXT.dll : 3.2.0.0
SRSWOW.dll : 1.1.3.0
WavesLib.dll : 5.9.7.0
Vista driver for x64
RTKVHD64.sys : 6.0.1.5672
AERTSr64.exe : 1.0.64.7
RAVCpl64.exe : 1.0.0.219
RtkAudioService.exe : 1.0.0.16
RtlUpd64.exe : 2.7.0.9
SkyTel.exe : 2.0.2.1
vncutil.exe : 1.0.0.19
RTSnMg64.cpl : 1.0.0.8
AERTAC64.dll : 1.0.64.7
AERTAR64.dll : 1.0.64.3
FMAP064.dll : 40.59.0.0
MaxxAudioAPO20.dll : 2.0.12.0
RCoInst64.dll : 1.0.3.1
RtCOM64.dll : 2.0.0.98
RTCOMDLL.dll : 2.0.0.98
RtkApi64.dll : 1.0.0.4
RtkAPO64.dll : 11.0.6000.70
RtlCPAPI.dll : 1.0.1.9
RtPgEx64.dll : 6.0.6000.53
SRSH64.dll : 1.1.0.0
SRSTSH64.dll : 1.1.4.0
SRSTSX64.dll : 3.2.0.0
SRSWOW64.dll : 1.1.3.0
-----
HDMI Driver :
Vista x86:
RtHDMV.sys : 6.0.1.5668
RtkUpd.exe : 2.7.0.9
RHCoInst.dll : 1.0.2.9
RHDMExt.dll : 6.0.6000.52
RtkHDM.dll : 11.0.6000.69

Vista x64:
RtHDMVX.sys : 6.0.1.5668
RtkUpd64.exe : 2.7.0.9
RHCoInst64.dll : 1.0.2.9
RHDMEx64.dll : 6.0.6000.52
RtkHDM64.dll : 11.0.6000.69

XP/2K x86:
RtHDM.sys : 5.10.0.5668
RtkUpd.exe : 2.7.0.9
XP/2K x64:
RtHDMX.sys : 5.10.0.5668
RtkUpd64.exe : 2.7.0.9

Driver Setup Program : 2.60

```

Windows 2000/XP Operate on :

```

Microsoft High Definition Audio Driver Package - KB888111
Package file version (kb888111.exe) : 6.1.22.0
Hdaudio.sys version : 5.10.00.5013

```

//=====
Driver Package R1.99

Realtek HD Audio Driver support all of Realtek HD Audio Codec in Vista/Wi nXP/Wi n2000/Wi n2003 .

Readme.txt

1. Vista WHQL Supporting: ALC882, ALC883, ALC885, ALC888, ALC889, ALC861VD, ALC660, ALC662, ALC663, ALC260, ALC262, ALC267, ALC268, ALC269, ALC272
2. Windows 2000/XP WHQL Supporting: ALC880, ALC882, ALC883, ALC885, ALC888, ALC889, ALC861VC, ALC861VD, ALC660, ALC662, ALC663, ALC260, ALC262, ALC267, ALC268, ALC269, ALC272
3. HDM Device WHQL Support: ATI HDM Devices
4. OS Supporting: Microsoft WindowsXP, Widnows2000, Vista x86/x64
5. Pack with Microsoft High Definition Audio UAAV1.0a(5013)
6. Add/Fix
 - 1.) Driver :
 1. Customizations.

Windows 2000/XP : -----

Windows 2000/XP :

RTKHDA64.sys	: 5.10.0.5667
RTKHDAUD.sys	: 5.10.0.5667
McCal.exe	: 1.1.1.8
RTHDCPL.exe	: 2.2.3.0
RTLCPPL.exe	: 1.0.1.66
RtlUpd64.exe	: 2.7.0.9
RtlUpd.exe	: 2.7.0.9
SkyTel.exe	: 2.0.2.0
SoundMan.exe	: 1.0.0.31
AlcMtr.exe	: 1.6.0.3
AlcWzrd.exe	: 1.1.0.37
RTSndMgr.cpl	: 1.0.1.0
ALSndMgr.cpl	: 1.0.0.11
RTCOMDLL.dll	: 1.0.0.97
RtlCPAPI.dll	: 1.0.1.9

Vista driver : -----

Vista driver for x86

RTKVHDA.sys	: 6.0.1.5667
AERTSrv.exe	: 1.0.32.2
RtHDVCpl.exe	: 1.0.0.215
RtkAudioService.exe	: 1.0.0.16
RtlUpd.exe	: 2.7.0.9
SkyTel.exe	: 2.0.2.1
vncutil.exe	: 1.0.0.18
RTSndMgr.cpl	: 1.0.0.8
AERTACap.dll	: 1.0.32.7
AERTARen.dll	: 1.0.32.3
FMAP0.dll	: 40.59.0.0
MaxxAudioAPO.dll	: 1.2.2.0
MaxxAudioAPO20.dll	: 2.0.13.0
MaxxAudioEQ.dll	: 5.9.7.0
RTCOMDLL.dll	: 2.0.0.98
RtkAPO.dll	: 11.0.6000.69
RtkApoApi.dll	: 1.0.0.4
RtkCoInst.dll	: 1.0.3.1
RtkPgExt.dll	: 6.0.6000.52
RtlCPAPI.dll	: 1.0.1.9
SRSHP360.dll	: 1.1.0.0
SRSTSHD.dll	: 1.1.4.0
SRSTSXT.dll	: 3.2.0.0
SRSWOW.dll	: 1.1.3.0
WavesLib.dll	: 5.9.7.0

Vista driver for x64

RTKVHD64.sys	: 6.0.1.5667
AERTSr64.exe	: 1.0.64.2
RAVCpl64.exe	: 1.0.0.215
RtkAudioService.exe	: 1.0.0.16
RtlUpd64.exe	: 2.7.0.9
SkyTel.exe	: 2.0.2.1
vncutil.exe	: 1.0.0.18
RTSnMg64.cpl	: 1.0.0.8
AERTAC64.dll	: 1.0.64.7
AERTAR64.dll	: 1.0.64.3
FMAP064.dll	: 40.59.0.0
MaxxAudioAPO20.dll	: 2.0.12.0
RCoInst64.dll	: 1.0.3.1
RtCOM64.dll	: 2.0.0.98
RTCOMDLL.dll	: 2.0.0.98
RtkApi64.dll	: 1.0.0.4
RtkAPO64.dll	: 11.0.6000.69
RtlCPAPI.dll	: 1.0.1.9

Readme.txt

```

RtPgEx64.dll           : 6.0.6000.52
SRSHp64.dll           : 1.1.0.0
SRSTSH64.dll          : 1.1.4.0
SRSTX64.dll           : 3.2.0.0
SRSWOW64.dll          : 1.1.3.0
HDMI Driver : -----
Vista x86:
RtHDMV.sys            : 6.0.1.5645
RtkUpd.exe            : 2.7.0.9
RHCoInst.dll         : 1.0.2.9
RHDMExt.dll           : 6.0.6000.50
RtkHDM.dll            : 11.0.6000.67

Vista x64:
RtHDMVX.sys           : 6.0.1.5645
RtkUpd64.exe          : 2.7.0.9
RHCoInst64.dll       : 1.0.2.9
RHDMEx64.dll          : 6.0.6000.50
RtkHDM64.dll          : 11.0.6000.67

XP/2K x86:
RtHDM.sys             : 5.10.0.5645
RtkUpd.exe            : 2.7.0.9
XP/2K x64:
RtHDMX.sys            : 5.10.0.5645
RtkUpd64.exe          : 2.7.0.9

Driver Setup Program : 2.60

```

Windows 2000/XP Operate on :
 Microsoft High Definition Audio Driver Package - KB888111
 Package file version (kb888111.exe) : 6.1.22.0
 Hdaudio.sys version : 5.10.00.5013

//=====

Driver Package R1.98

Realtek HD Audio Driver support all of Realtek HD Audio Codec in Vista/WinXP/Win2000/Win2003 .

1. Vista WHQL Supporting: ALC882, ALC883, ALC885, ALC888, ALC889, ALC861VD, ALC660, ALC662, ALC663, ALC260, ALC262, ALC267, ALC268, ALC269, ALC272
2. Windows 2000/XP WHQL Supporting: ALC880, ALC882, ALC883, ALC885, ALC888, ALC889, ALC861VC, ALC861VD, ALC660, ALC662, ALC663, ALC260, ALC262, ALC267, ALC268, ALC269, ALC272
3. HDMI Device WHQL Support: ATI HDMI Devices
4. OS Supporting: Microsoft WindowsXP, Windows2000, Vista x86/x64
5. Pack with Microsoft High Definition Audio UAAV1.0a(5013)
6. Add/Fix

1.) Driver :

1. Customizations.
2. Fix the potential risk that audio driver can't be installed completely under Vista.

Windows 2000/XP : -----

```

Windows 2000/XP :
RTKHDA64.sys         : 5.10.0.5657
RTKHDAUD.sys         : 5.10.0.5657
AlcMtr.exe           : 1.6.0.3
AlcWzrd.exe          : 1.1.0.37
McCal.exe            : 1.1.1.8
RTHDCPL.exe          : 2.2.2.5
RTLCPPL.exe          : 1.0.1.66
RtlUpd64.exe         : 2.7.0.9
RtlUpd.exe           : 2.7.0.9
SkyTel.exe           : 2.0.2.0
SoundMn.exe          : 1.0.0.31
ALSndMgr.cpl         : 1.0.0.11
RTSndMgr.cpl         : 1.0.1.0
RTCOMDL.dll          : 1.0.0.97
RtlCPAPI.dll         : 1.0.1.9

```

Vista driver : -----

```

Vista driver for x86
RTKVHDA.sys         : 6.0.1.5657
AERTSrv.exe         : 1.0.32.2
RtHDVCpl.exe        : 1.0.0.208
RtkAudioService.exe : 1.0.0.16
RtlUpd.exe          : 2.7.0.9
SkyTel.exe          : 2.0.2.1
vncutil.exe         : 1.0.0.14

```

Readme.txt

```

RTSndMgr. cpl : 1.0.0.8
AERTACap.dll : 1.0.32.7
AERTARen.dll : 1.0.32.3
FMAP0.dll : 40.59.0.0
MaxxAudioAPO.dll : 1.2.2.0
MaxxAudioAPO20.dll : 2.0.13.0
MaxxAudioEQ.dll : 5.9.7.0
RTCOMDLL.dll : 2.0.0.98
RtkAPO.dll : 11.0.6000.69
RtkApoApi.dll : 1.0.0.4
RtkCoInst.dll : 1.0.2.10
RtkPgExt.dll : 6.0.6000.52
RtlCPAPI.dll : 1.0.1.9
SRSH360.dll : 1.1.0.0
SRSTSHD.dll : 1.1.4.0
SRSTSXT.dll : 3.2.0.0
SRSWOW.dll : 1.1.3.0
WavesLib.dll : 5.9.7.0
Vista driver for x64
RTKVHD64.sys : 6.0.1.5657
AERTSr64.exe : 1.0.64.2
RAVCpl64.exe : 1.0.0.208
RtkAudioService.exe : 1.0.0.16
RtlUpd64.exe : 2.7.0.9
SkyTel.exe : 2.0.2.1
vncutil.exe : 1.0.0.14
RTSnMg64.cpl : 1.0.0.8
AERTAC64.dll : 1.0.64.7
AERTAR64.dll : 1.0.64.3
FMAP064.dll : 40.59.0.0
MaxxAudioAPO20.dll : 2.0.12.0
RCoInst64.dll : 1.0.2.10
RtCOM64.dll : 2.0.0.98
RTCOMDLL.dll : 2.0.0.98
RtkApi64.dll : 1.0.0.4
RtkAPO64.dll : 11.0.6000.69
RtlCPAPI.dll : 1.0.1.9
RtkPgEx64.dll : 6.0.6000.52
SRSH64.dll : 1.1.0.0
SRSTSH64.dll : 1.1.4.0
SRSTSX64.dll : 3.2.0.0
SRSWOW64.dll : 1.1.3.0
HDMI Driver : -----
Vista x86:
RtHDMV.sys : 6.0.1.5645
RtkUpd.exe : 2.7.0.9
RHCoInst.dll : 1.0.2.9
RHDMExt.dll : 6.0.6000.50
RtkHDM.dll : 11.0.6000.67

Vista x64:
RtHDMVX.sys : 6.0.1.5645
RtkUpd64.exe : 2.7.0.9
RHCoInst64.dll : 1.0.2.9
RHDMEx64.dll : 6.0.6000.50
RtkHDM64.dll : 11.0.6000.67

XP/2K x86:
RtHDM.sys : 5.10.0.5645
RtkUpd.exe : 2.7.0.9
XP/2K x64:
RtHDMX.sys : 5.10.0.5645
RtkUpd64.exe : 2.7.0.9

Driver Setup Program : 2.60

Windows 2000/XP Operate on :
Microsoft High Definition Audio Driver Package - KB888111
Package file version (kb888111.exe) : 6.1.22.0
Hdaudio.sys version : 5.10.00.5013

```

//=====

Driver Package R1.97

Realtek HD Audio Driver support all of Realtek HD Audio Codec in Vista/WinXP/Win2000/Win2003 .

1. Vista WHQL Supporting: ALC882, ALC883, ALC885, ALC888, ALC889, ALC861VD, ALC660, ALC662, ALC663, ALC260, ALC262, ALC267, ALC268, ALC269, ALC272

Readme.txt

2. Windows 2000/XP WHQL Supporting: ALC880, ALC882, ALC883, ALC885, ALC888, ALC889, ALC861VC, ALC861VD, ALC660, ALC662, ALC663, ALC260, ALC262, ALC267, ALC268, ALC269, ALC272
3. HDMI Device WHQL Support: ATI HDMI Devices
4. OS Supporting: Microsoft WindowsXP, Windows2000, Vista x86/x64
5. Pack with Microsoft High Definition Audio UAAV1.0a(5013)
6. Add/Fix
 - 1.) Driver :
 1. Customizations.
 2. Add 24-bits recording feature.
 3. Fix EAX direct parameter issue under XP.
 4. Fix dummy noise issue under XP.

Windows 2000/XP : -----

Windows 2000/XP :

RTKHDA64.sys	: 5.10.0.5653
RTKHDAUD.sys	: 5.10.0.5653
AlcMtr.exe	: 1.6.0.3
AlcWzrd.exe	: 1.1.0.37
McCal.exe	: 1.1.1.8
RTHDCPL.exe	: 2.2.2.4
RTLCPPL.exe	: 1.0.1.66
RtlUpd64.exe	: 2.7.0.9
RtlUpd.exe	: 2.7.0.9
SkyTel.exe	: 2.0.2.0
SoundMan.exe	: 1.0.0.31
ALSndMgr.cpl	: 1.0.0.11
RTSndMgr.cpl	: 1.0.1.0
RTCOMDLL.dll	: 1.0.0.97
RtlCPAPI.dll	: 1.0.1.9

Vista driver : -----

Vista driver for x86

RTKVHDA.sys	: 6.0.1.5653
AERTSrv.exe	: 1.0.32.2
RtHDVCpl.exe	: 1.0.0.206
RtkAudioService.exe	: 1.0.0.16
RtlUpd.exe	: 2.7.0.9
SkyTel.exe	: 2.0.2.1
vncutil.exe	: 1.0.0.12
RTSndMgr.cpl	: 1.0.0.8
AERTACap.dll	: 1.0.32.7
AERTARen.dll	: 1.0.32.3
FMAP0.dll	: 40.59.0.0
MaxxAudioAPO.dll	: 1.2.2.0
MaxxAudioAPO20.dll	: 2.0.13.0
MaxxAudioEQ.dll	: 5.9.7.0
RTCOMDLL.dll	: 2.0.0.98
RtkAPO.dll	: 11.0.6000.67
RtkApoApi.dll	: 1.0.0.4
RtkCoInst.dll	: 1.0.2.10
RtkPgExt.dll	: 6.0.6000.50
RtlCPAPI.dll	: 1.0.1.9
SRSHP360.dll	: 1.1.0.0
SRSTSHD.dll	: 1.1.4.0
SRSTSXT.dll	: 3.2.0.0
SRSWOW.dll	: 1.1.3.0
WavesLib.dll	: 5.9.7.0

Vista driver for x64

RTKVHD64.sys	: 6.0.1.5653
AERTSr64.exe	: 1.0.64.2
RAVCpl64.exe	: 1.0.0.206
RtkAudioService.exe	: 1.0.0.16
RtlUpd64.exe	: 2.7.0.9
SkyTel.exe	: 2.0.2.1
vncutil.exe	: 1.0.0.12
RTSnMg64.cpl	: 1.0.0.8
AERTAC64.dll	: 1.0.64.7
AERTAR64.dll	: 1.0.64.3
FMAP064.dll	: 40.59.0.0
MaxxAudioAPO20.dll	: 2.0.12.0
RCoInst64.dll	: 1.0.2.10
RtCOMB4.dll	: 2.0.0.98
RTCOMDLL.dll	: 2.0.0.98
RtkApi64.dll	: 1.0.0.4
RtkAPO64.dll	: 11.0.6000.67

Readme.txt

```

RtlCPAPI.dll : 1.0.1.9
RtPgEx64.dll : 6.0.6000.50
SRSHp64.dll : 1.1.0.0
SRSTSH64.dll : 1.1.4.0
SRSTSX64.dll : 3.2.0.0
SRSWOW64.dll : 1.1.3.0
HDM Driver : -----
Vista x86:
RtHDMV.sys : 6.0.1.5645
RtkUpd.exe : 2.7.0.9
RHCoInst.dll : 1.0.2.9
RHDMExt.dll : 6.0.6000.50
RtkHDM.dll : 11.0.6000.67

Vista x64:
RtHDMVX.sys : 6.0.1.5645
RtkUpd64.exe : 2.7.0.9
RHCoInst64.dll : 1.0.2.9
RHDMEx64.dll : 6.0.6000.50
RtkHDM64.dll : 11.0.6000.67

XP/2K x86:
RtHDM.sys : 5.10.0.5645
RtkUpd.exe : 2.7.0.9
XP/2K x64:
RtHDMX.sys : 5.10.0.5645
RtkUpd64.exe : 2.7.0.9

Driver Setup Program : 2.60

```

Windows 2000/XP Operate on :

Microsoft High Definition Audio Driver Package - KB888111

Package file version (kb888111.exe) : 6.1.22.0

Hdaudio.sys version : 5.10.00.5013

//=====

Driver Package R1.96

Realtek HD Audio Driver support all of Realtek HD Audio Codec in Vista/WinXP/Win2000/Win2003 .

1. Vista WHQL Supporting: ALC882, ALC883, ALC885, ALC888, ALC889, ALC861VD, ALC660, ALC662, ALC663, ALC260, ALC262, ALC267, ALC268, ALC269, ALC272

2. Windows 2000/XP WHQL Supporting: ALC880, ALC882, ALC883, ALC885, ALC888, ALC889, ALC861VC, ALC861VD, ALC660, ALC662, ALC663, ALC260, ALC262, ALC267, ALC268, ALC269, ALC272

3. HDM Device WHQL Support: ATI HDM Devices

4. OS Supporting: Microsoft WindowsXP, Win2000, Vista x86/x64

5. Pack with Microsoft High Definition Audio UAAV1.0a(5013)

6. Add/Fix

1.) Driver :

1. Customizations.

2.) Package :

1. Fix uninstalled message_2 problem (French language) .

Windows 2000/XP : -----

Windows 2000/XP :

```

RTKHDA64.sys : 5.10.0.5643
RTKHDAUD.sys : 5.10.0.5643
Alcmtr.exe : 1.6.0.2
AlcWzrd.exe : 1.1.0.36
McCal.exe : 1.1.1.8
RTHDCPL.exe : 2.2.1.8
RTLCPPL.exe : 1.0.1.65
RtlUpd64.exe : 2.7.0.9
RtlUpd.exe : 2.7.0.9
SkyTel.exe : 2.0.2.0
SoundMan.exe : 1.0.0.30
ALSndMgr.cpl : 1.0.0.10
RTSndMgr.cpl : 1.0.1.0
RTCOMDLL.dll : 1.0.0.97
RtlCPAPI.dll : 1.0.1.9

```

Vista driver : -----

Vista driver for x86

```

RTKVHDA.sys : 6.0.1.5643
AERTSrv.exe : 1.0.32.2
RtHDVCpl.exe : 1.0.0.198
RtkAudioService.exe : 1.0.0.14

```

Readme.txt

```

RtlUpd.exe           : 2.7.0.9
SkyTel.exe           : 2.0.2.0
vncutil.exe         : 1.0.0.7
RTSnMgr.cpl         : 1.0.0.8
AERTACap.dll        : 1.0.32.7
AERTARen.dll        : 1.0.32.3
FMAP0.dll           : 40.59.0.0
MaxxAudioAPO.dll   : 1.2.2.0
MaxxAudioAPO20.dll : 2.0.13.0
MaxxAudioEQ.dll    : 5.9.7.0
RTCOMDLL.dll       : 2.0.0.98
RtkAPO.dll          : 11.0.6000.67
RtkApoApi.dll      : 1.0.0.4
RtkCoInst.dll      : 1.0.2.6
RtkPgExt.dll       : 6.0.6000.49
RtlCPAPI.dll       : 1.0.1.9
SRSH360.dll        : 1.1.0.0
SRSTSHD.dll        : 1.1.4.0
SRSTSXT.dll        : 3.2.0.0
SRSWOW.dll         : 1.1.3.0
WavesLib.dll       : 5.9.7.0
Vista driver for x64
RTKVHD64.sys       : 6.0.1.5643
AERTSr64.exe       : 1.0.64.2
RAVCpl64.exe       : 1.0.0.198
RtkAudioService.exe : 1.0.0.14
RtlUpd64.exe       : 2.7.0.9
SkyTel.exe         : 2.0.2.0
vncutil.exe       : 1.0.0.7
RTSnMgr64.cpl     : 1.0.0.8
AERTAC64.dll       : 1.0.64.7
AERTAR64.dll       : 1.0.64.3
FMAP064.dll       : 40.59.0.0
MaxxAudioAPO20.dll : 2.0.12.0
RCoInst64.dll     : 1.0.2.6
RtCOM64.dll       : 2.0.0.98
RTCOMDLL.dll      : 2.0.0.98
RtkApi64.dll      : 1.0.0.4
RtkAPO64.dll      : 11.0.6000.67
RtlCPAPI.dll      : 1.0.1.9
RtPgEx64.dll      : 6.0.6000.49
SRSH64.dll        : 1.1.0.0
SRSTSH64.dll      : 1.1.4.0
SRSTS64.dll       : 3.2.0.0
SRSWOW64.dll     : 1.1.3.0
HDMI Driver : -----
Vista x86:
RtHDM V.sys       : 6.0.1.5633
RtkUpd.exe        : 2.7.0.9
RHDMExt.dll       : 6.0.6000.48
RtkHDM.dll        : 11.0.6000.66

Vista x64:
RtHDM VX.sys     : 6.0.1.5633
RtkUpd64.exe     : 2.7.0.9
RHDMEx64.dll     : 6.0.6000.48
RtkHDM64.dll     : 11.0.6000.66

XP/2K x86:
RtHDM.sys        : 5.10.0.5633
RtkUpd.exe       : 2.7.0.9
XP/2K x64:
RtHDMX.sys       : 5.10.0.5633
RtkUpd64.exe     : 2.7.0.9

Driver Setup Program : 2.60

Windows 2000/XP Operate on :
Microsoft High Definition Audio Driver Package - KB888111
Package file version (kb888111.exe) : 6.1.22.0
Hdaudio.sys version : 5.10.00.5013

```

//=====
Driver Package R1.95

Realtek HD Audio Driver support all of Realtek HD Audio Codec in Vista/WnXP/Wn2000/Wn2003 .
1. Vista WHQL Supporting: ALC882, ALC883, ALC885, ALC888, ALC889, ALC861VD, ALC660, ALC662, ALC663,

Readme.txt

ALC260, ALC262, ALC267, ALC268, ALC269, ALC272

2. Windows 2000/XP WHQL Supporting: ALC880, ALC882, ALC883, ALC885, ALC888, ALC889, ALC861VC, ALC861VD, ALC660, ALC662, ALC663, ALC260, ALC262, ALC267, ALC268, ALC269, ALC272

3. HDM Device WHQL Support: ATI HDM Devices

4. OS Supporting: Microsoft WindowsXP, Windows2000, Vista x86/x64

5. Pack with Microsoft High Definition Audio UAAV1.0a(5013)

6. Add/Fix

1.) Driver :

1. Customizations.

2. Fix encryption stream issue for ALC889.

3. Fix DRM issue.

Windows 2000/XP : -----

Windows 2000/XP :

RTKHDA64.sys	: 5.10.0.5636
RTKHDAUD.sys	: 5.10.0.5636
Alcmtr.exe	: 1.6.0.2
AlcWzrd.exe	: 1.1.0.36
McCal.exe	: 1.1.1.8
RTHDCPL.exe	: 2.2.1.6
RTLCPPL.exe	: 1.0.1.65
RtlUpd64.exe	: 2.7.0.9
RtlUpd.exe	: 2.7.0.9
SkyTel.exe	: 2.0.2.0
SoundMan.exe	: 1.0.0.30
ALSndMgr.cpl	: 1.0.0.10
RTSndMgr.cpl	: 1.0.1.0
RTCOMDLL.dll	: 1.0.0.96
RtlCPAPI.dll	: 1.0.1.9

Vista driver : -----

RTKVHDA.sys	: 6.0.1.5636
AERTSrv.exe	: 1.0.32.2
RtHDVCpl.exe	: 1.0.0.192
RtkAudioService.exe	: 1.0.0.12
RtlUpd.exe	: 2.7.0.9
SkyTel.exe	: 2.0.2.0
vncutil.exe	: 1.0.0.5
RTSndMgr.cpl	: 1.0.0.8
AERTACap.dll	: 1.0.32.7
AERTARen.dll	: 1.0.32.3
FMAP0.dll	: 40.59.0.0
MaxxAudioAPO.dll	: 1.2.2.0
MaxxAudioAPO20.dll	: 2.0.13.0
MaxxAudioEQ.dll	: 5.9.7.0
RTCOMDLL.dll	: 2.0.0.98
RtkAPO.dll	: 11.0.6000.66
RtkApoApi.dll	: 1.0.0.4
RtkCoInst.dll	: 1.0.2.5
RtkPgExt.dll	: 6.0.6000.48
RtlCPAPI.dll	: 1.0.1.9
SRSHP360.dll	: 1.1.0.0
SRSTSHD.dll	: 1.1.4.0
SRSTSXT.dll	: 3.2.0.0
SRSWOW.dll	: 1.1.3.0
WavesLib.dll	: 5.9.7.0

Vista driver for x64

RTKVHD64.sys	: 6.0.1.5636
AERTSr64.exe	: 1.0.64.2
RAVCpl64.exe	: 1.0.0.192
RtkAudioService.exe	: 1.0.0.12
RtlUpd64.exe	: 2.7.0.9
SkyTel.exe	: 2.0.2.0
vncutil.exe	: 1.0.0.5
RTSnMg64.cpl	: 1.0.0.8
AERTAC64.dll	: 1.0.64.7
AERTAR64.dll	: 1.0.64.3
FMAP064.dll	: 40.59.0.0
MaxxAudioAPO20.dll	: 2.0.12.0
RCoInst64.dll	: 1.0.2.5
RtCOM64.dll	: 2.0.0.98
RTCOMDLL.dll	: 2.0.0.98
RtkApi64.dll	: 1.0.0.4
RtkAPO64.dll	: 11.0.6000.66
RtlCPAPI.dll	: 1.0.1.9

Readme.txt

```

RtPgEx64.dll           : 6.0.6000.48
SRSHp64.dll           : 1.1.0.0
SRSTSH64.dll          : 1.1.4.0
SRSTX64.dll           : 3.2.0.0
SRSWOW64.dll          : 1.1.3.0
-----
HDMI Driver :
Vista x86:
RtHDMV.sys            : 6.0.1.5612
RtkUpd.exe            : 2.7.0.9
RHDMExt.dll           : 6.0.6000.44
RtkHDM.dll            : 11.0.6000.63

Vista x64:
RtHDMVX.sys           : 6.0.1.5612
RtkUpd64.exe          : 2.7.0.9
RHDMEx64.dll          : 6.0.6000.44
RtkHDM64.dll          : 11.0.6000.63

XP/2K x86:
RtHDM.sys             : 5.10.0.5612
RtkUpd.exe            : 2.7.0.9

XP/2K x64:
RtHDMX.sys            : 5.10.0.5612
RtkUpd64.exe          : 2.7.0.9

Driver Setup Program  : 2.59

```

Windows 2000/XP Operate on :
 Microsoft High Definition Audio Driver Package - KB888111
 Package file version (kb888111.exe) : 6.1.22.0
 Hdaudio.sys version : 5.10.00.5013

//=====

Driver Package R1.94
 Realtek HD Audio Driver support all of Realtek HD Audio Codec in Vista/WinXP/Win2000/Win2003 .
 1. Vista WHQL Supporting: ALC882, ALC883, ALC885, ALC888, ALC889, ALC861VD, ALC660, ALC662, ALC663, ALC260, ALC262, ALC267, ALC268, ALC269, ALC272
 2. Windows 2000/XP WHQL Supporting: ALC880, ALC882, ALC883, ALC885, ALC888, ALC889, ALC861VC, ALC861VD, ALC660, ALC662, ALC663, ALC260, ALC262, ALC267, ALC268, ALC269, ALC272
 3. HDMI Device WHQL Support: ATI HDMI Devices
 4. OS Supporting: Microsoft WindowsXP, Windows2000, Vista x86/x64
 5. Pack with Microsoft High Definition Audio UAAV1.0a(5013)
 6. Add/Fix
 1.) Driver :
 1. Customizations.
 2. Zero recorded data for SPDIF-IN copy-protection stream under Vista.

```

Windows 2000/XP : -----
Windows 2000/XP :
RTKHDA64.sys         : 5.10.0.5628
RTKHDAUD.sys         : 5.10.0.5628
Alcmtr.exe           : 1.6.0.2
AlcWzrd.exe          : 1.1.0.36
MicCal.exe           : 1.1.1.8
RTHDCPL.exe          : 2.2.1.3
RTLCPPL.exe          : 1.0.1.65
RtlUpd.exe           : 2.7.0.9
RtlUpd64.exe         : 2.7.0.9
SkyTel.exe           : 2.0.2.0
SoundMan.exe         : 1.0.0.30
ALSndMgr.cpl         : 1.0.0.10
RTSndMgr.cpl         : 1.0.1.0
RTCOMDLL.dll         : 1.0.0.96
RtlCPAPI.dll         : 1.0.1.9
-----
Vista driver :
RTKVHDA.sys          : 6.0.1.5628
AERTSrv.exe          : 1.0.32.2
RtHDVCpl.exe         : 1.0.0.188
RtkAudioService.exe : 1.0.0.12
RtkSmbus.exe         : 1.0.0.2
RtlUpd.exe           : 2.7.0.9
SkyTel.exe           : 2.0.2.0
RTSndMgr.cpl         : 1.0.0.8
AERTACap.dll         : 1.0.32.7

```

Readme.txt

AERTARen.dll : 1.0.32.3
 FMAP0.dll : 40.59.0.0
 MaxxAudioAPO.dll : 1.2.2.0
 MaxxAudioAPO20.dll : 2.0.13.0
 MaxxAudioEQ.dll : 5.9.7.0
 RTCOMDLL.dll : 2.0.0.97
 RtkAPO.dll : 11.0.6000.65
 RtkApoApi.dll : 1.0.0.4
 RtkCoInst.dll : 1.0.2.3
 RtkPgExt.dll : 6.0.6000.47
 RtlCPAPI.dll : 1.0.1.9
 SRSH360.dll : 1.1.0.0
 SRSTSHD.dll : 1.1.4.0
 SRSTSXT.dll : 3.2.0.0
 SRSWOW.dll : 1.1.3.0
 WavesLib.dll : 5.9.7.0
 Vista driver for x64
 RTKVHD64.sys : 6.0.1.5628
 AERTSr64.exe : 1.0.64.2
 RAVCpl64.exe : 1.0.0.188
 RtkAudioService.exe : 1.0.0.12
 RtkSmbus.exe : 1.0.0.2
 RtlUpd64.exe : 2.7.0.9
 SkyTel.exe : 2.0.2.0
 RTSnMg64.cpl : 1.0.0.8
 AERTAC64.dll : 1.0.64.7
 AERTAR64.dll : 1.0.64.3
 FMAP064.dll : 40.59.0.0
 MaxxAudioAPO20.dll : 2.0.12.0
 RCoInst64.dll : 1.0.2.3
 RtCOM64.dll : 2.0.0.97
 RTCOMDLL.dll : 2.0.0.97
 RtkApi64.dll : 1.0.0.4
 RtkAPO64.dll : 11.0.6000.65
 RtlCPAPI.dll : 1.0.1.9
 RtlPgEx64.dll : 6.0.6000.47
 SRSH64.dll : 1.1.0.0
 SRSTSH64.dll : 1.1.4.0
 SRSTSX64.dll : 3.2.0.0
 SRSWOW64.dll : 1.1.3.0

HDMI Driver : -----

Vista x86:
 RtHDMV.sys : 6.0.1.5612
 RtkUpd.exe : 2.7.0.9
 RHDMExt.dll : 6.0.6000.44
 RtkHDM.dll : 11.0.6000.63

Vista x64:
 RtHDMVX.sys : 6.0.1.5612
 RtkUpd64.exe : 2.7.0.9
 RHDMEx64.dll : 6.0.6000.44
 RtkHDM64.dll : 11.0.6000.63

XP/2K x86:
 RtHDM.sys : 5.10.0.5612
 RtkUpd.exe : 2.7.0.9

XP/2K x64:
 RtHDMX.sys : 5.10.0.5612
 RtkUpd64.exe : 2.7.0.9

Driver Setup Program : 2.59

Windows 2000/XP Operate on :

Microsoft High Definition Audio Driver Package - KB888111
 Package file version (kb888111.exe) : 6.1.22.0
 Hdaudio.sys version : 5.10.00.5013

//=====

Driver Package R1.93

Realtek HD Audio Driver support all of Realtek HD Audio Codec in Vista/WinXP/Win2000/Win2003 .

1. Vista WHQL Supporting: ALC882, ALC883, ALC885, ALC888, ALC889, ALC861VD, ALC660, ALC662, ALC663, ALC260, ALC262, ALC267, ALC268, ALC269, ALC272

2. Windows 2000/XP WHQL Supporting: ALC880, ALC882, ALC883, ALC885, ALC888, ALC889, ALC861VC, ALC861VD, ALC660, ALC662, ALC663, ALC260, ALC262, ALC267, ALC268, ALC269, ALC272

3. HDMI Device WHQL Support: ATI HDMI Devices

Readme.txt

4. OS Supporting: Microsoft WindowsXP, Windows2000, Vista x86/x64
5. Pack with Microsoft High Definition Audio UAAV1.0a(5013)
6. Add/Fix
 - 1.) Driver :
 1. Customizations.
 - 2.) Package :
 1. Small VGA mode should not be checked in silent installation .

Windows 2000/XP : -----

Windows 2000/XP :

RTKHDA64.sys	: 5.10.0.5624
RTKHDAUD.sys	: 5.10.0.5624
AlcMtr.exe	: 1.6.0.2
AlcWzrd.exe	: 1.1.0.36
MicCal.exe	: 1.1.1.8
RTHDCPL.exe	: 2.2.1.1
RTLCPPL.exe	: 1.0.1.65
RtlUpd64.exe	: 2.7.0.9
RtlUpd.exe	: 2.7.0.9
SkyTel.exe	: 2.0.2.0
SoundMn.exe	: 1.0.0.30
ALSndMgr.cpl	: 1.0.0.10
RTSndMgr.cpl	: 1.0.1.0
RTCOMDLL.dll	: 1.0.0.96
RtlCPAPI.dll	: 1.0.1.9

Vista driver : -----

RTKVHDA.sys	: 6.0.1.5624
AERTSrv.exe	: 1.0.32.2
RtHDVCpl.exe	: 1.0.0.185
RtkAudioService.exe	: 1.0.0.12
RtkSmbus.exe	: 1.0.0.2
RtlUpd.exe	: 2.7.0.9
SkyTel.exe	: 2.0.2.0
RTSndMgr.cpl	: 1.0.0.7
AERTACap.dll	: 1.0.32.7
AERTARen.dll	: 1.0.32.3
FMAP0.dll	: 40.59.0.0
MaxxAudioAPO.dll	: 1.2.2.0
MaxxAudioAPO20.dll	: 2.0.13.0
MaxxAudioEQ.dll	: 5.9.7.0
RTCOMDLL.dll	: 2.0.0.97
RtkAPO.dll	: 11.0.6000.65
RtkApoApi.dll	: 1.0.0.4
RtkCoInst.dll	: 1.0.2.3
RtkPgExt.dll	: 6.0.6000.46
RtlCPAPI.dll	: 1.0.1.9
SRSH360.dll	: 1.1.0.0
SRSTSHD.dll	: 1.1.4.0
SRSTSXT.dll	: 3.2.0.0
SRSWOW.dll	: 1.1.3.0
WavesLib.dll	: 5.9.7.0
Vista driver for x64	
RTKVHD64.sys	: 6.0.1.5624
AERTSr64.exe	: 1.0.64.2
RAVCpl64.exe	: 1.0.0.185
RtkAudioService.exe	: 1.0.0.12
RtkSmbus.exe	: 1.0.0.2
RtlUpd64.exe	: 2.7.0.9
SkyTel.exe	: 2.0.2.0
RTSnMg64.cpl	: 1.0.0.7
AERTAC64.dll	: 1.0.64.7
AERTAR64.dll	: 1.0.64.3
FMAP064.dll	: 40.59.0.0
MaxxAudioAPO20.dll	: 2.0.12.0
RCoInst64.dll	: 1.0.2.3
RtCOM64.dll	: 2.0.0.97
RTCOMDLL.dll	: 2.0.0.97
RtkApi64.dll	: 1.0.0.4
RtkAPO64.dll	: 11.0.6000.65
RtlCPAPI.dll	: 1.0.1.9
RtPgEx64.dll	: 6.0.6000.46
SRSH64.dll	: 1.1.0.0
SRSTSH64.dll	: 1.1.4.0
SRSTSX64.dll	: 3.2.0.0

Readme.txt

SRSWOW64.dll : 1.1.3.0
 HDM Driver : -----
 Vista x86:
 RtHDM.V.sys : 6.0.1.5612
 RtkUpd.exe : 2.7.0.9
 RHDMExt.dll : 6.0.6000.44
 RtkHDM.dll : 11.0.6000.63

 Vista x64:
 RtHDM.VX.sys : 6.0.1.5612
 RtkUpd64.exe : 2.7.0.9
 RHDMEx64.dll : 6.0.6000.44
 RtkHDM64.dll : 11.0.6000.63

 XP/2K x86:
 RtHDM.sys : 5.10.0.5612
 RtkUpd.exe : 2.7.0.9

 XP/2K x64:
 RtHDM.X.sys : 5.10.0.5612
 RtkUpd64.exe : 2.7.0.9

 Driver Setup Program : 2.59

Windows 2000/XP Operate on :
 Microsoft High Definition Audio Driver Package - KB888111
 Package file version (kb888111.exe) : 6.1.22.0
 Hdaudio.sys version : 5.10.00.5013

//=====

Driver Package R1.92

Realtek HD Audio Driver support all of Realtek HD Audio Codec in Vista/WinXP/Win2000/Win2003 .

1. Vista WHQL Supporting: ALC882, ALC883, ALC885, ALC888, ALC889, ALC861VD, ALC660, ALC662, ALC663, ALC260, ALC262, ALC267, ALC268, ALC269, ALC272
2. Windows 2000/XP WHQL Supporting: ALC880, ALC882, ALC883, ALC885, ALC888, ALC889, ALC861VC, ALC861VD, ALC660, ALC662, ALC663, ALC260, ALC262, ALC267, ALC268, ALC269, ALC272
3. HDM Device WHQL Support: ATI HDM Devices
4. OS Supporting: Microsoft WindowsXP, Windows2000, Vista x86/x64
5. Pack with Microsoft High Definition Audio UAAV1.0a(5013)
6. Add/Fix
 - 1.) Driver :
 1. Fix Stereo Mix issue with codec which support capless output pin.
 2. Customizations.

Windows 2000/XP : -----

Windows 2000/XP :
 RTKHDA64.sys : 5.10.0.5618
 RTKHDAUD.sys : 5.10.0.5618
 MicCal.exe : 1.1.1.8
 RTHDCPL.exe : 2.2.1.0
 RTLCPL.exe : 1.0.1.65
 RtlUpd64.exe : 2.7.0.9
 RtlUpd.exe : 2.7.0.9
 SkyTel.exe : 2.0.2.0
 SoundMan.exe : 1.0.0.30
 Alcmtr.exe : 1.6.0.2
 AlcWzrd.exe : 1.1.0.36
 RTSndMgr.cpl : 1.0.1.0
 ALSndMgr.cpl : 1.0.0.10
 RTCOMDLL.dll : 1.0.0.96
 RtlCPAPI.dll : 1.0.1.9

Vista driver : -----

Vista driver for x86
 RTKVHDA.sys : 6.0.1.5618
 AERTSrv.exe : 1.0.32.2
 RtHDVCpl.exe : 1.0.0.183
 RtkAudioService.exe : 1.0.0.12
 RtkSmbus.exe : 1.0.0.2
 RtlUpd.exe : 2.7.0.9
 SkyTel.exe : 2.0.2.0
 RTSndMgr.cpl : 1.0.0.7
 AERTACap.dll : 1.0.32.7
 AERTARen.dll : 1.0.32.3
 FMAPO.dll : 40.58.0.0
 MaxxAudioAPO.dll : 1.2.2.0

Readme.txt

```

MaxxAudioAPO20.dll : 2.0.13.0
MaxxAudioEQ.dll : 5.9.7.0
RTCOMDLL.dll : 2.0.0.97
RtkAPO.dll : 11.0.6000.64
RtkApoApi.dll : 1.0.0.4
RtkCoInst.dll : 1.0.2.1
RtkPgExt.dll : 6.0.6000.45
RtlCPAPI.dll : 1.0.1.9
SRSH360.dll : 1.0.1.0
SRSTSHD.dll : 1.1.4.0
SRSTSXT.dll : 3.2.0.0
SRSWOW.dll : 1.1.3.0
WavesLib.dll : 5.9.7.0
Vista driver for x64
RTKVHD64.sys : 6.0.1.5618
AERTSr64.exe : 1.0.64.2
RAVCpl64.exe : 1.0.0.183
RtkAudioService.exe : 1.0.0.12
RtkSmbus.exe : 1.0.0.2
RtlUpd64.exe : 2.7.0.9
SkyTel.exe : 2.0.2.0
RTSnMg64.cpl : 1.0.0.7
AERTAC64.dll : 1.0.64.7
AERTAR64.dll : 1.0.64.3
FMAP064.dll : 40.58.0.0
MaxxAudioAPO20.dll : 2.0.12.0
RCoInst64.dll : 1.0.2.1
RtCOM64.dll : 2.0.0.97
RTCOMDLL.dll : 2.0.0.97
RtkApi64.dll : 1.0.0.4
RtkAPO64.dll : 11.0.6000.64
RtlCPAPI.dll : 1.0.1.9
RtPgEx64.dll : 6.0.6000.45
SRSH64.dll : 1.0.1.0
SRSTSH64.dll : 1.1.4.0
SRSTS64.dll : 3.2.0.0
SRSWOW64.dll : 1.1.3.0
HDMI Driver : -----
Vista x86:
RtHDMV.sys : 6.0.1.5612
RtkUpd.exe : 2.7.0.9
RHDMExt.dll : 6.0.6000.44
RtkHDM.dll : 11.0.6000.63

Vista x64:
RtHDMVX.sys : 6.0.1.5612
RtkUpd64.exe : 2.7.0.9
RHDMEx64.dll : 6.0.6000.44
RtkHDM64.dll : 11.0.6000.63

XP/2K x86:
RtHDM.sys : 5.10.0.5612
RtkUpd.exe : 2.7.0.9

XP/2K x64:
RtHDMX.sys : 5.10.0.5612
RtkUpd64.exe : 2.7.0.9

Driver Setup Program : 2.58

```

Windows 2000/XP Operate on :

Microsoft High Definition Audio Driver Package - KB888111
 Package file version (kb888111.exe) : 6.1.22.0
 Hdaudio.sys version : 5.10.00.5013

//=====

Driver Package R1.91

Realtek HD Audio Driver support all of Realtek HD Audio Codec in Vista/WinXP/Win2000/Win2003 .

1. Vista WHQL Supporting: ALC882, ALC883, ALC885, ALC888, ALC889, ALC861VD, ALC660, ALC662, ALC663, ALC260, ALC262, ALC267, ALC268, ALC269, ALC272
2. Windows 2000/XP WHQL Supporting: ALC880, ALC882, ALC883, ALC885, ALC888, ALC889, ALC861VC, ALC861VD, ALC660, ALC662, ALC663, ALC260, ALC262, ALC267, ALC268, ALC269, ALC272
3. HDMI Device WHQL Support: ATI HDMI Devices
4. OS Supporting: Microsoft WindowsXP, Windows2000, Vista x86/x64
5. Pack with Microsoft High Definition Audio UAAV1.0a(5013)
6. Add/Fix

Readme.txt

- 1.) Driver :
 1. Fix DTM 1.2 KS topology test fail issue.
 2. Customizations.

```

Windows 2000/XP : -----
Windows 2000/XP :
RTKHDA64.sys           : 5.10.0.5605
RTKHDAUD.sys          : 5.10.0.5605
M cCal.exe             : 1.1.1.8
RTHDCPL.exe           : 2.2.0.2
RTLCPPL.exe           : 1.0.1.65
RtlUpd64.exe          : 2.7.0.9
RtlUpd.exe            : 2.7.0.9
SkyTel.exe            : 2.0.2.0
SoundMan.exe          : 1.0.0.30
AlcMtr.exe            : 1.6.0.2
AlcWzrd.exe           : 1.1.0.36
RTSndMgr.cpl          : 1.0.1.0
ALSndMgr.cpl          : 1.0.0.10
RTCOMDLL.dll          : 1.0.0.96
RtlCPAPI.dll          : 1.0.1.9
Vista driver : -----
Vista driver for x86
RTKVHDA.sys           : 6.0.1.5605
AERTSrv.exe           : 1.0.32.2
RtHDVCpl.exe          : 1.0.0.172
RtkAudioService.exe  : 1.0.0.11
RtkSmbus.exe          : 1.0.0.1
RtlUpd.exe            : 2.7.0.9
SkyTel.exe            : 2.0.2.0
RTSndMgr.cpl          : 1.0.0.7
AERTACap.dll          : 1.0.32.7
AERTARen.dll          : 1.0.32.3
FMAP0.dll             : 6.0.6000.16386
MaxxAudioAPO.dll     : 1.2.2.0
MaxxAudioAPO20.dll   : 2.0.12.0
MaxxAudioEQ.dll      : 5.9.7.0
RTCOMDLL.dll          : 2.0.0.96
RtkAPO.dll            : 11.0.6000.63
RtkApoApi.dll         : 1.0.0.4
RtkCoInst.dll         : 1.0.2.0
RtkPgExt.dll          : 6.0.6000.42
RtlCPAPI.dll          : 1.0.1.9
SRSH360.dll           : 1.0.1.0
SRSTSHD.dll           : 1.1.4.0
SRSTSXT.dll           : 3.2.0.0
SRSWOW.dll            : 1.1.3.0
WavesLib.dll          : 5.9.7.0
Vista driver for x64
RTKVHD64.sys          : 6.0.1.5605
AERTSr64.exe          : 1.0.64.2
RAVCpl64.exe          : 1.0.0.172
RtkAudioService.exe  : 1.0.0.11
RtkSmbus.exe          : 1.0.0.1
RtlUpd64.exe          : 2.7.0.9
SkyTel.exe            : 2.0.2.0
RTSnMg64.cpl          : 1.0.0.7
AERTAC64.dll          : 1.0.64.7
AERTAR64.dll          : 1.0.64.3
FMAP064.dll           : 6.0.6000.16386
MaxxAudioAPO20.dll   : 2.0.12.0
RCoInst64.dll         : 1.0.2.0
RtCOMB4.dll           : 2.0.0.96
RTCOMDLL.dll          : 2.0.0.96
RtkApi64.dll          : 1.0.0.4
RtkAPO64.dll          : 11.0.6000.63
RtlCPAPI.dll          : 1.0.1.9
RtPgEx64.dll          : 6.0.6000.42
SRSH64.dll            : 1.0.1.0
SRSTSH64.dll          : 1.1.4.0
SRSTS64.dll           : 3.2.0.0
SRSWOW64.dll          : 1.1.3.0
HDMI Driver : -----
Vista x86:
    
```

Readme.txt

RtHDMV.sys : 6.0.1.5602
 RtkUpd.exe : 2.7.0.9
 RHDMEExt.dll : 6.0.6000.42
 RtkHDM.dll : 11.0.6000.62

Vista x64:
 RtHDMVX.sys : 6.0.1.5602
 RtkUpd64.exe : 2.7.0.9
 RHDMEx64.dll : 6.0.6000.42
 RtkHDM64.dll : 11.0.6000.62

XP/2K x86:
 RtHDM.sys : 5.10.0.5602
 RtkUpd.exe : 2.7.0.9

XP/2K x64:
 RtHDMX.sys : 5.10.0.5602
 RtkUpd64.exe : 2.7.0.9

Driver Setup Program : 2.58

Windows 2000/XP Operate on :
 Microsoft High Definition Audio Driver Package - KB888111
 Package file version (kb888111.exe) : 6.1.22.0
 Hdaudio.sys version : 5.10.00.5013

//=====

Driver Package R1.90

Realtek HD Audio Driver support all of Realtek HD Audio Codec in Vista/WinXP/Win2000/Win2003 .

1. Vista WHQL Supporting: ALC882, ALC883, ALC885, ALC888, ALC889, ALC861VD, ALC660, ALC662, ALC663, ALC260, ALC262, ALC267, ALC268, ALC269, ALC272

2. Windows 2000/XP WHQL Supporting: ALC880, ALC882, ALC883, ALC885, ALC888, ALC889, ALC861VC, ALC861VD, ALC660, ALC662, ALC663, ALC260, ALC262, ALC267, ALC268, ALC269, ALC272

3. HDM Device WHQL Support: ATI HDM Devices

4. OS Supporting: Microsoft WindowsXP, Windows2000, Vista x86/x64

5. Pack with Microsoft High Definition Audio UAAV1.0a(5013)

6. Add/Fix

1.) Driver :

1. Support ALC663/ALC272.
2. Support ForteMedia microphone effect APO feature.
3. Customizations.

Windows 2000/XP : -----

Windows 2000/XP :
 WDM driver for Win2000/WinXP : 5.10.0.5591
 WDM driver for Winx64 : 5.10.0.5591
 Realtek Soundman : 1.0.0.30
 Realtek Sound Effect Manager(ALSndMgr.cpl) : 1.0.0.10
 Realtek Sound Effect Manager(RTSndMgr.cpl) : 1.0.1.0
 Realtek Sound Effect Manager(RtlCpl) : 1.0.1.65
 Realtek Sound Effect Manager(RTHDCPL) : 2.1.9.6
 Alcwzrd.exe : 1.1.0.36
 SkyTel.exe : 2.0.2.0

Vista driver : -----

Vista driver for x86 :
 RtHDVCpl.exe : 1.0.0.159
 RtkAPO.dll : 11.0.6000.60
 RtkPgExt.dll : 6.0.6000.40
 RTCOMDLL.dll : 2.0.0.96
 RtlCPAPI.dll : 1.0.1.8
 RTSndMgr.cpl : 1.0.0.7
 RtkCoInst.dll : 1.0.1.29
 SRSTSXT.dll : 3.2.0.0
 SRSWOW.dll : 1.1.3.0
 SRSHP360.dll : 1.0.1.0
 SRSTSHD.dll : 1.1.4.0
 RtkApoApi.dll : 1.0.0.3
 Vista driver for x64 : 6.0.1.5591
 RAVCpl64.exe : 1.0.0.159
 RtkAPO64.dll : 11.0.6000.60
 RtkPgEx64.dll : 6.0.6000.40
 RTCOMDLL.dll : 2.0.0.96
 RtlCPAPI.dll : 1.0.1.8
 RTSnMg64.cpl : 1.0.0.7
 RCoInst64.dll : 1.0.1.29

Readme.txt

SRSTSX64.dll : 3.2.0.0
 SRSWOW64.dll : 1.1.3.0
 SRSHP64.dll : 1.0.1.0
 SRSTSH64.dll : 1.1.4.0
 RtkApi64.dll : 1.0.0.3

HDMI Driver : -----
 Vista x64:
 RtHDM.VX.sys : 6.0.1.5575
 RtkHDM64.dll : 6.0.6000.57
 RHDMEx64.dll : 6.0.6000.39
 Vista x86:
 RtHDM.V.sys : 6.0.1.5575
 RtkHDM.dll : 6.0.6000.57
 RHDMExt.dll : 6.0.6000.39
 XP/2K x64:
 RtHDM.X.sys : 5.10.0.5575
 XP/2K x86:
 RtHDM.sys : 5.10.0.5575

Driver Setup Program : 2.57

Windows 2000/XP Operate on :
 Microsoft High Definition Audio Driver Package - KB888111
 Package file version (kb888111.exe) : 6.1.22.0
 Hdaudio.sys version : 5.10.00.5013

//=====

Driver Package R1.89

Realtek HD Audio Driver support all of Realtek HD Audio Codec in Vista/Wi nXP/Wi n2000/Wi n2003 .

1. Vista WHQL Supporting: ALC882, ALC883, ALC885, ALC888, ALC889, ALC861VD, ALC660, ALC662, ALC260, ALC262, ALC267, ALC268, ALC269

2. Windows 2000/XP WHQL Supporting: ALC880, ALC882, ALC883, ALC885, ALC888, ALC889, ALC861VC, ALC861VD, ALC660, ALC662, ALC260, ALC262, ALC267, ALC268, ALC269

3. HDMI Device WHQL Support: ATI HDMI Devices

4. OS Supporting: Microsoft WindowsXP, Widnows2000, Vista x86/x64

5. Pack with Microsoft High Definition Audio UAAV1.0a(5013)

6. Add/Fix

1.) Driver :

1. Support "Event/Notification mode" under Vista.
2. Fix Vista GUI issue when video adapter's resolution is low.
3. Customizations.

2.) Package :

1. Uninstallation language selected by OS system .
2. "Uninstall" word issue in Japanese language .

Windows 2000/XP : -----

Windows 2000/XP :

WDM driver for Wi n2000/Wi nXP : 5.10.0.5582
 WDM driver for Wi nX64 : 5.10.0.5582
 Realtek Soundman : 1.0.0.30
 Realtek Sound Effect Manager(ALSndMgr.cpl) : 1.0.0.10
 Realtek Sound Effect Manager(RTSndMgr.cpl) : 1.0.0.9
 Realtek Sound Effect Manager(RtlCpl) : 1.0.1.65
 Realtek Sound Effect Manager(RTHDCPL) : 2.1.9.3
 Alcwrdr.exe : 1.1.0.36
 SkyTel.exe : 2.0.2.0

Vista driver : -----

Vista driver for x86 : 6.0.1.5582
 RtHDVCpl.exe : 1.0.0.153
 RtkAPO.dll : 11.0.6000.59
 RtkPgExt.dll : 6.0.6000.40
 RTCOMDLL.dll : 2.0.0.93
 RtlCPAPI.dll : 1.0.1.7
 RTSndMgr.cpl : 1.0.0.7
 RtkCoInst.dll : 1.0.1.27
 SRSTSXT.dll : 3.2.0.0
 SRSWOW.dll : 1.1.3.0
 SRSHP360.dll : 1.0.1.0
 SRSTSHD.dll : 1.1.4.0
 RtkApoApi.dll : 1.0.0.3
 Vista driver for x64 : 6.0.1.5582
 RAVCpl64.exe : 1.0.0.153
 RtkAPO64.dll : 11.0.6000.59
 RtkPgEx64.dll : 6.0.6000.40
 RTCOMDLL.dll : 2.0.0.93

Readme.txt

```

RtlCPAPI.dll : 1.0.1.7
RTSnMg64.cpl : 1.0.0.7
RCoInst64.dll : 1.0.1.27
SRSTSX64.dll : 3.2.0.0
SRSWOW64.dll : 1.1.3.0
SRSHP64.dll : 1.0.1.0
SRSTSH64.dll : 1.1.4.0
RtkApi64.dll : 1.0.0.3
HDM Driver : -----
Vista x64:
RtHDM VX.sys : 6.0.1.5575
RtkHDM64.dll : 6.0.6000.57
RHDMEx64.dll : 6.0.6000.39
Vista x86:
RtHDM V.sys : 6.0.1.5575
RtkHDM.dll : 6.0.6000.57
RHDMEExt.dll : 6.0.6000.39
XP/2K x64:
RtHDM X.sys : 5.10.0.5575
XP/2K x86:
RtHDM.sys : 5.10.0.5575

Driver Setup Program : 2.56

```

Windows 2000/XP Operate on :

Microsoft High Definition Audio Driver Package - KB888111
 Package file version (kb888111.exe) : 6.1.22.0
 Hdaudio.sys version : 5.10.00.5013

//=====

Driver Package R1.88

Realtek HD Audio Driver support all of Realtek HD Audio Codec in Vista/Wi nXP/Wi n2000/Wi n2003 .

1. Vista WHQL Supporting: ALC882, ALC883, ALC885, ALC888, ALC889, ALC861VD, ALC660, ALC662, ALC260, ALC262, ALC267, ALC268, ALC269
2. Windows 2000/XP WHQL Supporting: ALC880, ALC882, ALC883, ALC885, ALC888, ALC889, ALC861VC, ALC861VD, ALC660, ALC662, ALC260, ALC262, ALC267, ALC268, ALC269
3. HDM Device WHQL Support: ATI HDM Devices
4. OS Supporting: Microsoft WindowsXP, Windows2000, Vista x86/x64
5. Pack with Microsoft High Definition Audio UAAV1.0a(5013)
6. Add/Fix

1.) Driver :

1. Fix BSOD issue for WLK 1.1 System-Common Scenario Stress With IO test and System-Disable Enable With IO test under XP.
2. Customizations.

Windows 2000/XP : -----

Windows 2000/XP :

```

WDM driver for Wi n2000/Wi nXP : 5.10.0.5574
WDM driver for Wi nX64 : 5.10.0.5574
Realtek Soundman : 1.0.0.30
Realtek Sound Effect Manager(ALSndMgr.cpl) : 1.0.0.10
Realtek Sound Effect Manager(RTSndMgr.cpl) : 1.0.0.9
Realtek Sound Effect Manager(RtlCpl) : 1.0.1.65
Realtek Sound Effect Manager(RTHDCPL) : 2.1.9.1
Alcwzrd.exe : 1.1.0.36
SkyTel.exe : 2.0.2.0

```

Vista driver : -----

```

Vista driver for x86 : 6.0.1.5574
RtHDVCpl.exe : 1.0.0.145
RtkAPO.dll : 11.0.6000.58
RtkPgExt.dll : 6.0.6000.38
RTCOMDLL.dll : 2.0.0.90
RtlCPAPI.dll : 1.0.1.7
RTSnMg.cpl : 1.0.0.7
RtkCoInst.dll : 1.0.1.25
SRSTSXT.dll : 3.2.0.0
SRSWOW.dll : 1.1.3.0
SRSHP360.dll : 1.0.1.0
SRSTSHD.dll : 1.1.4.0
RtkApoApi.dll : 1.0.0.3
Vista driver for x64 : 6.0.1.5574
RAVCpl64.exe : 1.0.0.145
RtkAPO64.dll : 11.0.6000.58
RtkPgEx64.dll : 6.0.6000.38
RTCOMDLL.dll : 2.0.0.90

```

Readme.txt

```

RtlCPAPI.dll : 1.0.1.7
RTSnMg64.cpl : 1.0.0.7
RCoInst64.dll : 1.0.1.25
SRSTSX64.dll : 3.2.0.0
SRSWOW64.dll : 1.1.3.0
SRSHP64.dll : 1.0.1.0
SRSTSH64.dll : 1.1.4.0
RtkApi64.dll : 1.0.0.3
HDM Driver : -----
Vista x64:
RtHDMVX.sys : 6.0.1.5413
RtkHDM64.dll : 6.0.6000.37
RHDMEx64.dll : 6.0.6000.25
Vista x86:
RtHDMV.sys : 6.0.1.5413
RtkHDM.dll : 6.0.6000.37
RHDMExt.dll : 6.0.6000.25
XP/2K x64:
RtHDMX.sys : 5.10.0.5413
XP/2K x86:
RtHDM.sys : 5.10.0.5413

Driver Setup Program : 2.55

```

Windows 2000/XP Operate on :
 Microsoft High Definition Audio Driver Package - KB888111
 Package file version (kb888111.exe) : 6.1.22.0
 Hdaudio.sys version : 5.10.00.5013

//=====

Driver Package R1.87
 Realtek HD Audio Driver support all of Realtek HD Audio Codec in Vista/Wi nXP/Wi n2000/Wi n2003 .
 1. Vista WHQL Supporting: ALC882, ALC883, ALC885, ALC888, ALC889, ALC861VD, ALC660, ALC662, ALC260, ALC262, ALC267, ALC268, ALC269
 2. Windows 2000/XP WHQL Supporting: ALC880, ALC882, ALC883, ALC885, ALC888, ALC889, ALC861VC, ALC861VD, ALC660, ALC662, ALC260, ALC262, ALC267, ALC268, ALC269
 3. HDM Device WHQL Support: ATI HDM Devices
 4. OS Supporting: Microsoft WindowsXP, Windows2000, Vista x86/x64
 5. Pack with Microsoft High Definition Audio UAAV1.0a(5013)
 6. Add/Fix
 1.) Driver :
 1. Fix recording issue for ALC269.
 2. Customizations.

```

Windows 2000/XP : -----
Windows 2000/XP :
WDM driver for Wi n2000/Wi nXP : 5.10.0.5567
WDM driver for Wi nx64 : 5.10.0.5567
Realtek Soundman : 1.0.0.30
Realtek Sound Effect Manager(ALSndMgr.cpl) : 1.0.0.10
Realtek Sound Effect Manager(RTSndMgr.cpl) : 1.0.0.9
Realtek Sound Effect Manager(RtlCpl) : 1.0.1.65
Realtek Sound Effect Manager(RTHDCPL) : 2.1.8.9
Alcwzrd.exe : 1.1.0.36
SkyTel.exe : 2.0.2.0
Vista driver : -----
Vista driver for x86 : 6.0.1.5567
RtHDVCpl.exe : 1.0.0.139
RtkAPO.dll : 11.0.6000.56
RtkPgExt.dll : 6.0.6000.35
RTCOMDLL.dll : 2.0.0.89
RtlCPAPI.dll : 1.0.1.7
RTSndMgr.cpl : 1.0.0.7
RtkCoInst.dll : 1.0.1.25
SRSTSXT.dll : 3.2.0.0
SRSWOW.dll : 1.1.3.0
SRSHP360.dll : 1.0.1.0
SRSTSHD.dll : 1.1.4.0
RtkApoApi.dll : 1.0.0.3
Vista driver for x64 : 6.0.1.5567
RAVCpl64.exe : 1.0.0.139
RtkAPO64.dll : 11.0.6000.56
RtkPgEx64.dll : 6.0.6000.35
RTCOMDLL.dll : 2.0.0.89
RtlCPAPI.dll : 1.0.1.7

```

Readme.txt

```

RTSnMg64.cpl : 1.0.0.7
RCoInst64.dll : 1.0.1.25
SRSTX64.dll : 3.2.0.0
SRSWOW64.dll : 1.1.3.0
SRSHP64.dll : 1.0.1.0
SRSTSH64.dll : 1.1.4.0
RtkApi64.dll : 1.0.0.3
HDMI Driver : -----
Vista x64:
RtHDM.VX.sys : 6.0.1.5413
RtkHDM64.dll : 6.0.6000.37
RHDMEx64.dll : 6.0.6000.25
Vista x86:
RtHDM.V.sys : 6.0.1.5413
RtkHDM.dll : 6.0.6000.37
RHDMExt.dll : 6.0.6000.25
XP/2K x64:
RtHDM.X.sys : 5.10.0.5413
XP/2K x86:
RtHDM.sys : 5.10.0.5413

Driver Setup Program : 2.54

```

Windows 2000/XP Operate on :
Microsoft High Definition Audio Driver Package - KB888111
Package file version (kb888111.exe) : 6.1.22.0
Hdaudio.sys version : 5.10.00.5013

//=====

Driver Package R1.86

Realtek HD Audio Driver support all of Realtek HD Audio Codec in Vista/WinXP/Win2000/Win2003 .

1. Vista WHQL Supporting: ALC882, ALC883, ALC885, ALC888, ALC889, ALC861VD, ALC660, ALC662, ALC260, ALC262, ALC267, ALC268, ALC269

2. Windows 2000/XP WHQL Supporting: ALC880, ALC882, ALC883, ALC885, ALC888, ALC889, ALC861VC, ALC861VD, ALC660, ALC662, ALC260, ALC262, ALC267, ALC268, ALC269

3. HDMI Device WHQL Support: ATI HDMI Devices

4. OS Supporting: Microsoft WindowsXP, Windows2000, Vista x86/x64

5. Pack with Microsoft High Definition Audio UAAV1.0a(5013)

6. Add/Fix

1.) Driver :

1. Fix the issue that SPDIF-out device broadcast 2nd output device's stream when turn on multi-streaming under Windows XP.

2. Indexed DRC file supported.

3. Customizations.

2.) Package :

1. Installer failed code.

2. Copy .dat file rule.

Windows 2000/XP : -----

Windows 2000/XP :

WDM driver for Win2000/WinXP : 5.10.0.5559

WDM driver for Winx64 : 5.10.0.5559

Realtek Soundman : 1.0.0.30

Realtek Sound Effect Manager(ALSndMgr.cpl) : 1.0.0.10

Realtek Sound Effect Manager(RTSndMgr.cpl) : 1.0.0.9

Realtek Sound Effect Manager(RtlCpl) : 1.0.1.65

Realtek Sound Effect Manager(RTHDCPL) : 2.1.8.7

Alcwzrd.exe : 1.1.0.36

SkyTel.exe : 2.0.2.0

Vista driver : -----

Vista driver for x86 : 6.0.1.5559

RtHDVCpl.exe : 1.0.0.132

RtkAPO.dll : 11.0.6000.54

RtkPgExt.dll : 6.0.6000.35

RTCOMDLL.dll : 2.0.0.87

RtlCPAPI.dll : 1.0.1.7

RTSndMgr.cpl : 1.0.0.7

RtkCoInst.dll : 1.0.1.25

SRSTX64.dll : 3.2.0.0

SRSWOW.dll : 1.1.3.0

SRSHP360.dll : 1.0.1.0

SRSTSHD.dll : 1.1.4.0

RtkApoApi.dll : 1.0.0.3

Vista driver for x64 : 6.0.1.5559

RAVCpl64.exe : 1.0.0.132

Readme.txt

RtkAPO64.dll : 11.0.6000.54
 RtpgExt64.dll : 6.0.6000.35
 RTCOMDLL.dll : 2.0.0.87
 RtlCPAPI.dll : 1.0.1.7
 RTSnmgr64.cpl : 1.0.0.7
 RCoInst64.dll : 1.0.1.25
 SRSTSX64.dll : 3.2.0.0
 SRSWOW64.dll : 1.1.3.0
 SRSHP64.dll : 1.0.1.0
 SRSTSH64.dll : 1.1.4.0
 RtkApi64.dll : 1.0.0.3

HDMI Driver : -----

Vista x64:
 RtHDMVX.sys : 6.0.1.5413
 RtkHDM64.dll : 6.0.6000.37
 RHDMEx64.dll : 6.0.6000.25
 Vista x86:
 RtHDMV.sys : 6.0.1.5413
 RtkHDM.dll : 6.0.6000.37
 RHDMExt.dll : 6.0.6000.25
 XP/2K x64:
 RtHDMX.sys : 5.10.0.5413
 XP/2K x86:
 RtHDM.sys : 5.10.0.5413
 Driver Setup Program : 2.52

Windows 2000/XP Operate on :

Microsoft High Definition Audio Driver Package - KB888111
 Package file version (kb888111.exe) : 6.1.22.0
 Hdaudio.sys version : 5.10.00.5013

//=====

Driver Package R1.85

Realtek HD Audio Driver support all of Realtek HD Audio Codec in Vista/WinXP/Win2000/Win2003 .

1. Vista WHQL Supporting: ALC882, ALC883, ALC885, ALC888, ALC861VD, ALC660, ALC662, ALC260, ALC262, ALC267, ALC268, ALC269
2. Windows 2000/XP WHQL Supporting: ALC880, ALC882, ALC883, ALC885, ALC888, ALC861VC, ALC861VD, ALC660, ALC662, ALC260, ALC262, ALC267, ALC268, ALC269
3. HDMI Device WHQL Support: ATI HDMI Devices
4. OS Supporting: Microsoft WindowsXP, Win2000, Vista x86/x64
5. Pack with Microsoft High Definition Audio UAAV1.0a(5013)
6. Add/Fix

1.) Driver :

1. Fix PC-Beep mute issue for ALC268/ALC267.
2. Fix the potential risk that system-thread is still running when driver is already unloaded under Vista.
3. Customizations.

Windows 2000/XP : -----

Windows 2000/XP :
 WDM driver for Win2000/WinXP : 5.10.0.5548
 WDM driver for Winx64 : 5.10.0.5548
 Realtek Soundman : 1.0.0.30
 Realtek Sound Effect Manager(ALSndMgr.cpl) : 1.0.0.10
 Realtek Sound Effect Manager(RTSndMgr.cpl) : 1.0.0.9
 Realtek Sound Effect Manager(RtlCpl) : 1.0.1.65
 Realtek Sound Effect Manager(RTHDCPL) : 2.1.8.6
 Alcwzrd.exe : 1.1.0.36
 SkyTel.exe : 2.0.2.0

Vista driver : -----

Vista driver for x86 : 6.0.1.5548
 RtHDVCpl.exe : 1.0.0.128
 RtkAPO.dll : 11.0.6000.51
 RtkPgExt.dll : 6.0.6000.33
 RTCOMDLL.dll : 2.0.0.86
 RtlCPAPI.dll : 1.0.1.7
 RTSndMgr.cpl : 1.0.0.7
 RtkCoInst.dll : 1.0.1.25
 SRSTSXT.dll : 3.2.0.0
 SRSWOW.dll : 1.1.3.0
 SRSHP360.dll : 1.0.1.0
 SRSTSHD.dll : 1.1.4.0
 RtkApoApi.dll : 1.0.0.3
 Vista driver for x64 : 6.0.1.5548

Readme.txt

RAVCpl64.exe : 1.0.0.128
 RtkAPO64.dll : 11.0.6000.51
 RtkPgEx64.dll : 6.0.6000.33
 RTCOMDLL.dll : 2.0.0.86
 RtlCPAPI.dll : 1.0.1.7
 RTSnMg64.cpl : 1.0.0.7
 RCoInst64.dll : 1.0.1.25
 SRSTX64.dll : 3.2.0.0
 SRSWOW64.dll : 1.1.3.0
 SRSHP64.dll : 1.0.1.0
 SRSTSH64.dll : 1.1.4.0
 RtkApi64.dll : 1.0.0.3

HDMI Driver : -----

Vista x64:
 RtHDMVX.sys : 6.0.1.5413
 RtkHDM64.dll : 6.0.6000.37
 RHDME64.dll : 6.0.6000.25
 Vista x86:
 RtHDMV.sys : 6.0.1.5413
 RtkHDM.dll : 6.0.6000.37
 RHDMEExt.dll : 6.0.6000.25
 XP/2K x64:
 RtHDMX.sys : 5.10.0.5413
 XP/2K x86:
 RtHDM.sys : 5.10.0.5413

Driver Setup Program : 2.51

Windows 2000/XP Operate on :

Microsoft High Definition Audio Driver Package - KB888111
 Package file version (kb888111.exe) : 6.1.22.0
 Hdaudio.sys version : 5.10.00.5013

//=====

Driver Package R1.84

Realtek HD Audio Driver support all of Realtek HD Audio Codec in Vista/Wi nXP/Wi n2000/Wi n2003 .

1. Vista WHQL Supporting: ALC882, ALC883, ALC885, ALC888, ALC861VD, ALC660, ALC662, ALC260, ALC262, ALC267, ALC268, ALC269
2. Windows 2000/XP WHQL Supporting: ALC880, ALC882, ALC883, ALC885, ALC888, ALC861VC, ALC861VD, ALC660, ALC662, ALC260, ALC262, ALC267, ALC268, ALC269
3. HDMI Device WHQL Support: ATI HDMI Devices
4. OS Supporting: Microsoft WindowsXP, Windows2000, Vista x86/x64
5. Pack with Microsoft High Definition Audio UAAV1.0a(5013)
6. Add/Fix
 - 1.) Driver :
 1. Fix potential risk for re-direct headphone mode under Vista.
 2. Customizations.

Windows 2000/XP : -----

Windows 2000/XP :
 WDM driver for Win2000/Wi nXP : 5.10.0.5532
 WDM driver for Winx64 : 5.10.0.5532
 Realtek Soundman : 1.0.0.30
 Realtek Sound Effect Manager(ALSndMgr.cpl) : 1.0.0.10
 Realtek Sound Effect Manager(RTSndMgr.cpl) : 1.0.0.9
 Realtek Sound Effect Manager(RtlCpl) : 1.0.1.65
 Realtek Sound Effect Manager(RTHDCPL) : 2.1.8.2
 Alcwzrd.exe : 1.1.0.36
 SkyTel.exe : 2.0.2.0

Vista driver : -----

Vista driver for x86 : 6.0.1.5532
 RtHDVCpl.exe : 1.0.0.116
 RtkAPO.dll : 11.0.6000.48
 RtkPgExt.dll : 6.0.6000.31
 RTCOMDLL.dll : 2.0.0.86
 RtlCPAPI.dll : 1.0.1.6
 RTSndMgr.cpl : 1.0.0.7
 RtkCoInst.dll : 1.0.1.18
 SRSTSXT.dll : 3.2.0.0
 SRSWOW.dll : 1.1.3.0
 SRSHP360.dll : 1.0.1.0
 SRSTSHD.dll : 1.1.4.0
 RtkApoApi.dll : 1.0.0.2
 Vista driver for x64 : 6.0.1.5532
 RAVCpl64.exe : 1.0.0.116

Readme.txt

RtkAPO64.dll : 11.0.6000.48
 RtpgExt64.dll : 6.0.6000.31
 RTCOMDLL.dll : 2.0.0.86
 RtlCPAPI.dll : 1.0.1.6
 RTSnmgr64.cpl : 1.0.0.7
 RCoInst64.dll : 1.0.1.18
 SRSTSX64.dll : 3.2.0.0
 SRSWOW64.dll : 1.1.3.0
 SRSHP64.dll : 1.0.1.0
 SRSTSH64.dll : 1.1.4.0
 RtkApi64.dll : 1.0.0.2

HDMI Driver : -----

Vista x64:
 RtHDM.VX.sys : 6.0.1.5413
 RtkHDM64.dll : 6.0.6000.37
 RHDMEx64.dll : 6.0.6000.25
 Vista x86:
 RtHDM.V.sys : 6.0.1.5413
 RtkHDM.dll : 6.0.6000.37
 RHDMExt.dll : 6.0.6000.25
 XP/2K x64:
 RtHDM.X.sys : 5.10.0.5413
 XP/2K x86:
 RtHDM.sys : 5.10.0.5413
 Driver Setup Program : 2.51

Windows 2000/XP Operate on :
 Microsoft High Definition Audio Driver Package - KB888111
 Package file version (kb888111.exe) : 6.1.22.0
 Hdaudio.sys version : 5.10.00.5013

//=====

Driver Package R1.83

Realtek HD Audio Driver support all of Realtek HD Audio Codec in Vista/Wi nXP/Wi n2000/Wi n2003 .

1. Vista WHQL Supporting: ALC882, ALC883, ALC885, ALC888, ALC861VD, ALC660, ALC662, ALC260, ALC262, ALC267, ALC268, ALC269
2. Windows 2000/XP WHQL Supporting: ALC880, ALC882, ALC883, ALC885, ALC888, ALC861VC, ALC861VD, ALC660, ALC662, ALC260, ALC262, ALC267, ALC268, ALC269
3. HDMI Device WHQL Support: ATI HDMI Devices
4. OS Supporting: Microsoft WindowsXP, Windows2000, Vista x86/x64
5. Pack with Microsoft High Definition Audio UAAV1.0a(5013)
6. Add/Fix
 - 1.) Driver :
 1. Support ALC269.
 2. Customizations.
 3. Turn on amplifier mask control for ALC885.
 4. Fix volume issue when turn on "Limited Output" feature under Windows XP.

Windows 2000/XP : -----

Windows 2000/XP :
 WDM driver for Win2000/Wi nXP : 5.10.0.5523
 WDM driver for Winx64 : 5.10.0.5523
 Realtek Soundman : 1.0.0.30
 Realtek Sound Effect Manager(ALSndMgr.cpl) : 1.0.0.10
 Realtek Sound Effect Manager(RTSndMgr.cpl) : 1.0.0.9
 Realtek Sound Effect Manager(RtlCpl) : 1.0.1.65
 Realtek Sound Effect Manager(RTHDCPL) : 2.1.7.7
 Alcwzrd.exe : 1.1.0.36
 SkyTel.exe : 2.0.2.0

Vista driver : -----

Vista driver for x86
 RtHDVCpl.exe : 1.0.0.112
 RtkAPO.dll : 11.0.6000.48
 RtkPgExt.dll : 6.0.6000.31
 RTCOMDLL.dll : 2.0.0.85
 RtlCPAPI.dll : 1.0.1.6
 RTSndMgr.cpl : 1.0.0.7
 RtkCoInst.dll : 1.0.1.15
 SRSTSXT.dll : 3.2.0.0
 SRSWOW.dll : 1.1.3.0
 SRSHP360.dll : 1.0.1.0
 SRSTSHD.dll : 1.1.4.0
 RtkApoApi.dll : 1.0.0.2
 Vista driver for x64 : 6.0.1.5523
 RAVCpl64.exe : 1.0.0.112

Readme.txt

RtkAPO64.dll : 11.0.6000.48
 RtpgExt64.dll : 6.0.6000.31
 RTCOMDLL.dll : 2.0.0.85
 RtlCPAPI.dll : 1.0.1.6
 RTSnMgr64.cpl : 1.0.0.7
 RCoInst64.dll : 1.0.1.15
 SRSTSX64.dll : 3.2.0.0
 SRSWOW64.dll : 1.1.3.0
 SRSHP64.dll : 1.0.1.0
 SRSTSH64.dll : 1.1.4.0
 RtkApi64.dll : 1.0.0.2

HDMI Driver : -----

Vista x64:
 RtHDMVX.sys : 6.0.1.5413
 RtkHDM64.dll : 6.0.6000.37
 RHDMEx64.dll : 6.0.6000.25
 Vista x86:
 RtHDMV.sys : 6.0.1.5413
 RtkHDM.dll : 6.0.6000.37
 RHDMExt.dll : 6.0.6000.25
 XP/2K x64:
 RtHDMX.sys : 5.10.0.5413
 XP/2K x86:
 RtHDM.sys : 5.10.0.5413
 Driver Setup Program : 2.51

Windows 2000/XP Operate on :
 Microsoft High Definition Audio Driver Package - KB888111
 Package file version (kb888111.exe) : 6.1.22.0
 Hdaudio.sys version : 5.10.00.5013

//=====

Driver Package R1.82

Realtek HD Audio Driver support all of Realtek HD Audio Codec in Vista/WinXP/Win2000/Win2003 .

1. Vista WHQL Supporting: ALC882, ALC883, ALC885, ALC888, ALC861VD, ALC660, ALC662, ALC260, ALC262, ALC267, ALC268
2. Windows 2000/XP WHQL Supporting: ALC880, ALC882, ALC883, ALC885, ALC888, ALC861VC, ALC861VD, ALC660, ALC662, ALC260, ALC262, ALC267, ALC268
3. HDMI Device WHQL Support: ATI HDMI Devices
4. OS Supporting: Microsoft WindowsXP, Win2000, Vista x86/x64
5. Pack with Microsoft High Definition Audio UAAV1.0a(5013)
6. Add/Fix
 - 1.) Driver :
 1. Support MiniportWaveRTStreamNotification interface under Vista.
 2. Customizations.
 3. Fix bug for the specific customer.
 - 2.) Installer :
 1. Add silent uninstall option .

Windows 2000/XP : -----

Windows 2000/XP :
 WDM driver for Win2000/WinXP : 5.10.0.5512
 WDM driver for Winx64 : 5.10.0.5512
 Realtek Soundman : 1.0.0.30
 Realtek Sound Effect Manager(ALSndMgr.cpl) : 1.0.0.10
 Realtek Sound Effect Manager(RTSndMgr.cpl) : 1.0.0.9
 Realtek Sound Effect Manager(RtlCpl) : 1.0.1.65
 Realtek Sound Effect Manager(RTHDCPL) : 2.1.7.1
 Alcwzrd.exe : 1.1.0.36
 SkyTel.exe : 2.0.1.21

Vista driver : -----

Vista driver for x86 : 6.0.1.5512
 RtHDVCpl.exe : 1.0.0.106
 RtkAPO.dll : 11.0.6000.48
 RtkPgExt.dll : 6.0.6000.31
 RTCOMDLL.dll : 2.0.0.83
 RtlCPAPI.dll : 1.0.1.6
 RTSndMgr.cpl : 1.0.0.7
 RtkCoInst.dll : 1.0.1.13
 SRSTSXT.dll : 3.2.0.0
 SRSWOW.dll : 1.1.3.0
 SRSHP360.dll : 1.0.1.0
 SRSTSHD.dll : 1.1.4.0
 RtkApoApi.dll : 1.0.0.2
 Vista driver for x64 : 6.0.1.5512

Readme.txt

RAVCpl64.exe : 1.0.0.106
 RtkAPO64.dll : 11.0.6000.48
 RtkPgEx64.dll : 6.0.6000.31
 RTCOMDLL.dll : 2.0.0.83
 RtlCPAPI.dll : 1.0.1.6
 RTSnMg64.cpl : 1.0.0.7
 RCoInst64.dll : 1.0.1.13
 SRSTSX64.dll : 3.2.0.0
 SRSWOW64.dll : 1.1.3.0
 SRSHp64.dll : 1.0.1.0
 SRSTSH64.dll : 1.1.4.0
 RtkApi64.dll : 1.0.0.2

HDM Driver : -----

Vista x64:
 RtHDMVX.sys : 6.0.1.5413
 RtkHDM64.dll : 6.0.6000.37
 RHDME64.dll : 6.0.6000.25
 Vista x86:
 RtHDMV.sys : 6.0.1.5413
 RtkHDM.dll : 6.0.6000.37
 RHDMEExt.dll : 6.0.6000.25
 XP/2K x64:
 RtHDMX.sys : 5.10.0.5413
 XP/2K x86:
 RtHDM.sys : 5.10.0.5413

Driver Setup Program : 2.51

Windows 2000/XP Operate on :

Microsoft High Definition Audio Driver Package - KB888111
 Package file version (kb888111.exe) : 6.1.22.0
 Hdaudio.sys version : 5.10.00.5013

//=====

Driver Package R1.81

Realtek HD Audio Driver support all of Realtek HD Audio Codec in Vista/WinXP/Win2000/Win2003 .

1. Vista WHQL Supporting: ALC882, ALC883, ALC885, ALC888, ALC861VD, ALC660, ALC662, ALC260, ALC262, ALC267, ALC268
2. Windows 2000/XP WHQL Supporting: ALC880, ALC882, ALC883, ALC885, ALC888, ALC861VC, ALC861VD, ALC660, ALC662, ALC260, ALC262, ALC267, ALC268
3. HDM Device WHQL Support: ATI HDM Devices
4. OS Supporting: Microsoft WindowsXP, Windows2000, Vista x86/x64
5. Pack with Microsoft High Definition Audio UAAV1.0a(5013)
6. Add/Fix
 - 1.) Driver :
 1. Support real 2.1 output capability under Vista.
 2. Improve Doppler effect for XP driver.
 3. Fix Vista DTM topology testing issue.
 4. Fix dead lock issue when more than 3 jacks set as headphone output under XP.
 - 2.) Installer :
 1. VSS event error for InstallShield .

Windows 2000/XP : -----

Windows 2000/XP :
 WDM driver for Win2000/WinXP : 5.10.0.5506
 WDM driver for Winx64 : 5.10.0.5506
 Realtek Soundman : 1.0.0.30
 Realtek Sound Effect Manager(ALSndMgr.cpl) : 1.0.0.10
 Realtek Sound Effect Manager(RTSndMgr.cpl) : 1.0.0.9
 Realtek Sound Effect Manager(RtlCpl) : 1.0.1.65
 Realtek Sound Effect Manager(RTHDCPL) : 2.1.7.0
 Alcwzrd.exe : 1.1.0.36
 SkyTel.exe : 2.0.1.21

Vista driver : -----

Vista driver for x86 : 6.0.1.5506
 RtHDVCpl.exe : 1.0.0.103
 RtkAPO.dll : 11.0.6000.48
 RtkPgExt.dll : 6.0.6000.31
 RTCOMDLL.dll : 2.0.0.82
 RtlCPAPI.dll : 1.0.1.6
 RTSndMgr.cpl : 1.0.0.6
 RtkCoInst.dll : 1.0.1.13
 SRSTSXT.dll : 3.2.0.0
 SRSWOW.dll : 1.1.3.0
 SRSHp360.dll : 1.0.1.0
 SRSTSHD.dll : 1.1.4.0

Readme.txt

RtkApoApi.dll : 1.0.0.2
 Vista driver for x64 : 6.0.1.5506
 RAVCpl64.exe : 1.0.0.103
 RtkAPO64.dll : 11.0.6000.48
 RtpgEx64.dll : 6.0.6000.31
 RTCOMDLL.dll : 2.0.0.82
 RtlCPAPI.dll : 1.0.1.6
 RTSnMg64.cpl : 1.0.0.6
 RCoInst64.dll : 1.0.1.13
 SRSTSX64.dll : 3.2.0.0
 SRSWOW64.dll : 1.1.3.0
 SRSHp64.dll : 1.0.1.0
 SRSTSH64.dll : 1.1.4.0
 RtkApi64.dll : 1.0.0.2

HDMI Driver : -----

Vista x64:
 RtHDMVX.sys : 6.0.1.5413
 RtkHDM64.dll : 6.0.6000.37
 RHDMEx64.dll : 6.0.6000.25
 Vista x86:
 RtHDMV.sys : 6.0.1.5413
 RtkHDM.dll : 6.0.6000.37
 RHDMEExt.dll : 6.0.6000.25
 XP/2K x64:
 RtHDMX.sys : 5.10.0.5413
 XP/2K x86:
 RtHDM.sys : 5.10.0.5413

Driver Setup Program : 2.50

Windows 2000/XP Operate on :

Microsoft High Definition Audio Driver Package - KB888111
 Package file version (kb888111.exe) : 6.1.22.0
 Hdaudio.sys version : 5.10.00.5013

//=====

Driver Package R1.80

Realtek HD Audio Driver support all of Realtek HD Audio Codec in Vista/Wi nXP/Wi n2000/Wi n2003 .

1. Vista WHQL Supporting: ALC882, ALC883, ALC885, ALC888, ALC861VD, ALC660, ALC662, ALC260, ALC262, ALC267, ALC268
2. Windows 2000/XP WHQL Supporting: ALC880, ALC882, ALC883, ALC885, ALC888, ALC861VC, ALC861VD, ALC660, ALC662, ALC260, ALC262, ALC267, ALC268
3. HDMI Device WHQL Support: ATI HDMI Devices
4. OS Supporting: Microsoft WindowsXP, Windows2000, Vista x86/x64
5. Pack with Microsoft High Definition Audio UAAV1.0a(5013)
6. Add/Fix
 - 1.) Driver :
 1. Customizations.
 2. Add new feature to smooth gap between 2 different output stream under Vista.
 - 2.) Installer :
 1. "Program Compatibility Assistant" issue for InstallShield 11.5 .
 2. VSR stop setting .

Windows 2000/XP : -----

Windows 2000/XP :
 WDM driver for Win2000/Wi nXP : 5.10.0.5497
 WDM driver for Winx64 : 5.10.0.5497
 Realtek Soundman : 1.0.0.30
 Realtek Sound Effect Manager(ALSndMgr.cpl) : 1.0.0.10
 Realtek Sound Effect Manager(RTSndMgr.cpl) : 1.0.0.9
 Realtek Sound Effect Manager(RtlCpl) : 1.0.1.65
 Realtek Sound Effect Manager(RTHDCPL) : 2.1.6.7
 Alcwzrd.exe : 1.1.0.36
 SkyTel.exe : 2.0.1.21

Vista driver : -----

Vista driver for x86 : 6.0.1.5497
 RtHDVCpl.exe : 1.0.0.99
 RtkAPO.dll : 11.0.6000.45
 RtkPgExt.dll : 6.0.6000.30
 RTCOMDLL.dll : 2.0.0.80
 RtlCPAPI.dll : 1.0.1.6
 RTSndMgr.cpl : 1.0.0.6
 RtkCoInst.dll : 1.0.1.10
 SRSTSXT.dll : 3.2.0.0
 SRSWOW.dll : 1.1.3.0
 SRSHp360.dll : 1.0.1.0

Readme.txt

SRSTSHD.dll : 1.1.4.0
 RtkApoApi.dll : 1.0.0.2
 Vista driver for x64 : 6.0.1.5497
 RAVCpl64.exe : 1.0.0.99
 RtkAPO64.dll : 11.0.6000.45
 RtpgExt64.dll : 6.0.6000.30
 RTCOMDLL.dll : 2.0.0.80
 RtlCPAPI.dll : 1.0.1.6
 RTSndMgr64.cpl : 1.0.0.6
 RCoInst64.dll : 1.0.1.10
 SRSTSX64.dll : 3.2.0.0
 SRSWOW64.dll : 1.1.3.0
 SRSHP64.dll : 1.0.1.0
 SRSTSH64.dll : 1.1.4.0
 RtkApi64.dll : 1.0.0.2

HDMI Driver : -----

Vista x64:
 RtHDMVX.sys : 6.0.1.5413
 RtkHDM64.dll : 6.0.6000.37
 RHDMEx64.dll : 6.0.6000.25
 Vista x86:
 RtHDMV.sys : 6.0.1.5413
 RtkHDM.dll : 6.0.6000.37
 RHDMExt.dll : 6.0.6000.25
 XP/2K x64:
 RtHDMX.sys : 5.10.0.5413
 XP/2K x86:
 RtHDM.sys : 5.10.0.5413
 Driver Setup Program : 2.49

Windows 2000/XP Operate on :
 Microsoft High Definition Audio Driver Package - KB888111
 Package file version (kb888111.exe) : 6.1.22.0
 Hdaudio.sys version : 5.10.00.5013

//=====

Driver Package R1.79

Realtek HD Audio Driver support all of Realtek HD Audio Codec in Vista/WinXP/Win2000/Win2003 .

1. Vista WHQL Supporting: ALC882, ALC883, ALC885, ALC888, ALC861VD, ALC660, ALC662, ALC260, ALC262, ALC267, ALC268
2. Windows 2000/XP WHQL Supporting: ALC880, ALC882, ALC883, ALC885, ALC888, ALC861VC, ALC861VD, ALC660, ALC662, ALC260, ALC262, ALC267, ALC268
3. HDMI Device WHQL Support: ATI HDMI Devices
4. OS Supporting: Microsoft WindowsXP, Winnows2000, Vista x86/x64
5. Pack with Microsoft High Definition Audio UAAV1.0a(5013)
6. Add/Fix
 - 1.) Driver :
 1. Customizations.
 2. Fix potential risk from dividing by zero while the input signal power approach zero under Windows XP.
 3. Support digital mic software boost for ALC888.
 - 2.) Installer :
 1. Remove Realtek registry key in upgrade mode.
 2. Change MCE GUI installation procedure for Windows Vista by Microsoft requirement.
 3. Add install procedure for VSR feature.

Windows 2000/XP : -----

Windows 2000/XP :
 WDM driver for Win2000/WinXP : 5.10.0.5490
 WDM driver for Winx64 : 5.10.0.5490
 Realtek Soundman : 1.0.0.30
 Realtek Sound Effect Manager(ALSndMgr.cpl) : 1.0.0.10
 Realtek Sound Effect Manager(RTSndMgr.cpl) : 1.0.0.9
 Realtek Sound Effect Manager(RtlCpl) : 1.0.1.65
 Realtek Sound Effect Manager(RTHDCPL) : 2.1.6.2
 Alcwzrd.exe : 1.1.0.36
 SkyTel.exe : 2.0.1.20

Vista driver : -----

Vista driver for x86 : 6.0.1.5490
 RtHDVCpl.exe : 1.0.0.96
 RtkAPO.dll : 11.0.6000.45
 RtkPgExt.dll : 6.0.6000.30
 RTCOMDLL.dll : 2.0.0.79
 RtlCPAPI.dll : 1.0.1.6
 RTSndMgr.cpl : 1.0.0.6

Readme.txt

```

RtkCoInst.dll           : 1.0.1.9
SRSTSXT.dll            : 3.2.0.0
SRSWOW.dll             : 1.1.3.0
SRSH360.dll           : 1.0.1.0
SRSTSHD.dll           : 1.1.4.0
RtkApoApi.dll          : 1.0.0.2
Vista driver for x64   : 6.0.1.5490
RAVCpl64.exe           : 1.0.0.96
RtkAPO64.dll           : 11.0.6000.45
RtPgEx64.dll          : 6.0.6000.30
RTCOMDLL.dll          : 2.0.0.79
RtlCPAPI.dll           : 1.0.1.6
RTSnMg64.cpl          : 1.0.0.6
RCoInst64.dll         : 1.0.1.9
SRSTSX64.dll          : 3.2.0.0
SRSWOW64.dll          : 1.1.3.0
SRSH64.dll            : 1.0.1.0
SRSTSH64.dll          : 1.1.4.0
RtkApi64.dll          : 1.0.0.2
HDM Driver : -----
Vista x64:
RtHDM.VX.sys          : 6.0.1.5413
RtkHDM64.dll          : 6.0.6000.37
RHDMEx64.dll         : 6.0.6000.25
Vista x86:
RtHDM.V.sys           : 6.0.1.5413
RtkHDM.dll            : 6.0.6000.37
RHDMExt.dll          : 6.0.6000.25
XP/2K x64:
RtHDM.X.sys          : 5.10.0.5413
XP/2K x86:
RtHDM.sys             : 5.10.0.5413

Driver Setup Program   : 2.47

Windows 2000/XP Operate on :
Microsoft High Definition Audio Driver Package - KB888111
Package file version (kb888111.exe) : 6.1.22.0
Hdaudio.sys version : 5.10.00.5013
//=====
Driver Package R1.78
Realtek HD Audio Driver support all of Realtek HD Audio Codec in Vista/WinXP/Win2000/Win2003 .
1. Vista WHQL Supporting: ALC882, ALC883, ALC885, ALC888, ALC861VD, ALC660, ALC662, ALC260,
ALC262, ALC267, ALC268
2. Windows 2000/XP WHQL Supporting: ALC880, ALC882, ALC883, ALC885, ALC888, ALC861VC, ALC861VD,
ALC660, ALC662, ALC260, ALC262, ALC267, ALC268
3. HDM Device WHQL Support: ATI HDM Devices
4. OS Supporting: Microsoft WindowsXP, Win2000, Vista x86/x64
5. Pack with Microsoft High Definition Audio UAAV1.0a(5013)
6. Add/Fix
1.) Customization.

Windows 2000/XP : -----
Windows 2000/XP :
WDM driver for Win2000/WinXP : 5.10.0.5485
WDM driver for Winx64 : 5.10.0.5485
Realtek Soundman : 1.0.0.30
Realtek Sound Effect Manager(ALSndMgr.cpl) : 1.0.0.10
Realtek Sound Effect Manager(RTSndMgr.cpl) : 1.0.0.9
Realtek Sound Effect Manager(RtlCpl) : 1.0.1.65
Realtek Sound Effect Manager(RTHDCPL) : 2.1.6.0
Alcwzrd.exe : 1.1.0.36
SkyTel.exe : 2.0.1.20
Vista driver : -----
Vista driver for x86 : 6.0.1.5485
RtHDVCpl.exe : 1.0.0.92
RtkAPO.dll : 11.0.6000.45
RtkPgExt.dll : 6.0.6000.29
RTCOMDLL.dll : 2.0.0.79
RtlCPAPI.dll : 1.0.1.6
RTSndMgr.cpl : 1.0.0.6
RtkCoInst.dll : 1.0.1.8
SRSTSXT.dll : 3.2.0.0
SRSWOW.dll : 1.1.3.0
SRSH360.dll : 1.0.1.0

```

Readme.txt

SRSTSHD.dll : 1.1.4.0
 RtkApoApi.dll : 1.0.0.2
 Vista driver for x64 : 6.0.1.5485
 RAVCpl64.exe : 1.0.0.92
 RtkAPO64.dll : 11.0.6000.45
 RtpgEx64.dll : 6.0.6000.29
 RTCOMDLL.dll : 2.0.0.79
 RtlCPAPI.dll : 1.0.1.6
 RTSnmG64.cpl : 1.0.0.6
 RCoInst64.dll : 1.0.1.8
 SRSTSX64.dll : 3.2.0.0
 SRSWOW64.dll : 1.1.3.0
 SRSHP64.dll : 1.0.1.0
 SRSTSH64.dll : 1.1.4.0
 RtkApi64.dll : 1.0.0.2

HDMI Driver : -----

Vista x64:
 RtHDMVX.sys : 6.0.1.5413
 RtkHDM64.dll : 6.0.6000.37
 RHDMEx64.dll : 6.0.6000.25
 Vista x86:
 RtHDMV.sys : 6.0.1.5413
 RtkHDM.dll : 6.0.6000.37
 RHDMExt.dll : 6.0.6000.25
 XP/2K x64:
 RtHDMX.sys : 5.10.0.5413
 XP/2K x86:
 RtHDM.sys : 5.10.0.5413
 Driver Setup Program : 2.45

Windows 2000/XP Operate on :
 Microsoft High Definition Audio Driver Package - KB888111
 Package file version (kb888111.exe) : 6.1.22.0
 Hdaudio.sys version : 5.10.00.5013

//=====

Driver Package R1.77

Realtek HD Audio Driver support all of Realtek HD Audio Codec in Vista/WnXP/Wn2000/Wn2003 .

1. Vista WHQL Supporting: ALC882, ALC883, ALC885, ALC888, ALC861VD, ALC660, ALC662, ALC260, ALC262, ALC267, ALC268
2. Windows 2000/XP WHQL Supporting: ALC880, ALC882, ALC883, ALC885, ALC888, ALC861VC, ALC861VD, ALC660, ALC662, ALC260, ALC262, ALC267, ALC268
3. HDMI Device WHQL Support: ATI HDMI Devices
4. OS Supporting: Microsoft WindowsXP, Wndnows2000, Vista x86/x64
5. Pack with Microsoft High Definition Audio UAAV1.0a(5013)
6. Add/Fix
 - 1.) Customization.
 - 2.) Uninstall procedure for checking Rtlupd.exe file .

Windows 2000/XP : -----

Windows 2000/XP :
 WDM driver for Wn2000/WnXP : 5.10.0.5480
 WDM driver for WnX64 : 5.10.0.5480
 Realtek Soundman : 1.0.0.30
 Realtek Sound Effect Manager(ALSndMgr.cpl) : 1.0.0.10
 Realtek Sound Effect Manager(RTSndMgr.cpl) : 1.0.0.9
 Realtek Sound Effect Manager(RtlCpl) : 1.0.1.65
 Realtek Sound Effect Manager(RTHDCPL) : 2.1.5.7
 Alcwzrd.exe : 1.1.0.36
 SkyTel.exe : 2.0.1.20

Vista driver : -----

Vista driver for x86 : 6.0.1.5480
 RtHDVCpl.exe : 1.0.0.90
 RtkAPO.dll : 11.0.6000.45
 RtkPgExt.dll : 6.0.6000.29
 RTCOMDLL.dll : 2.0.0.79
 RtlCPAPI.dll : 1.0.1.6
 RTSndMgr.cpl : 1.0.0.6
 RtkCoInst.dll : 1.0.1.7
 SRSTSXT.dll : 3.2.0.0
 SRSWOW.dll : 1.1.3.0
 SRSHP360.dll : 1.0.1.0
 SRSTSHD.dll : 1.1.4.0
 RtkApoApi.dll : 1.0.0.2
 Vista driver for x64 : 6.0.1.5480

Readme.txt

RAVCpl64.exe : 1.0.0.90
 RtkAPO64.dll : 11.0.6000.45
 RtpgEx64.dll : 6.0.6000.29
 RTCOMDLL.dll : 2.0.0.79
 RtlCPAPI.dll : 1.0.1.6
 RTSnMg64.cpl : 1.0.0.6
 RCoInst64.dll : 1.0.1.7
 SRSTSX64.dll : 3.2.0.0
 SRSWOW64.dll : 1.1.3.0
 SRSHp64.dll : 1.0.1.0
 SRSTSH64.dll : 1.1.4.0
 RtkApi64.dll : 1.0.0.2

HDMI Driver : -----

Vista x64:
 RtHDMVX.sys : 6.0.1.5413
 RtkHDM64.dll : 6.0.6000.37
 RHDME64.dll : 6.0.6000.25
 Vista x86:
 RtHDMV.sys : 6.0.1.5413
 RtkHDM.dll : 6.0.6000.37
 RHDMEExt.dll : 6.0.6000.25
 XP/2K x64:
 RtHDMX.sys : 5.10.0.5413
 XP/2K x86:
 RtHDM.sys : 5.10.0.5413

Driver Setup Program : 2.45

Windows 2000/XP Operate on :

Microsoft High Definition Audio Driver Package - KB888111
 Package file version (kb888111.exe) : 6.1.22.0
 Hdaudio.sys version : 5.10.00.5013

//=====

Driver Package R1.76

Realtek HD Audio Driver support all of Realtek HD Audio Codec in Vista/Wi nXP/Wi n2000/Wi n2003 .

1. Vista WHQL Supporting: ALC882, ALC883, ALC885, ALC888, ALC861VD, ALC660, ALC662, ALC260, ALC262, ALC267, ALC268
2. Windows 2000/XP WHQL Supporting: ALC880, ALC882, ALC883, ALC885, ALC888, ALC861VC, ALC861VD, ALC660, ALC662, ALC260, ALC262, ALC267, ALC268
3. HDMI Device WHQL Support: ATI HDMI Devices
4. OS Supporting: Microsoft WindowsXP, Windows2000, Vista x86/x64
5. Pack with Microsoft High Definition Audio UAAV1.0a(5013)
6. Add/Fix
 - 1.) Customization.
 - 2.) Installer package language wrong for Japanese translation . (Upgrade operation for Vista)

Windows 2000/XP : -----

Windows 2000/XP :
 WDM driver for Win2000/Wi nXP : 5.10.0.5477
 WDM driver for Winx64 : 5.10.0.5477
 Realtek Soundman : 1.0.0.30
 Realtek Sound Effect Manager(ALSndMgr.cpl) : 1.0.0.10
 Realtek Sound Effect Manager(RTSndMgr.cpl) : 1.0.0.9
 Realtek Sound Effect Manager(RtlCpl) : 1.0.1.65
 Realtek Sound Effect Manager(RTHDCPL) : 2.1.5.5
 Alcwzrd.exe : 1.1.0.36
 SkyTel.exe : 2.0.1.20

Vista driver : -----

Vista driver for x86 : 6.0.1.5477
 RtHDVCpl.exe : 1.0.0.89
 RtkAPO.dll : 11.0.6000.45
 RtkPgExt.dll : 6.0.6000.29
 RTCOMDLL.dll : 2.0.0.79
 RtlCPAPI.dll : 1.0.1.6
 RTSndMgr.cpl : 1.0.0.6
 RtkCoInst.dll : 1.0.1.7
 SRSTSXT.dll : 3.2.0.0
 SRSWOW.dll : 1.1.3.0
 SRSHp360.dll : 1.0.1.0
 SRSTSHD.dll : 1.1.4.0
 RtkApoApi.dll : 1.0.0.2
 Vista driver for x64 : 6.0.1.5477
 RAVCpl64.exe : 1.0.0.89
 RtkAPO64.dll : 11.0.6000.45
 RtpgEx64.dll : 6.0.6000.29

Readme.txt

```

RTCOMDLL.dll : 2.0.0.79
RtlCPAPI.dll : 1.0.1.6
RTSnMg64.cpl : 1.0.0.6
RCoInst64.dll : 1.0.1.7
SRSTSX64.dll : 3.2.0.0
SRSWOW64.dll : 1.1.3.0
SRSHp64.dll : 1.0.1.0
SRSTSH64.dll : 1.1.4.0
RtkApi64.dll : 1.0.0.2
HDMI Driver : -----
Vista x64:
RtHDMVX.sys : 6.0.1.5413
RtkHDM64.dll : 6.0.6000.37
RHDMEx64.dll : 6.0.6000.25
Vista x86:
RtHDMV.sys : 6.0.1.5413
RtkHDM.dll : 6.0.6000.37
RHDMExt.dll : 6.0.6000.25
XP/2K x64:
RtHDMX.sys : 5.10.0.5413
XP/2K x86:
RtHDM.sys : 5.10.0.5413
Driver Setup Program : 2.44

```

Windows 2000/XP Operate on :
Microsoft High Definition Audio Driver Package - KB888111
Package file version (kb888111.exe) : 6.1.22.0
Hdaudio.sys version : 5.10.00.5013

//=====

Driver Package R1.75

Realtek HD Audio Driver support all of Realtek HD Audio Codec in Vista/Wi nXP/Wi n2000/Wi n2003 .

1. Vista WHQL Supporting: ALC882, ALC883, ALC885, ALC888, ALC861VD, ALC660, ALC662, ALC260, ALC262, ALC267, ALC268
2. Windows 2000/XP WHQL Supporting: ALC880, ALC882, ALC883, ALC885, ALC888, ALC861VC, ALC861VD, ALC660, ALC662, ALC260, ALC262, ALC267, ALC268
3. HDMI Device WHQL Support: ATI HDMI Devices
4. OS Supporting: Microsoft WindowsXP, Windows2000, Vista x86/x64
5. Pack with Microsoft High Definition Audio UAAV1.0a(5013)
6. Add/Fix
 - 1.) Customization.

For New architecture:
1.) Customization .

CPL :
1.) Customization.

Windows 2000/XP : -----

```

Windows 2000/XP :
WDM driver for Wi n2000/Wi nXP : 5.10.0.5473
WDM driver for Wi nx64 : 5.10.0.5473
Realtek Soundman : 1.0.0.30
Realtek Sound Effect Manager(ALSndMgr.cpl) : 1.0.0.10
Realtek Sound Effect Manager(RTSndMgr.cpl) : 1.0.0.9
Realtek Sound Effect Manager(RtlCpl) : 1.0.1.65
Realtek Sound Effect Manager(RTHDCPL) : 2.1.5.2
Alcwzrd.exe : 1.1.0.36
SkyTel.exe : 2.0.1.20

```

Vista driver : -----

```

Vista driver for x86 : 6.0.1.5473
RtHDVCpl.exe : 1.0.0.88
RtkAPO.dll : 11.0.6000.44
RtkPgExt.dll : 6.0.6000.29
RTCOMDLL.dll : 2.0.0.79
RtlCPAPI.dll : 1.0.1.6
RTSndMgr.cpl : 1.0.0.6
RtkCoInst.dll : 1.0.1.7
SRSTSXT.dll : 3.2.0.0
SRSWOW.dll : 1.1.3.0
SRSHp360.dll : 1.0.1.0
SRSTSHD.dll : 1.1.4.0
RtkApoApi.dll : 1.0.0.2
Vista driver for x64 : 6.0.1.5473
RAVCpl64.exe : 1.0.0.88

```

Readme.txt

RtkAPO64.dll : 11.0.6000.44
 RtpgExt64.dll : 6.0.6000.29
 RTCOMDLL.dll : 2.0.0.79
 RtlCPAPI.dll : 1.0.1.6
 RTSnmgr64.cpl : 1.0.0.6
 RtkCoInst.dll : 1.0.1.7
 SRSTSX64.dll : 3.2.0.0
 SRSWOW64.dll : 1.1.3.0
 SRSHP64.dll : 1.0.1.0
 SRSTSH64.dll : 1.1.4.0
 RtkApi64.dll : 1.0.0.2

HDMI Driver : -----

Vista x64:
 RtHDM.VX.sys : 6.0.1.5413
 RtkHDM64.dll : 6.0.6000.37
 RHDMEx64.dll : 6.0.6000.25
 Vista x86:
 RtHDM.V.sys : 6.0.1.5413
 RtkHDM.dll : 6.0.6000.37
 RHDMExt.dll : 6.0.6000.25
 XP/2K x64:
 RtHDM.X.sys : 5.10.0.5413
 XP/2K x86:
 RtHDM.sys : 5.10.0.5413
 Driver Setup Program : 2.42

Windows 2000/XP Operate on :
 Microsoft High Definition Audio Driver Package - KB888111
 Package file version (kb888111.exe) : 6.1.22.0
 Hdaudio.sys version : 5.10.00.5013

//=====

Driver Package R1.74

Realtek HD Audio Driver support all of Realtek HD Audio Codec in Vista/WinXP/Win2000/Win2003 .

1. Vista WHQL Supporting: ALC882, ALC883, ALC885, ALC888, ALC861VD, ALC660, ALC662, ALC260, ALC262, ALC267, ALC268
2. Windows 2000/XP WHQL Supporting: ALC880, ALC882, ALC883, ALC885, ALC888, ALC861VC, ALC861VD, ALC660, ALC662, ALC260, ALC262, ALC267, ALC268
3. HDMI Device WHQL Support: ATI HDMI Devices
4. OS Supporting: Microsoft WindowsXP, Win2000, Vista x86/x64
5. Pack with Microsoft High Definition Audio UAAV1.0a(5013)
6. Add/Fix
 - 1.) Customization.

For New architecture:
 1.) Customization .

CPL :
 1.) Customization.

Windows 2000/XP : -----

Windows 2000/XP :
 WDM driver for Win2000/WinXP : 5.10.0.5470
 WDM driver for Winx64 : 5.10.0.5470
 Realtek Soundman : 1.0.0.30
 Realtek Sound Effect Manager(ALSndMgr.cpl) : 1.0.0.10
 Realtek Sound Effect Manager(RTSndMgr.cpl) : 1.0.0.9
 Realtek Sound Effect Manager(RtlCpl) : 1.0.1.65
 Realtek Sound Effect Manager(RTHDCPL) : 2.1.5.2
 Alcwzrd.exe : 1.1.0.36
 SkyTel.exe : 2.0.1.20

Vista driver : -----

Vista driver for x86 : 6.0.1.5470
 RtHDVCpl.exe : 1.0.0.87
 RtkAPO.dll : 11.0.6000.44
 RtkPgExt.dll : 6.0.6000.28
 RTCOMDLL.dll : 2.0.0.79
 RtlCPAPI.dll : 1.0.1.6
 RTSndMgr.cpl : 1.0.0.6
 RtkCoInst.dll : 1.0.1.7
 SRSTSXT.dll : 3.2.0.0
 SRSWOW.dll : 1.1.3.0
 SRSHP360.dll : 1.0.1.0
 SRSTSHD.dll : 1.1.4.0
 RtkApoApi.dll : 1.0.0.2

Readme.txt

Vista driver for x64 : 6.0.1.5470
 RAVCpl64.exe : 1.0.0.87
 RtkAPO64.dll : 11.0.6000.44
 RtpgEx64.dll : 6.0.6000.28
 RTCOMDLL.dll : 2.0.0.79
 RtlCPAPI.dll : 1.0.1.6
 RTSnMg64.cpl : 1.0.0.6
 RtkCoInst.dll : 1.0.1.7
 SRSTSX64.dll : 3.2.0.0
 SRSWOW64.dll : 1.1.3.0
 SRSHP64.dll : 1.0.1.0
 SRSTSH64.dll : 1.1.4.0
 RtkApi64.dll : 1.0.0.2

HDMI Driver : -----

Vista x64:
 RtHDM.VX.sys : 6.0.1.5413
 RtkHDM64.dll : 6.0.6000.37
 RHDMEx64.dll : 6.0.6000.25
 Vista x86:
 RtHDM.V.sys : 6.0.1.5413
 RtkHDM.dll : 6.0.6000.37
 RHDMExt.dll : 6.0.6000.25
 XP/2K x64:
 RtHDM.X.sys : 5.10.0.5413
 XP/2K x86:
 RtHDM.sys : 5.10.0.5413

Driver Setup Program : 2.40

Windows 2000/XP Operate on :
 Microsoft High Definition Audio Driver Package - KB888111
 Package file version (kb888111.exe) : 6.1.22.0
 Hdaudio.sys version : 5.10.00.5013

//=====

Driver Package R1.73

Realtek HD Audio Driver support all of Realtek HD Audio Codec in Vista/WinXP/Win2000/Win2003 .

1. Vista WHQL Supporting: ALC882, ALC883, ALC885, ALC888, ALC861VD, ALC660, ALC662, ALC260, ALC262, ALC267, ALC268
2. Windows 2000/XP WHQL Supporting: ALC880, ALC882, ALC883, ALC885, ALC888, ALC861VC, ALC861VD, ALC660, ALC662, ALC260, ALC262, ALC267, ALC268
3. HDMI Device WHQL Support: ATI HDMI Devices
4. OS Supporting: Microsoft WindowsXP, Windows2000, Vista x86/x64
5. Pack with Microsoft High Definition Audio UAAV1.0a(5013)
6. Add/Fix
 - 1.) Customization.

For New architecture:
 1.) Customization .

CPL :
 1.) Customization.

Windows 2000/XP : -----

Windows 2000/XP :
 WDM driver for Win2000/WinXP : 5.10.0.5464
 WDM driver for Winx64 : 5.10.0.5464
 Realtek Soundman : 1.0.0.30
 Realtek Sound Effect Manager(ALSndMgr.cpl) : 1.0.0.10
 Realtek Sound Effect Manager(RTSndMgr.cpl) : 1.0.0.9
 Realtek Sound Effect Manager(RtlCpl) : 1.0.1.65
 Realtek Sound Effect Manager(RTHDCPL) : 2.1.4.9
 Alcwzrd.exe : 1.1.0.36
 SkyTel.exe : 2.0.1.20

Vista driver : -----

Vista driver for x86 : 6.0.1.5464
 RtHDVCpl.exe : 1.0.0.84
 RtkAPO.dll : 11.0.6000.43
 RtkPgExt.dll : 6.0.6000.27
 RTCOMDLL.dll : 2.0.0.76
 RtlCPAPI.dll : 1.0.1.6
 RTSndMgr.cpl : 1.0.0.6
 RtkCoInst.dll : 1.0.1.7
 SRSTSXT.dll : 3.2.0.0
 SRSWOW.dll : 1.1.3.0
 SRSHP360.dll : 1.0.1.0

Readme.txt

```

SRSTSHD.dll : 1.1.4.0
RtkApoApi.dll : 1.0.0.2
Vista driver for x64 : 6.0.1.5464
RAVCpl64.exe : 1.0.0.84
RtkAPO64.dll : 11.0.6000.43
RtPgEx64.dll : 6.0.6000.27
RTCOMDLL.dll : 2.0.0.76
RtlCPAPI.dll : 1.0.1.6
RTSnMg64.cpl : 1.0.0.6
RtkCoInst.dll : 1.0.1.7
SRSTSX64.dll : 3.2.0.0
SRSWOW64.dll : 1.1.3.0
SRSHP64.dll : 1.0.1.0
SRSTSH64.dll : 1.1.4.0
RtkApi64.dll : 1.0.0.2
HDMI Driver : -----
Vista x64:
RtHDM.VX.sys : 6.0.1.5413
RtkHDM64.dll : 6.0.6000.37
RHDMEx64.dll : 6.0.6000.25
Vista x86:
RtHDM.V.sys : 6.0.1.5413
RtkHDM.dll : 6.0.6000.37
RHDMExt.dll : 6.0.6000.25
XP/2K x64:
RtHDM.X.sys : 5.10.0.5413
XP/2K x86:
RtHDM.sys : 5.10.0.5413

Driver Setup Program : 2.38

Windows 2000/XP Operate on :
Microsoft High Definition Audio Driver Package - KB888111
Package file version (kb888111.exe) : 6.1.22.0
Hdaudio.sys version : 5.10.00.5013
//=====
Driver Package R1.72
Realtek HD Audio Driver support all of Realtek HD Audio Codec in Vista/Wi nXP/Wi n2000/Wi n2003 .
1. Vista WHQL Supporting: ALC882, ALC883, ALC885, ALC888, ALC861VD, ALC660, ALC662, ALC260,
ALC262, ALC267, ALC268
2. Windows 2000/XP WHQL Supporting: ALC880, ALC882, ALC883, ALC885, ALC888, ALC861VC, ALC861VD,
ALC660, ALC662, ALC260, ALC262, ALC267, ALC268
3. HDMI Device WHQL Support: ATI HDMI Devices
4. OS Supporting: Microsoft WindowsXP, Windows2000, Vista x86/x64
5. Pack with Microsoft High Definition Audio UAAV1.0a(5013)
6. Add/Fix
1.) Customization.

For New architecture:
1.) Customization .

CPL :
1.) Customization.

Windows 2000/XP : -----
Windows 2000/XP :
WDM driver for Win2000/Wi nXP : 5.10.0.5449
WDM driver for Winx64 : 5.10.0.5449
Realtek Soundman : 1.0.0.30
Realtek Sound Effect Manager(ALSndMgr.cpl) : 1.0.0.10
Realtek Sound Effect Manager(RTSndMgr.cpl) : 1.0.0.9
Realtek Sound Effect Manager(RtlCpl) : 1.0.1.65
Realtek Sound Effect Manager(RTHDCPL) : 2.1.4.2
Alcwzrd.exe : 1.1.0.36
SkyTel.exe : 2.0.1.19
Vista driver : -----
Vista driver for x86 : 6.0.1.5449
RtHDVCpl.exe : 1.0.0.73
RtkAPO.dll : 11.0.6000.41
RtkPgExt.dll : 6.0.6000.27
RTCOMDLL.dll : 2.0.0.76
RtlCPAPI.dll : 1.0.1.6
RTSndMgr.cpl : 1.0.0.6
RtkCoInst.dll : 1.0.1.7
SRSTSXT.dll : 3.2.0.0

```

Readme.txt

SRSWOW.dll : 1.1.2.0
 SRSHP360.dll : 1.0.1.0
 SRSTSHD.dll : 1.1.4.0
 RtkApoApi.dll : 1.0.0.2
 Vista driver for x64 : 6.0.1.5449
 RAVCpl64.exe : 1.0.0.73
 RtkAPO64.dll : 11.0.6000.41
 RtpgEx64.dll : 6.0.6000.27
 RTCOMDLL.dll : 2.0.0.76
 RtlCPAPI.dll : 1.0.1.6
 RTSnMgr64.cpl : 1.0.0.6
 RtkCoInst.dll : 1.0.1.7
 SRSTSX64.dll : 3.2.0.0
 SRSWOW64.dll : 1.1.2.0
 SRSHP64.dll : 1.0.1.0
 SRSTSH64.dll : 1.1.4.0
 RtkApi64.dll : 1.0.0.2

HDMI Driver : -----

Vista x64:
 RtHDM.VX.sys : 6.0.1.5413
 RtkHDM64.dll : 6.0.6000.37
 RHDMEx64.dll : 6.0.6000.25
 Vista x86:
 RtHDM.V.sys : 6.0.1.5413
 RtkHDM.dll : 6.0.6000.37
 RHDMEExt.dll : 6.0.6000.25
 XP/2K x64:
 RtHDM.X.sys : 5.10.0.5413
 XP/2K x86:
 RtHDM.sys : 5.10.0.5413

Driver Setup Program : 2.36

Windows 2000/XP Operate on :
 Microsoft High Definition Audio Driver Package - KB888111
 Package file version (kb888111.exe) : 6.1.22.0
 Hdaudio.sys version : 5.10.00.5013

//=====

Driver Package R1.71

Realtek HD Audio Driver support all of Realtek HD Audio Codec in Vista/Wi nXP/Wi n2000/Wi n2003 .

1. Vista WHQL Supporting: ALC882, ALC883, ALC885, ALC888, ALC861VD, ALC660, ALC662, ALC260, ALC262, ALC267, ALC268
2. Windows 2000/XP WHQL Supporting: ALC880, ALC882, ALC883, ALC885, ALC888, ALC861VC, ALC861VD, ALC660, ALC662, ALC260, ALC262, ALC267, ALC268
3. HDMI Device WHQL Support: ATI HDMI Devices
4. OS Supporting: Microsoft WindowsXP, Windows2000, Vista x86/x64
5. Pack with Microsoft High Definition Audio UAAV1.0a(5013)
6. Add/Fix
 - 1.) Customization.

For New architecture:
 1.) Customization .

CPL :
 1.) Customization.

Windows 2000/XP : -----

WDM driver for Wi n2000/Wi nXP : 5.10.0.5443
 WDM driver for Wi nx64 : 5.10.0.5443
 Realtek Soundman : 1.0.0.30
 Realtek Sound Effect Manager(ALSndMgr.cpl) : 1.0.0.10
 Realtek Sound Effect Manager(RTSndMgr.cpl) : 1.0.0.9
 Realtek Sound Effect Manager(RtlCpl) : 1.0.1.65
 Realtek Sound Effect Manager(RTHDCPL) : 2.1.4.2
 Alcwzrd.exe : 1.1.0.36
 SkyTel.exe : 2.0.1.19

Vista driver : -----

Vista driver for x86 : 6.0.1.5443
 RtHDVCpl.exe : 1.0.0.73
 RtkAPO.dll : 11.0.6000.40
 RtkPgExt.dll : 6.0.6000.27
 RTCOMDLL.dll : 2.0.0.74
 RtlCPAPI.dll : 1.0.1.6
 RTSndMgr.cpl : 1.0.0.6
 RtkCoInst.dll : 1.0.1.7

Readme.txt

SRSTSXT.dll : 3.2.0.0
 SRSWOW.dll : 1.1.2.0
 SRSHP360.dll : 1.0.1.0
 SRSTSHD.dll : 1.1.4.0
 RtkApoApi.dll : 1.0.0.2
 Vista driver for x64 : 6.0.1.5443
 RAVCpl64.exe : 1.0.0.73
 RtkAPO64.dll : 11.0.6000.40
 RtpgEx64.dll : 6.0.6000.27
 RTCOMDLL.dll : 2.0.0.74
 RtlCPAPI.dll : 1.0.1.6
 RTSnMgr64.cpl : 1.0.0.6
 RtkColnst.dll : 1.0.1.7
 SRSTSX64.dll : 3.2.0.0
 SRSWOW64.dll : 1.1.2.0
 SRSHP64.dll : 1.0.1.0
 SRSTSH64.dll : 1.1.4.0
 RtkApi64.dll : 1.0.0.2

HDMI Driver : -----
 Vista x64:
 RtHDMVX.sys : 6.0.1.5413
 RtkHDM64.dll : 6.0.6000.37
 RHDMEx64.dll : 6.0.6000.25
 Vista x86:
 RtHDMV.sys : 6.0.1.5413
 RtkHDM.dll : 6.0.6000.37
 RHDMEExt.dll : 6.0.6000.25
 XP/2K x64:
 RtHDMX.sys : 5.10.0.5413
 XP/2K x86:
 RtHDM.sys : 5.10.0.5413
 Driver Setup Program : 2.36

Windows 2000/XP Operate on :
 Microsoft High Definition Audio Driver Package - KB888111
 Package file version (kb888111.exe) : 6.1.2.0
 Hdaudio.sys version : 5.10.00.5013

//=====

Driver Package R1.70
 Realtek HD Audio Driver support all of Realtek HD Audio Codec in Vista/WinXP/Win2000/Win2003 .
 1. Vista WHQL Supporting: ALC882, ALC883, ALC885, ALC888, ALC861VD, ALC660, ALC662, ALC260,
 ALC262, ALC267, ALC268
 2. Windows 2000/XP WHQL Supporting: ALC880, ALC882, ALC883, ALC885, ALC888, ALC861VC, ALC861VD,
 ALC660, ALC662, ALC260, ALC262, ALC267, ALC268
 3. HDMI Device WHQL Support: ATI HDMI Devices
 4. OS Supporting: Microsoft WindowsXP, Windows2000, Vista x86/x64
 5. Pack with Microsoft High Definition Audio UAAV1.0a(5013)
 6. Add/Fix
 1.) Customization.

For New architecture:
 1.) Customization .

CPL :
 1.) Customization.

Windows 2000/XP : -----
 WDM driver for Win2000/WinXP : 5.10.0.5436
 WDM driver for Winx64 : 5.10.0.5436
 Realtek Soundman : 1.0.0.30
 Realtek Sound Effect Manager(ALSndMgr.cpl) : 1.0.0.10
 Realtek Sound Effect Manager(RTSndMgr.cpl) : 1.0.0.9
 Realtek Sound Effect Manager(RtlCpl) : 1.0.1.65
 Realtek Sound Effect Manager(RTHDCPL) : 2.1.3.9
 Alcwzrd.exe : 1.1.0.36
 SkyTel.exe : 2.0.1.19
 Vista driver : -----
 Vista driver for x86 : 6.0.1.5436
 RtHDVCpl.exe : 1.0.0.69
 RtkAPO.dll : 11.0.6000.38
 RtpgExt.dll : 6.0.6000.27
 RTCOMDLL.dll : 2.0.0.74
 RtlCPAPI.dll : 1.0.1.6
 RTSndMgr.cpl : 1.0.0.5

Readme.txt

RtkCoInst.dll : 1.0.1.5
 SRSTSXT.dll : 3.2.0.0
 SRSWOW.dll : 1.1.2.0
 SRSH360.dll : 1.0.1.0
 SRSTSHD.dll : 1.1.4.0
 RtkApoApi.dll : 1.0.0.2
 Vista driver for x64 : 6.0.1.5436
 RAVCpl64.exe : 1.0.0.69
 RtkAPO64.dll : 11.0.6000.38
 RtpgEx64.dll : 6.0.6000.27
 RTCOMDLL.dll : 2.0.0.74
 RtlCPAPI.dll : 1.0.1.6
 RTSnm64.cpl : 1.0.0.5
 RtkCoInst.dll : 1.0.1.5
 SRSTSX64.dll : 3.2.0.0
 SRSWOW64.dll : 1.1.2.0
 SRSH64.dll : 1.0.1.0
 SRSTSH64.dll : 1.1.4.0
 RtkApi64.dll : 1.0.0.2

HDM Driver : -----

Vista x64:
 RtHDM.VX.sys : 6.0.1.5413
 RtkHDM64.dll : 6.0.6000.37
 RHDME64.dll : 6.0.6000.25
 Vista x86:
 RtHDM.V.sys : 6.0.1.5413
 RtkHDM.dll : 6.0.6000.37
 RHDMEExt.dll : 6.0.6000.25
 XP/2K x64:
 RtHDM.X.sys : 5.10.0.5413
 XP/2K x86:
 RtHDM.sys : 5.10.0.5413
 Driver Setup Program : 2.35

Windows 2000/XP Operate on :
 Microsoft High Definition Audio Driver Package - KB888111
 Package file version (kb888111.exe) : 6.1.22.0
 Hdaudio.sys version : 5.10.00.5013

//=====

Driver Package R1.69

Realtek HD Audio Driver support all of Realtek HD Audio Codec in Vista/Wi nXP/Wi n2000/Wi n2003 .

1. Vista WHQL Supporting: ALC882, ALC883, ALC885, ALC888, ALC861VD, ALC660, ALC662, ALC260, ALC262, ALC268
2. Windows 2000/XP WHQL Supporting: ALC880, ALC882, ALC883, ALC885, ALC888, ALC861VC, ALC861VD, ALC660, ALC662, ALC260, ALC262, ALC267, ALC268
3. HDM Device WHQL Support: ATI HDM Devices
4. OS Supporting: Microsoft WindowsXP, Wi dnows2000, Vista x86/x64
5. Pack with Microsoft High Definition Audio UAAV1.0a(5013)
6. Add/Fix
 - 1.) Customization.

For New architecture:
 1.) Customization .

CPL :
 1.) Customization.

Windows 2000/XP : -----

WDM driver for Wi n2000/Wi nXP : 5.10.0.5433
 WDM driver for Wi nX64 : 5.10.0.5433
 Realtek Soundman : 1.0.0.30
 Realtek Sound Effect Manager(ALSndMgr.cpl) : 1.0.0.10
 Realtek Sound Effect Manager(RTSndMgr.cpl) : 1.0.0.9
 Realtek Sound Effect Manager(RtlCpl) : 1.0.1.65
 Realtek Sound Effect Manager(RTHDCPL) : 2.1.3.6
 Alcwzrd.exe : 1.1.0.36
 SkyTel.exe : 2.0.1.17

Vista driver : -----

Vista driver for x86 : 6.0.1.5433
 RtHDVCpl.exe : 1.0.0.68
 RtkAPO.dll : 11.0.6000.38
 RtkPgExt.dll : 6.0.6000.27
 RTCOMDLL.dll : 2.0.0.74
 RtlCPAPI.dll : 1.0.1.6

Readme.txt

RTSndMgr.cpl : 1.0.0.5
 RtkCoInst.dll : 1.0.1.5
 SRSTSXT.dll : 3.2.0.0
 SRSWOW.dll : 1.1.2.0
 SRSHP360.dll : 1.0.1.0
 SRSTSHD.dll : 1.1.4.0
 RtkApoApi.dll : 1.0.0.2
 Vista driver for x64 : 6.0.1.5433
 RAVCpl64.exe : 1.0.0.68
 RtkAPO64.dll : 11.0.6000.38
 RtPgEx64.dll : 6.0.6000.27
 RTCOMDLL.dll : 2.0.0.74
 RtlCPAPI.dll : 1.0.1.6
 RTSnMg64.cpl : 1.0.0.5
 RtkCoInst.dll : 1.0.1.5
 SRSTSX64.dll : 3.2.0.0
 SRSWOW64.dll : 1.1.2.0
 SRSHP64.dll : 1.0.1.0
 SRSTSH64.dll : 1.1.4.0
 RtkApi64.dll : 1.0.0.2

HDM Driver : -----

Vista x64:
 RtHDMVX.sys : 6.0.1.5413
 RtkHDM64.dll : 6.0.6000.37
 RHDMEx64.dll : 6.0.6000.25
 Vista x86:
 RtHDMV.sys : 6.0.1.5413
 RtkHDM.dll : 6.0.6000.37
 RHDMEExt.dll : 6.0.6000.25
 XP/2K x64:
 RtHDMX.sys : 5.10.0.5413
 XP/2K x86:
 RtHDM.sys : 5.10.0.5413

Driver Setup Program : 2.34

Windows 2000/XP Operate on :

Microsoft High Definition Audio Driver Package - KB888111
 Package file version (kb888111.exe) : 6.1.22.0
 Hdaudio.sys version : 5.10.00.5013

//=====

Driver Package R1.68

Realtek HD Audio Driver support all of Realtek HD Audio Codec in Vista/WinXP/Win2000/Win2003 .

1. Vista WHQL Supporting: ALC882, ALC883, ALC885, ALC888, ALC861VD, ALC660, ALC662, ALC260, ALC262, ALC268
2. Windows 2000/XP WHQL Supporting: ALC880, ALC882, ALC883, ALC885, ALC888, ALC861VC, ALC861VD, ALC660, ALC662, ALC260, ALC262, ALC267, ALC268
3. HDM Device WHQL Support: ATI HDM Devices
4. OS Supporting: Microsoft WindowsXP, Windows2000, Vista x86/x64
5. Pack with Microsoft High Definition Audio UAAV1.0a(5013)
6. Add/Fix
 - 1.) Customization.

For New architecture:

- 1.) Customization .

CPL :

- 1.) Customization.

Windows 2000/XP : -----

WDM driver for Win2000/WinXP : 5.10.0.5413
 WDM driver for Winx64 : 5.10.0.5413
 Realtek Soundman : 1.0.0.30
 Realtek Sound Effect Manager(ALSndMgr.cpl) : 1.0.0.10
 Realtek Sound Effect Manager(RTSndMgr.cpl) : 1.0.0.9
 Realtek Sound Effect Manager(RtlCpl) : 1.0.1.65
 Realtek Sound Effect Manager(RTHDCPL) : 2.1.3.2
 Alcwrdr.exe : 1.1.0.36
 SkyTel.exe : 2.0.1.12

Vista driver : -----

Vista driver for x86 : 6.0.1.5413
 RtHDVCpl.exe : 1.0.0.60
 RtkAPO.dll : 11.0.6000.37
 RtkPgExt.dll : 6.0.6000.25
 RTCOMDLL.dll : 2.0.0.73

Readme.txt

RtLCPAPI.dll : 1.0.1.6
 RTSndMgr.cpl : 1.0.0.5
 RtkCoInst.dll : 1.0.1.2
 SRSTSXT.dll : 3.2.0.0
 SRSWOW.dll : 1.1.2.0
 SRSHP360.dll : 1.0.1.0
 SRSTSHD.dll : 1.1.3.0
 RtkApoApi.dll : 1.0.0.2
 Vista driver for x64 : 6.0.1.5413
 RAVCpl64.exe : 1.0.0.60
 RtkAPO64.dll : 11.0.6000.37
 RtpgEx64.dll : 6.0.6000.25
 RTCOMDLL.dll : 2.0.0.73
 RtLCPAPI.dll : 1.0.1.6
 RTSnMg64.cpl : 1.0.0.5
 RtkCoInst.dll : 1.0.1.2
 SRSTSX64.dll : 3.2.0.0
 SRSWOW64.dll : 1.1.2.0
 SRSHP64.dll : 1.0.1.0
 SRSTSH64.dll : 1.1.3.0
 RtkApi64.dll : 1.0.0.2

HDM Driver : -----
 Vista x64:
 RtHDMVX.sys : 6.0.1.5413
 RtkHDM64.dll : 6.0.6000.37
 RHDMEx64.dll : 6.0.6000.25
 Vista x86:
 RtHDMV.sys : 6.0.1.5413
 RtkHDM.dll : 6.0.6000.37
 RHDMEExt.dll : 6.0.6000.25
 XP/2K x64:
 RtHDMX.sys : 5.10.0.5413
 XP/2K x86:
 RtHDM.sys : 5.10.0.5413
 Driver Setup Program : 2.33

Windows 2000/XP Operate on :
 Microsoft High Definition Audio Driver Package - KB888111
 Package file version (kb888111.exe) : 6.1.22.0
 Hdaudio.sys version : 5.10.00.5013

//=====

Driver Package R1.67

Realtek HD Audio Driver support all of Realtek HD Audio Codec in Vista/Wi nXP/Wi n2000/Wi n2003 .

1. Vista WHQL Supporting: ALC882, ALC883, ALC885, ALC888, ALC861VD, ALC660, ALC662, ALC260, ALC262, ALC268
2. Windows 2000/XP WHQL Supporting: ALC880, ALC882, ALC883, ALC885, ALC888, ALC861VC, ALC861VD, ALC660, ALC662, ALC260, ALC262, ALC267, ALC268
3. HDM Device WHQL Support: ATI HDM Devices
4. OS Supporting: Microsoft WindowsXP, Widnows2000, Vista x86/x64
5. Pack with Microsoft High Definition Audio UAAV1.0a(5013)
6. Add/Fix
 - 1.) Customization.

For New architecture:
 1.) Customization .

CPL :
 1.) Customization.

Windows 2000/XP : -----
 WDM driver for Wi n2000/Wi nXP : 5.10.0.5413
 WDM driver for Wi nx64 : 5.10.0.5413
 Realtek Soundman : 1.0.0.30
 Realtek Sound Effect Manager(ALSndMgr.cpl) : 1.0.0.10
 Realtek Sound Effect Manager(RTSndMgr.cpl) : 1.0.0.9
 Realtek Sound Effect Manager(RtLcpl) : 1.0.1.65
 Realtek Sound Effect Manager(RTHDCPL) : 2.1.3.2
 Alcwzrd.exe : 1.1.0.36
 SkyTel.exe : 2.0.1.12
 Vista driver : -----
 Vista driver for x86 : 6.0.1.5413
 RtHDVCpl.exe : 1.0.0.60
 RtkAPO.dll : 11.0.6000.37
 RtkPgExt.dll : 6.0.6000.25

Readme.txt

RTCOMDLL.dll : 2.0.0.73
 RtlCPAPI.dll : 1.0.1.6
 RTSndMgr.cpl : 1.0.0.5
 RtkCoInst.dll : 1.0.1.2
 SRSTSXT.dll : 3.2.0.0
 SRSWOW.dll : 1.1.2.0
 SRSHP360.dll : 1.0.1.0
 SRSTSHD.dll : 1.1.3.0
 RtkApoApi.dll : 1.0.0.2
 Vista driver for x64 : 6.0.1.5413
 RAVCpl64.exe : 1.0.0.60
 RtkAPO64.dll : 11.0.6000.37
 RtPgEx64.dll : 6.0.6000.25
 RTCOMDLL.dll : 2.0.0.73
 RtlCPAPI.dll : 1.0.1.6
 RTSnMg64.cpl : 1.0.0.5
 RtkCoInst.dll : 1.0.1.2
 SRSTSX64.dll : 3.2.0.0
 SRSWOW64.dll : 1.1.2.0
 SRSHP64.dll : 1.0.1.0
 SRSTSH64.dll : 1.1.3.0
 RtkApi64.dll : 1.0.0.2

HDMI Driver : -----

Vista x64:
 RtHDMVX.sys : 6.0.1.5368
 RtkHDM64.dll : 6.0.6000.26
 RHDMEx64.dll : 6.0.6000.20
 Vista x86:
 RtHDMV.sys : 6.0.1.5368
 RtkHDM.dll : 6.0.6000.26
 RHDMEExt.dll : 6.0.6000.20
 XP/2K x64:
 RtHDMX.sys : 5.10.0.5368
 XP/2K x86:
 RtHDM.sys : 5.10.0.5368

 Driver Setup Program : 2.32

Windows 2000/XP Operate on :
 Microsoft High Definition Audio Driver Package - KB888111
 Package file version (kb888111.exe) : 6.1.22.0
 Hdaudiobus.sys version : 5.10.00.5013

//=====

Driver Package R1.66

Realtek HD Audio Driver support all of Realtek HD Audio Codec in Vista/Wi nXP/Wi n2000/Wi n2003 .

1. Vista WHQL Supporting: ALC882, ALC883, ALC885, ALC888, ALC861VD, ALC660, ALC662, ALC260, ALC262, ALC268
2. Windows 2000/XP WHQL Supporting: ALC880, ALC882, ALC883, ALC885, ALC888, ALC861VC, ALC861VD, ALC660, ALC662, ALC260, ALC262, ALC267, ALC268
3. HDMI Device WHQL Support: ATI HDMI Devices
4. OS Supporting: Microsoft WindowsXP, Wi dnows2000, Vista x86/x64
5. Pack with Microsoft High Definition Audio UAAV1.0a(5013)
6. Add/Fix
 - 1.) Customization.

For New architecture:

- 1.) Customization .

CPL :

- 1.) Customization.

Windows 2000/XP : -----

WDM driver for Wi n2000/Wi nXP : 5.10.0.5404
 WDM driver for Wi nx64 : 5.10.0.5404
 Realtek Soundman : 1.0.0.30
 Realtek Sound Effect Manager(ALSndMgr.cpl) : 1.0.0.10
 Realtek Sound Effect Manager(RTSndMgr.cpl) : 1.0.0.9
 Realtek Sound Effect Manager(RtlCpl) : 1.0.1.65
 Realtek Sound Effect Manager(RTHDCPL) : 2.1.3.2
 Alcwzrd.exe : 1.1.0.36
 SkyTel.exe : 2.0.1.11

Vista driver : -----

Vista driver for x86 : 6.0.1.5404
 RtHDVCpl.exe : 1.0.0.54
 RtkAPO.dll : 11.0.6000.35

Readme.txt

RtkPgExt.dll : 6.0.6000.24
 RTCOMDLL.dll : 2.0.0.72
 RtlCPAPI.dll : 1.0.1.6
 RTSndMgr.cpl : 1.0.0.5
 RtkCoInst.dll : 1.0.1.1
 SRSTSXT.dll : 3.2.0.0
 SRSWOW.dll : 1.1.2.0
 SRSH360.dll : 1.0.0.0
 SRSTSHD.dll : 1.1.2.0
 Vista driver for x64 : 6.0.1.5404
 RAVCpl64.exe : 1.0.0.54
 RtkAPO64.dll : 11.0.6000.35
 RtkPgEx64.dll : 6.0.6000.24
 RTCOMDLL.dll : 2.0.0.72
 RtlCPAPI.dll : 1.0.1.6
 RTSnMg64.cpl : 1.0.0.5
 RtkCoInst.dll : 1.0.1.1
 SRSTSX64.dll : 3.2.0.0
 SRSWOW64.dll : 1.1.2.0
 SRSH64.dll : 1.0.0.0
 SRSTSH64.dll : 1.1.2.0

HDM Driver : -----

Vista x64:
 RtHDMVX.sys : 6.0.1.5368
 RtkHDM64.dll : 6.0.6000.26
 RHDME64.dll : 6.0.6000.20
 Vista x86:
 RtHDMV.sys : 6.0.1.5368
 RtkHDM.dll : 6.0.6000.26
 RHDMEExt.dll : 6.0.6000.20
 XP/2K x64:
 RtHDMX.sys : 5.10.0.5368
 XP/2K x86:
 RtHDM.sys : 5.10.0.5368

Driver Setup Program : 2.32

Windows 2000/XP Operate on :
 Microsoft High Definition Audio Driver Package - KB888111
 Package file version (kb888111.exe) : 6.1.22.0
 Hdaudio.sys version : 5.10.00.5013

//=====

Driver Package R1.65

Realtek HD Audio Driver support all of Realtek HD Audio Codec in Vista/Wi nXP/Wi n2000/Wi n2003 .

1. Vista WHQL Supporting: ALC882, ALC883, ALC885, ALC888, ALC861VD, ALC660, ALC662, ALC260, ALC262, ALC268
2. Windows 2000/XP WHQL Supporting: ALC880, ALC882, ALC883, ALC885, ALC888, ALC861VC, ALC861VD, ALC660, ALC662, ALC260, ALC262, ALC267, ALC268
3. HDM Device WHQL Support: ATI HDM Devices
4. OS Supporting: Microsoft WindowsXP, Widnows2000, Vista x86/x64
5. Pack with Microsoft High Definition Audio UAAV1.0a(5013)
6. Add/Fix
 - 1.) Customization.

For New architecture:

- 1.) Customization .

CPL :

- 1.) Customization.

Windows 2000/XP : -----

WDM driver for Wi n2000/Wi nXP : 5.10.0.5397
 WDM driver for Wi nx64 : 5.10.0.5397
 Realtek Soundman : 1.0.0.30
 Realtek Sound Effect Manager(ALSndMgr.cpl) : 1.0.0.10
 Realtek Sound Effect Manager(RTSndMgr.cpl) : 1.0.0.9
 Realtek Sound Effect Manager(RtlCpl) : 1.0.1.65
 Realtek Sound Effect Manager(RTHDCPL) : 2.1.3.0
 Alcwzrd.exe : 1.1.0.36
 SkyTel.exe : 2.0.1.9

Vista driver : -----

Vista driver for x86 : 6.0.1.5397
 RtHDVCpl.exe : 1.0.0.50
 RtkAPO.dll : 11.0.6000.32
 RtkPgExt.dll : 6.0.6000.22

Readme.txt

RTCOMDLL.dll : 2.0.0.70
 RtlCPAPI.dll : 1.0.1.6
 RTSndMgr.cpl : 1.0.0.5
 RtkCoInst.dll : 1.0.1.1
 SRSTSXT.dll : 3.2.0.0
 SRSWOW.dll : 1.0.6.0
 Vista driver for x64 : 6.0.1.5397
 RAVCpl64.exe : 1.0.0.50
 RtkAPO64.dll : 11.0.6000.32
 RtkPgEx64.dll : 6.0.6000.22
 RTCOMDLL.dll : 2.0.0.70
 RtlCPAPI.dll : 1.0.1.6
 RTSndMgr64.cpl : 1.0.0.5
 RtkCoInst.dll : 1.0.1.1
 SRSTSX64.dll : 3.2.0.0
 SRSWOW64.dll : 1.0.6.0

HDMI Driver : -----

Vista x64:
 RtHDMVX.sys : 6.0.1.5368
 RtkHDM64.dll : 6.0.6000.26
 RHDME64.dll : 6.0.6000.20
 Vista x86:
 RtHDMV.sys : 6.0.1.5368
 RtkHDM.dll : 6.0.6000.26
 RHDMEExt.dll : 6.0.6000.20
 XP/2K x64:
 RtHDMX.sys : 5.10.0.5368
 XP/2K x86:
 RtHDM.sys : 5.10.0.5368

Driver Setup Program : 2.31

Windows 2000/XP Operate on :

Microsoft High Definition Audio Driver Package - KB888111
 Package file version (kb888111.exe) : 6.1.22.0
 Hdaudio.sys version : 5.10.00.5013

//=====

Driver Package R1.64

Realtek HD Audio Driver support all of Realtek HD Audio Codec in Vista/WinXP/Win2000/Win2003 .

1. Vista WHQL Supporting: ALC882, ALC883, ALC885, ALC888, ALC861VD, ALC660, ALC662, ALC260, ALC262, ALC268
2. Windows 2000/XP WHQL Supporting: ALC880, ALC882, ALC883, ALC885, ALC888, ALC861VC, ALC861VD, ALC660, ALC662, ALC260, ALC262, ALC267, ALC268
3. HDMI Device WHQL Support: ATI HDMI Devices
4. OS Supporting: Microsoft WindowsXP, Windows2000, Vista x86/x64
5. Pack with Microsoft High Definition Audio UAAV1.0a(5013)
6. Add/Fix

1.) Customization.

For New architecture:

1.) Customization .

CPL :

1.) Customization.

Windows 2000/XP : -----

WDM driver for Win2000/WinXP : 5.10.0.5391
 WDM driver for Winx64 : 5.10.0.5391
 Realtek Soundman : 1.0.0.30
 Realtek Sound Effect Manager(ALSndMgr.cpl) : 1.0.0.10
 Realtek Sound Effect Manager(RTSndMgr.cpl) : 1.0.0.9
 Realtek Sound Effect Manager(RtlCpl) : 1.0.1.65
 Realtek Sound Effect Manager(RTHDCPL) : 2.1.2.9
 Alcwzrd.exe : 1.1.0.36
 SkyTel.exe : 2.0.1.7

Vista driver : -----

Vista driver for x86 : 6.0.1.5391
 RtHDVCpl.exe : 1.0.0.46
 RtkAPO.dll : 11.0.6000.31
 RtkPgExt.dll : 6.0.6000.22
 RTCOMDLL.dll : 2.0.0.69
 RtlCPAPI.dll : 1.0.1.6
 RTSndMgr.cpl : 1.0.0.5
 RtkCoInst.dll : 1.0.0.12
 SRSTSXT.dll : 3.2.0.0

Readme.txt

```

SRSWOW.dll : 1.0.6.0
Vista driver for x64 : 6.0.1.5391
RAVCpl64.exe : 1.0.0.46
RtkAPO64.dll : 11.0.6000.31
RtPgEx64.dll : 6.0.6000.22
RTCOMDLL.dll : 2.0.0.69
RtlCPAPI.dll : 1.0.1.6
RTSnMgr64.cpl : 1.0.0.5
RtkColnst.dll : 1.0.0.12
SRSTSX64.dll : 3.2.0.0
SRSWOW64.dll : 1.0.6.0
HDMI Driver : -----
Vista x64:
RtHDMVX.sys : 6.0.1.5368
RtkHDM64.dll : 6.0.6000.26
RHDMEx64.dll : 6.0.6000.20
Vista x86:
RtHDMV.sys : 6.0.1.5368
RtkHDM.dll : 6.0.6000.26
RHDMExt.dll : 6.0.6000.20
XP/2K x64:
RtHDMX.sys : 5.10.0.5368
XP/2K x86:
RtHDM.sys : 5.10.0.5368

Driver Setup Program : 2.30

Windows 2000/XP Operate on :
Microsoft High Definition Audio Driver Package - KB888111
Package file version (kb888111.exe) : 6.1.22.0
Hdaudio.sys version : 5.10.00.5013
//=====
Driver Package R1.63
Realtek HD Audio Driver support all of Realtek HD Audio Codec in Vista/WinXP/Win2000/Win2003 .
1. Vista WHQL Supporting: ALC882, ALC883, ALC885, ALC888, ALC861VD, ALC660, ALC662, ALC260, ALC262,
ALC268
2. Windows 2000/XP WHQL Supporting: ALC880, ALC882, ALC883, ALC885, ALC888, ALC861VC, ALC861VD,
ALC660, ALC662, ALC260, ALC262, ALC267, ALC268
3. HDMI Device WHQL Support: ATI HDMI Devices
4. OS Supporting: Microsoft WindowsXP, Win2000, Vista x86/x64
5. Pack with Microsoft High Definition Audio UAAV1.0a(5013)
6. Add/Fix
    1.) Customization.

For New architecture:
    1.) Customization .

CPL :
    1.) Customization.

Windows 2000/XP : -----
WDM driver for Win2000/WinXP : 5.10.0.5377
WDM driver for Winx64 : 5.10.0.5377
Realtek Soundman : 1.0.0.30
Realtek Sound Effect Manager(ALSndMgr.cpl) : 1.0.0.10
Realtek Sound Effect Manager(RTSndMgr.cpl) : 1.0.0.9
Realtek Sound Effect Manager(RtlCpl) : 1.0.1.64
Realtek Sound Effect Manager(RTHDCPL) : 2.1.2.4
Alcwzrd.exe : 1.1.0.36
SkyTel.exe : 1.0.0.0
Vista driver : -----
Vista driver for x86 : 6.0.1.5386
RtHDVCpl.exe : 1.0.0.43
RtkAPO.dll : 11.0.6000.29
RtkPgExt.dll : 6.0.6000.22
RTCOMDLL.dll : 2.0.0.69
RtlCPAPI.dll : 1.0.1.6
RTSnMgr.cpl : 1.0.0.4
RtkColnst.dll : 1.0.0.9
SRSTSXT.dll : 3.2.0.0
SRSWOW.dll : 1.0.6.0
Vista driver for x64 : 6.0.1.5386
RAVCpl64.exe : 1.0.0.43
RtkAPO64.dll : 11.0.6000.29
RtPgEx64.dll : 6.0.6000.22

```

Readme.txt

```

RTCOMDLL.dll : 2.0.0.69
RtlCPAPI.dll : 1.0.1.6
RTSnMg64.cpl : 1.0.0.4
RtkCoInst.dll : 1.0.0.9
SRSTSX64.dll : 3.2.0.0
SRSWOW64.dll : 1.0.6.0
HDMI Driver : -----
Vista x64:
RtHDMVX.sys : 6.0.1.5368
RtkHDM64.dll : 6.0.6000.26
RHDMEx64.dll : 6.0.6000.20
Vista x86:
RtHDMV.sys : 6.0.1.5368
RtkHDM.dll : 6.0.6000.26
RHDMExt.dll : 6.0.6000.20
XP/2K x64:
RtHDMX.sys : 5.10.0.5368
XP/2K x86:
RtHDM.sys : 5.10.0.5368

Driver Setup Program : 2.30

Windows 2000/XP Operate on :
Microsoft High Definition Audio Driver Package - KB888111
Package file version (kb888111.exe) : 6.1.22.0
Hdaudio.sys version : 5.10.00.5013
//=====
Driver Package R1.62
Realtek HD Audio Driver support all of Realtek HD Audio Codec in Vista/WinXP/Win2000/Win2003 .
1. Vista WHQL Supporting: ALC882, ALC883, ALC885, ALC888, ALC861VD, ALC660, ALC662, ALC260, ALC262,
ALC268
2. Windows 2000/XP WHQL Supporting: ALC880, ALC882, ALC883, ALC885, ALC888, ALC861VC, ALC861VD,
ALC660, ALC662, ALC260, ALC262, ALC267, ALC268
3. HDMI Device WHQL Support: ATI HDMI Devices
4. OS Supporting: Microsoft WindowsXP, Windows2000, Vista x86/x64
5. Pack with Microsoft High Definition Audio UAAV1.0a(5013)
6. Add/Fix
1.) Customization.

For New architecture:
1.) Customization .

CPL :
1.) Customization.

Windows 2000/XP : -----
WDM driver for Win2000/WinXP : 5.10.0.5377
WDM driver for Winx64 : 5.10.0.5377
Realtek Soundman : 1.0.0.30
Realtek Sound Effect Manager(ALSndMgr.cpl) : 1.0.0.10
Realtek Sound Effect Manager(RTSndMgr.cpl) : 1.0.0.9
Realtek Sound Effect Manager(RtlCpl) : 1.0.1.64
Realtek Sound Effect Manager(RTHDCPL) : 2.1.2.4
Alcwzrd.exe : 1.1.0.36
SkyTel.exe : 1.0.0.0
Vista driver : -----
Vista driver for x86 : 6.0.1.5384
RtHDVCpl.exe : 1.0.0.41
RtkAPO.dll : 11.0.6000.28
RtkPgExt.dll : 6.0.6000.21
RTCOMDLL.dll : 2.0.0.69
RtlCPAPI.dll : 1.0.1.6
RTSndMgr.cpl : 1.0.0.4
RtkCoInst.dll : 1.0.0.9
SRSTSXT.dll : 3.2.0.0
SRSWOW.dll : 1.0.6.0
Vista driver for x64 : 6.0.1.5384
RAVCpl64.exe : 1.0.0.41
RtkAPO64.dll : 11.0.6000.28
RtPgEx64.dll : 6.0.6000.21
RTCOMDLL.dll : 2.0.0.69
RtlCPAPI.dll : 1.0.1.6
RTSnMg64.cpl : 1.0.0.4
RtkCoInst.dll : 1.0.0.9
SRSTSX64.dll : 3.2.0.0

```

Readme.txt

SRSWOW64.dll : 1.0.6.0
HDMI Driver : -----
Vista x64:
RtHDM.VX.sys : 6.0.1.5368
RtkHDM64.dll : 6.0.6000.26
RHDMEx64.dll : 6.0.6000.20
Vista x86:
RtHDM.V.sys : 6.0.1.5368
RtkHDM.dll : 6.0.6000.26
RHDMExt.dll : 6.0.6000.20
XP/2K x64:
RtHDM.X.sys : 5.10.0.5368
XP/2K x86:
RtHDM.sys : 5.10.0.5368
Driver Setup Program : 2.30

Windows 2000/XP Operate on :
Microsoft High Definition Audio Driver Package - KB888111
Package file version (kb888111.exe) : 6.1.22.0
Hdaudio.sys version : 5.10.00.5013

//=====

Driver Package R1.61

Realtek HD Audio Driver support all of Realtek HD Audio Codec in Vista/Wi nXP/Wi n2000/Wi n2003 .

1. Vista WHQL Supporting: ALC882, ALC883, ALC885, ALC888, ALC861VD, ALC660, ALC662, ALC260, ALC262, ALC268
2. Windows 2000/XP WHQL Supporting: ALC880, ALC882, ALC883, ALC885, ALC888, ALC861VC, ALC861VD, ALC660, ALC662, ALC260, ALC262, ALC267, ALC268
3. HDMI Device WHQL Support: ATI HDMI Devices
4. OS Supporting: Microsoft WindowsXP, Wi dnows2000, Vista x86/x64
5. Pack with Microsoft High Definition Audio UAAV1.0a(5013)
6. Add/Fix
 - 1.) Customization.

For New architecture:
1.) Customization .

CPL :
1.) Customization.

Windows 2000/XP : -----
WDM driver for Wi n2000/Wi nXP : 5.10.0.5377
WDM driver for Wi nx64 : 5.10.0.5377
Realtek Soundman : 1.0.0.30
Realtek Sound Effect Manager(ALSndMgr.cpl) : 1.0.0.10
Realtek Sound Effect Manager(RTSndMgr.cpl) : 1.0.0.9
Realtek Sound Effect Manager(RtlCpl) : 1.0.1.64
Realtek Sound Effect Manager(RTHDCPL) : 2.1.2.4
Alcwzrd.exe : 1.1.0.36
SkyTel.exe : 1.0.0.0

Vista driver : -----
Vista driver for x86 : 6.0.1.5377
RtHDVCpl.exe : 1.0.0.38
RtkAPO.dll : 11.0.6000.26
RtkPgExt.dll : 6.0.6000.20
RTCOMDLL.dll : 2.0.0.68
RtlCPAPI.dll : 1.0.1.5
RTSndMgr.cpl : 1.0.0.4
RtkCoInst.dll : 1.0.0.7
SRSTSXT.dll : 3.2.0.0
SRSWOW.dll : 1.0.6.0
Vista driver for x64 : 6.0.1.5377
RAVCpl64.exe : 1.0.0.38
RtkAPO64.dll : 11.0.6000.26
RtPgEx64.dll : 6.0.6000.20
RTCOMDLL.dll : 2.0.0.68
RtlCPAPI.dll : 1.0.1.5
RTSnMg64.cpl : 1.0.0.4
RtkCoInst.dll : 1.0.0.7
SRSTSX64.dll : 3.2.0.0
SRSWOW64.dll : 1.0.6.0

HDMI Driver : -----
Vista x64:
RtHDM.VX.sys : 6.0.1.5356
RtkHDM64.dll : 6.0.6000.20


```

Readme.txt
RHDMEx64.dll : 6.0.6000.17
Vista x86:
RtHDMV.sys : 6.0.1.5356
RtkHDM.dll : 6.0.6000.20
RHDMEExt.dll : 6.0.6000.17
XP/2K x64:
RtHDMX.sys : 5.10.0.5356
XP/2K x86:
RtHDM.sys : 5.10.0.5356

Driver Setup Program : 2.30

Windows 2000/XP Operate on :
Microsoft High Definition Audio Driver Package - KB888111
Package file version (kb888111.exe) : 6.1.22.0
Hdaudio.sys version : 5.10.00.5013
//=====
Driver Package R1.60
Realtek HD Audio Driver support all of Realtek HD Audio Codec in Vista/WinXP/Win2000/Win2003 .
1. Vista WHQL Supporting: ALC882, ALC883, ALC885, ALC888, ALC861VD, ALC660, ALC662, ALC260, ALC262,
ALC268
2. Windows 2000/XP WHQL Supporting: ALC880, ALC882, ALC883, ALC885, ALC888, ALC861VC, ALC861VD,
ALC660, ALC662, ALC260, ALC262, ALC267, ALC268
3. HDM Device WHQL Support: ATI HDM Devices
4. OS Supporting: Microsoft WindowsXP, Windows2000, Vista x86/x64
5. Pack with Microsoft High Definition Audio UAAV1.0a(5013)
6. Add/Fix
1.) Customization.

For New architecture:
1.) Customization .

CPL :
1.) Customization.

Windows 2000/XP : -----
WDM driver for Win2000/WinXP : 5.10.0.5366
WDM driver for Winx64 : 5.10.0.5366
Realtek Soundman : 1.0.0.30
Realtek Sound Effect Manager(ALSndMgr.cpl) : 1.0.0.10
Realtek Sound Effect Manager(RTSndMgr.cpl) : 1.0.0.9
Realtek Sound Effect Manager(RtlCpl) : 1.0.1.64
Realtek Sound Effect Manager(RTHDCPL) : 2.1.2.0
Alcwzrd.exe : 1.1.0.36
SkyTel.exe : 1.0.0.0
Vista driver : -----
Vista driver for x86 : 6.0.1.5374
RtHdVCpl.exe : 1.0.0.36
RtkAPO.dll : 11.0.6000.25
RtkPgExt.dll : 6.0.6000.20
RTCOMDLL.dll : 2.0.0.66
RtlCPAPI.dll : 1.0.1.5
RTSndMgr.cpl : 1.0.0.4
RtkCoInst.dll : 1.0.0.7
SRSTSXT.dll : 3.2.0.0
SRSWOW.dll : 1.0.6.0
Vista driver for x64 : 6.0.1.5374
RAVCpl64.exe : 1.0.0.36
RtkAPO64.dll : 11.0.6000.25
RtPgEx64.dll : 6.0.6000.20
RTCOMDLL.dll : 2.0.0.65
RtlCPAPI.dll : 1.0.1.5
RTSnMg64.cpl : 1.0.0.4
RtkCoInst.dll : 1.0.0.7
SRSTSX64.dll : 3.2.0.0
SRSWOW64.dll : 1.0.6.0
HDM Driver : -----
Vista x64:
RtHDMVX.sys : 6.0.1.5356
RtkHDM64.dll : 6.0.6000.20
RHDMEx64.dll : 6.0.6000.17
Vista x86:
RtHDMV.sys : 6.0.1.5356
RtkHDM.dll : 6.0.6000.20
RHDMEExt.dll : 6.0.6000.17

```

Readme.txt

XP/2K x64:
 RtHDMX.sys : 5.10.0.5356
 XP/2K x86:
 RtHDM.sys : 5.10.0.5356

Driver Setup Program : 2.28

Windows 2000/XP Operate on :
 Microsoft High Definition Audio Driver Package - KB888111
 Package file version (kb888111.exe) : 6.1.22.0
 Hdaudio.sys version : 5.10.00.5013

//=====

Driver Package R1.59

Realtek HD Audio Driver support all of Realtek HD Audio Codec in Vista/WinXP/Win2000/Win2003 .

1. Vista WHQL Supporting: ALC882, ALC883, ALC885, ALC888, ALC861VD, ALC660, ALC662, ALC260, ALC262, ALC268
2. Windows 2000/XP WHQL Supporting: ALC880, ALC882, ALC883, ALC885, ALC888, ALC861VC, ALC861VD, ALC660, ALC662, ALC260, ALC262, ALC267, ALC268
3. HDMI Device WHQL Support: ATI HDMI Devices
4. OS Supporting: Microsoft WindowsXP, Windows2000, Vista x86/x64
5. Pack with Microsoft High Definition Audio UAAV1.0a(5013)
6. Add/Fix
 - 1.) Customization.

For New architecture:
 1.) Customization .

CPL :
 1.) Customization.

Windows 2000/XP : -----

WDM driver for Win2000/WinXP : 5.10.0.5366
 WDM driver for Winx64 : 5.10.0.5366
 Realtek Soundman : 1.0.0.30
 Realtek Sound Effect Manager(ALSndMgr.cpl) : 1.0.0.10
 Realtek Sound Effect Manager(RTSndMgr.cpl) : 1.0.0.9
 Realtek Sound Effect Manager(RtlCpl) : 1.0.1.64
 Realtek Sound Effect Manager(RTHDCPL) : 2.1.2.0
 Alcwrdr.exe : 1.1.0.36
 SkyTel.exe : 1.0.0.0

Vista driver : -----

Vista driver for x86 : 6.0.1.5372
 RtHDVCpl.exe : 1.0.0.33
 RtkAPO.dll : 11.0.6000.25
 RtkPgExt.dll : 6.0.6000.20
 RTCOMDLL.dll : 2.0.0.66
 RtlCPAPI.dll : 1.0.1.5
 RTSndMgr.cpl : 1.0.0.4
 RtkCoInst.dll : 1.0.0.7
 SRSTSXT.dll : 3.2.0.0
 SRSWOW.dll : 1.0.6.0
 Vista driver for x64 : 6.0.1.5372
 RAVCpl64.exe : 1.0.0.33
 RtkAPO64.dll : 11.0.6000.25
 RtkPgEx64.dll : 6.0.6000.20
 RTCOMDLL.dll : 2.0.0.65
 RtlCPAPI.dll : 1.0.1.5
 RTSnMg64.cpl : 1.0.0.4
 RtkCoInst.dll : 1.0.0.7
 SRSTSX64.dll : 3.2.0.0
 SRSWOW64.dll : 1.0.6.0

HDMI Driver : -----

Vista x64:
 RtHDMVX.sys : 6.0.1.5356
 RtkHDM64.dll : 6.0.6000.20
 RHDMEx64.dll : 6.0.6000.17
 Vista x86:
 RtHDMV.sys : 6.0.1.5356
 RtkHDM.dll : 6.0.6000.20
 RHDMExt.dll : 6.0.6000.17
 XP/2K x64:
 RtHDMX.sys : 5.10.0.5356
 XP/2K x86:
 RtHDM.sys : 5.10.0.5356

Readme.txt

Driver Setup Program : 2.28

Windows 2000/XP Operate on :

Microsoft High Definition Audio Driver Package - KB888111

Package file version (kb888111.exe) : 6.1.22.0

Hdaudio.sys version : 5.10.00.5013

//=====

Driver Package R1.58

Realtek HD Audio Driver support all of Realtek HD Audio Codec in Vista/WinXP/Win2000/Win2003 .

1. Vista WHQL Supporting: ALC882, ALC883, ALC885, ALC888, ALC861VD, ALC660, ALC662, ALC260, ALC262, ALC268

2. Windows 2000/XP WHQL Supporting: ALC880, ALC882, ALC883, ALC885, ALC888, ALC861VC, ALC861VD, ALC660, ALC662, ALC260, ALC262, ALC267, ALC268

3. HDM Device WHQL Support: ATI HDM Devices

4. OS Supporting: Microsoft WindowsXP, Win2000, Vista x86/x64

5. Pack with Microsoft High Definition Audio UAAV1.0a(5013)

6. Add/Fix

1.) Customization.

For New architecture:

1.) Customization .

CPL :

1.) Customization.

Windows 2000/XP : -----

WDM driver for Win2000/WinXP : 5.10.0.5366

WDM driver for Winx64 : 5.10.0.5366

Realtek Soundman : 1.0.0.30

Realtek Sound Effect Manager(ALSndMgr.cpl) : 1.0.0.10

Realtek Sound Effect Manager(RTSndMgr.cpl) : 1.0.0.9

Realtek Sound Effect Manager(RtlCpl) : 1.0.1.64

Realtek Sound Effect Manager(RTHDCPL) : 2.1.2.0

Alcwzrd.exe : 1.1.0.36

SkyTel.exe : 1.0.0.0

Vista driver : -----

Vista driver for x86 : 6.0.1.5371

RtHdVcpl.exe : 1.0.0.32

RtkAPO.dll : 11.0.6000.25

RtkPgExt.dll : 6.0.6000.20

RTCOMDLL.dll : 2.0.0.66

RtlCPAPI.dll : 1.0.1.5

RTSndMgr.cpl : 1.0.0.4

RtkCoInst.dll : 1.0.0.7

SRSTSXT.dll : 3.2.0.0

SRSWOW.dll : 1.0.6.0

Vista driver for x64 : 6.0.1.5371

RAVCpl64.exe : 1.0.0.32

RtkAPO64.dll : 11.0.6000.25

RtPgEx64.dll : 6.0.6000.20

RTCOMDLL.dll : 2.0.0.65

RtlCPAPI.dll : 1.0.1.5

RTSnMg64.cpl : 1.0.0.4

RtkCoInst.dll : 1.0.0.7

SRSTSX64.dll : 3.2.0.0

SRSWOW64.dll : 1.0.6.0

HDM Driver : -----

Vista x64:

RtHDMVX.sys : 6.0.1.5356

RtkHDM64.dll : 6.0.6000.20

RHDMeX64.dll : 6.0.6000.17

Vista x86:

RtHDMV.sys : 6.0.1.5356

RtkHDM.dll : 6.0.6000.20

RHDMExt.dll : 6.0.6000.17

XP/2K x64:

RtHDMX.sys : 5.10.0.5356

XP/2K x86:

RtHDM.sys : 5.10.0.5356

Driver Setup Program : 2.28

Windows 2000/XP Operate on :

Microsoft High Definition Audio Driver Package - KB888111

Package file version (kb888111.exe) : 6.1.22.0

Readme.txt

Hdaudio.sys version : 5.10.00.5013

//=====

Driver Package R1.57

Realtek HD Audio Driver support all of Realtek HD Audio Codec in Vista/WinXP/Win2000/Win2003 .

1. Vista WHQL Supporting: ALC882, ALC883, ALC885, ALC888, ALC861VD, ALC660, ALC662, ALC260, ALC262, ALC268
2. Windows 2000/XP WHQL Supporting: ALC880, ALC882, ALC883, ALC885, ALC888, ALC861VC, ALC861VD, ALC660, ALC662, ALC260, ALC262, ALC267, ALC268
3. HDMI Device WHQL Support: ATI HDMI Devices
4. OS Supporting: Microsoft WindowsXP, Windows2000, Vista x86/x64
5. Pack with Microsoft High Definition Audio UAAV1.0a(5013)
6. Add/Fix
 - 1.) Customization.

For New architecture:

- 1.) Customization .

CPL :

- 1.) Customization.

Windows 2000/XP : -----

WDM driver for Win2000/WinXP	: 5.10.0.5366
WDM driver for Winx64	: 5.10.0.5366
Realtek Soundman	: 1.0.0.30
Realtek Sound Effect Manager(ALSndMgr.cpl)	: 1.0.0.10
Realtek Sound Effect Manager(RTSndMgr.cpl)	: 1.0.0.9
Realtek Sound Effect Manager(RtlCpl)	: 1.0.1.64
Realtek Sound Effect Manager(RTHDCPL)	: 2.1.2.0
Alcwzrd.exe	: 1.1.0.36
SkyTel.exe	: 1.0.0.0

Vista driver : -----

Vista driver for x86	: 6.0.1.5361
RtHDVCpl.exe	: 1.0.0.27
RtkAPO.dll	: 11.0.6000.20
RtkPgExt.dll	: 6.0.6000.17
RTCOMDLL.dll	: 2.0.0.65
RtlCPAPI.dll	: 1.0.1.5
RTSndMgr.cpl	: 1.0.0.1
RtkCoInst.dll	: 1.0.0.6
SRSTSXT.dll	: 3.2.0.0
SRSWOW.dll	: 1.0.6.0
Vista driver for x64	: 6.0.1.5361
RAVCpl64.exe	: 1.0.0.27
RtkAPO64.dll	: 11.0.6000.20
RtkPgEx64.dll	: 6.0.6000.17
RTCOMDLL.dll	: 2.0.0.65
RtlCPAPI.dll	: 1.0.1.5
RTSnMg64.cpl	: 1.0.0.1
RtkCoInst.dll	: 1.0.0.6
SRSTSX64.dll	: 3.2.0.0
SRSWOW64.dll	: 1.0.6.0

HDMI Driver : -----

Vista x64:	
RtHDMVX.sys	: 6.0.1.5356
RtkHDM64.dll	: 6.0.6000.20
RHDMEx64.dll	: 6.0.6000.17
Vista x86:	
RtHDMV.sys	: 6.0.1.5356
RtkHDM.dll	: 6.0.6000.20
RHDMExt.dll	: 6.0.6000.17
XP/2K x64:	
RtHDMX.sys	: 5.10.0.5356
XP/2K x86:	
RtHDM.sys	: 5.10.0.5356

Driver Setup Program : 2.27

Windows 2000/XP Operate on :

Microsoft High Definition Audio Driver Package - KB888111

Package file version (kb888111.exe) : 6.1.22.0

Hdaudio.sys version : 5.10.00.5013

//=====

Driver Package R1.56

Realtek HD Audio Driver support all of Realtek HD Audio Codec in Vista/WinXP/Win2000/Win2003 .

1. Vista WHQL Supporting: ALC882, ALC883, ALC885, ALC888, ALC861VD, ALC660, ALC662, ALC260, ALC262,

Readme.txt

ALC268

2. Windows 2000/XP WHQL Supporting: ALC880, ALC882, ALC883, ALC885, ALC888, ALC861VC, ALC861VD, ALC660, ALC662, ALC260, ALC262, ALC267, ALC268

3. OS Supporting: Microsoft WindowsXP, Windows2000, Vista x86/x64

4. Pack with Microsoft High Definition Audio UAAV1.0a(5013)

5. Add/Fix

1.) Customization.

For New architecture:

1.) Customization .

CPL :

1.) Customization.

Windows 2000/XP :

WDM driver for Win2000/WinXP : 5.10.0.5345

WDM driver for Winx64 : 5.10.0.5345

Realtek Soundman : 1.0.0.30

Realtek Sound Effect Manager(ALSndMgr.cpl) : 1.0.0.10

Realtek Sound Effect Manager(RTSndMgr.cpl) : 1.0.0.9

Realtek Sound Effect Manager(RtlCpl) : 1.0.1.64

Realtek Sound Effect Manager(RTHDCPL) : 2.1.1.4

Alcwzrd.exe : 1.1.0.36

SkyTel.exe : 1.0.0.0

Vista driver :

Vista driver for x86 : 6.0.1.5361

RtHDVCpl.exe : 1.0.0.27

RtkAPO.dll : 11.0.6000.20

RtkPgExt.dll : 6.0.6000.17

RTCOMDLL.dll : 2.0.0.65

RtlCPAPI.dll : 1.0.1.5

RTSndMgr.cpl : 1.0.0.1

RtkCoInst.dll : 1.0.0.6

SRSTSXT.dll : 3.2.0.0

SRSWOW.dll : 1.0.6.0

Vista driver for x64 : 6.0.1.5361

RAVCpl64.exe : 1.0.0.27

RtkAPO64.dll : 11.0.6000.20

RtPgEx64.dll : 6.0.6000.17

RTCOMDLL.dll : 2.0.0.65

RtlCPAPI.dll : 1.0.1.5

RTSnMg64.cpl : 1.0.0.1

RtkCoInst.dll : 1.0.0.6

SRSTSX64.dll : 3.2.0.0

SRSWOW64.dll : 1.0.6.0

Driver Setup Program : 2.27

Windows 2000/XP Operate on :

Microsoft High Definition Audio Driver Package - KB888111

Package file version (kb888111.exe) : 6.1.22.0

Hdaudio.sys version : 5.10.00.5013

//=====

Driver Package R1.55

1. Vista logo Codec Supporting: ALC882, ALC883, ALC885, ALC888, ALC861VD, ALC660, ALC662, ALC260, ALC262, ALC268

2. Windows 2000/XP logo Codec Supporting: ALC880, ALC882, ALC883, ALC885, ALC888, ALC861VC, ALC861VD, ALC660, ALC662, ALC260, ALC262, ALC267, ALC268

3. OS Supporting: Microsoft WindowsXP, Windows2000, Vista x86/x64

4. Pack with Microsoft High Definition Audio UAAV1.0a(5013)

5. Add/Fix

1.) Customization.

For New architecture:

1.) Customization .

CPL :

1.) Customization.

Windows 2000/XP :

WDM driver for Win2000/WinXP : 5.10.0.5345

WDM driver for Winx64 : 5.10.0.5345

Realtek Soundman : 1.0.0.30

Realtek Sound Effect Manager(ALSndMgr.cpl) : 1.0.0.10

Realtek Sound Effect Manager(RTSndMgr.cpl) : 1.0.0.9

Readme.txt

Realtek Sound Effect Manager(RtlCpl) : 1.0.1.64
 Realtek Sound Effect Manager(RTHDCPL) : 2.1.1.4
 Alcwzrd.exe : 1.1.0.36
 SkyTel.exe : 1.0.0.0
 Vista driver :
 Vista driver for x86 : 6.0.1.5350
 RtHDVCpl.exe : 1.0.0.21
 RtkAPO.dll : 11.0.6000.16
 RtkPgExt.dll : 6.0.6000.15
 RTCOMDLL.dll : 2.0.0.65
 RtlCPAPI.dll : 1.0.1.5
 RTSndMgr.cpl : 1.0.0.1
 RtkCoInst.dll : 1.0.0.3
 SRSTSXT.dll : 3.2.0.0
 SRSWOW.dll : 1.0.6.0
 Vista driver for x64 : 6.0.1.5350
 RAVCpl64.exe : 1.0.0.21
 RtkAPO64.dll : 11.0.6000.16
 RtkPgEx64.dll : 6.0.6000.15
 RTCOMDLL.dll : 2.0.0.65
 RtlCPAPI.dll : 1.0.1.5
 RTSnMg64.cpl : 1.0.0.1
 RtkCoInst.dll : 1.0.0.4
 SRSTX64.dll : 3.2.0.0
 SRSWOW64.dll : 1.0.6.0

Driver Setup Program : 2.24

Windows 2000/XP Operate on :

Microsoft High Definition Audio Driver Package - KB888111

Package file version (kb888111.exe) : 6.1.22.0

Hdaudio.sys version : 5.10.00.5013

//=====

Driver Package R1.54

1. Vista logo Codec Supporting: ALC882, ALC883, ALC885, ALC888, ALC861VD, ALC660, ALC662, ALC260, ALC262, ALC268
2. Windows 2000/XP logo Codec Supporting: ALC880, ALC882, ALC883, ALC885, ALC888, ALC861VC, ALC861VD, ALC660, ALC662, ALC260, ALC262, ALC267, ALC268
3. OS Supporting: Microsoft WindowsXP, Windows2000, Vista x86/x64
4. Pack with Microsoft High Definition Audio UAAV1.0a(5013)
5. Add/Fix
 - 1.) Customization.

For New architecture:

- 1.) Customization .

CPL :

- 1.) Customization.

Windows 2000/XP :

WDM driver for Win2000/WinXP : 5.10.0.5345
 WDM driver for Winx64 : 5.10.0.5345
 Realtek Soundman : 1.0.0.30
 Realtek Sound Effect Manager(ALSndMgr.cpl) : 1.0.0.10
 Realtek Sound Effect Manager(RTSndMgr.cpl) : 1.0.0.9
 Realtek Sound Effect Manager(RtlCpl) : 1.0.1.64
 Realtek Sound Effect Manager(RTHDCPL) : 2.1.1.4
 Alcwzrd.exe : 1.1.0.36
 SkyTel.exe : 1.0.0.0
 Vista driver :
 Vista driver for x86 : 6.0.1.5334
 RtHDVCpl.exe : 1.0.0.11
 RtkAPO.dll : 11.0.5600.13
 RtkPgExt.dll : 6.0.5600.12
 RTCOMDLL.dll : 1.0.0.63
 RtlCPAPI.dll : 1.0.1.5
 RTSndMgr.cpl : 1.0.0.1
 RtkCoInst.dll : 1.0.0.2
 Vista driver for x64 : 6.0.1.5334
 RAVCpl64.exe : 1.0.0.11
 RtkAPO64.dll : 11.0.5600.13
 RtkPgEx64.dll : 6.0.5600.12
 RTCOMDLL.dll : 1.0.0.63
 RtlCPAPI.dll : 1.0.1.5
 RTSnMg64.cpl : 1.0.0.1

```

Readme.txt
RtkCoInst.dll                : 1.0.0.2
Driver Setup Program          : 2.23

Windows 2000/XP Operate on :
Microsoft High Definition Audio Driver Package - KB888111
Package file version (kb888111.exe) : 6.1.22.0
Hdaudio.sys version : 5.10.00.5013
//=====
Driver Package R1.53
1. Vista logo Codec Supporting: ALC882, ALC883, ALC885, ALC888, ALC861VD, ALC660, ALC662, ALC260,
ALC262, ALC268
2. Windows 2000/XP logo Codec Supporting: ALC880, ALC882, ALC883, ALC885, ALC888, ALC861VC, ALC861VD,
ALC660, ALC662, ALC260, ALC262, ALC267, ALC268
3. OS Supporting: Microsoft WindowsXP, Windows2000, Vista x86/x64
4. Pack with Microsoft High Definition Audio UAAV1.0a(5013)
5. Add/Fix
   1.) Customization.

For New architecture:
1.) Customization .
2.) Fixed issue -> DTMTest \ Hal timer issue for V5331 Vista driver ( Potential risk ).

CPL :
1.) Customization.

Windows 2000/XP :
WDM driver for Win2000/WinXP          : 5.10.0.5324
WDM driver for Winx64                 : 5.10.0.5324
Realtek Soundman                      : 1.0.0.30
Realtek Sound Effect Manager(ALSndMgr.cpl) : 1.0.0.10
Realtek Sound Effect Manager(RTSndMgr.cpl) : 1.0.0.9
Realtek Sound Effect Manager(RtlCpl)    : 1.0.1.64
Realtek Sound Effect Manager(RTHDCPL)   : 2.1.1.1
Alcwzrd.exe                           : 1.1.0.36
SkyTel.exe                             : 1.0.0.0
Vista driver :
Vista driver for x86                  : 6.0.1.5334
RtHDVCpl.exe                          : 1.0.0.11
RtkAPO.dll                             : 11.0.5600.13
RtkPgExt.dll                           : 6.0.5600.12
RTCOMDLL.dll                           : 1.0.0.63
RtlCPAPI.dll                           : 1.0.1.5
RTSndMgr.cpl                            : 1.0.0.1
RtkCoInst.dll                           : 1.0.0.2
Vista driver for x64                  : 6.0.1.5334
RAVCpl64.exe                           : 1.0.0.11
RtkAPO64.dll                            : 11.0.5600.13
RtPgEx64.dll                            : 6.0.5600.12
RTCOMDLL.dll                            : 1.0.0.63
RtlCPAPI.dll                            : 1.0.1.5
RTSnMg64.cpl                            : 1.0.0.1
RtkCoInst.dll                           : 1.0.0.2

Driver Setup Program                    : 2.21

Windows 2000/XP Operate on :
Microsoft High Definition Audio Driver Package - KB888111
Package file version (kb888111.exe) : 6.1.22.0
Hdaudio.sys version : 5.10.00.5013
//=====
Driver Package R1.52
1. Vista logo Codec Supporting: ALC882, ALC883, ALC885, ALC888, ALC861VD, ALC660, ALC662, ALC260,
ALC262, ALC268
2. Windows 2000/XP logo Codec Supporting: ALC880, ALC882, ALC883, ALC885, ALC888, ALC861VC, ALC861VD,
ALC660, ALC662, ALC260, ALC262, ALC267, ALC268
3. OS Supporting: Microsoft WindowsXP, Windows2000, Vista x86/x64
4. Pack with Microsoft High Definition Audio UAAV1.0a(5013)
5. Add/Fix
   1.) Customization.

For New architecture:
1.) Customization .
2.) Known issue -> DTMTest \ Hal timer issue for V5331 Vista driver ( Potential risk ).

```

CPL :

1.) Customization.

Windows 2000/XP :

WDM driver for Win2000/WinXP	: 5.10.0.5324
WDM driver for Winx64	: 5.10.0.5324
Realtek Soundman	: 1.0.0.30
Realtek Sound Effect Manager(ALSndMgr.cpl)	: 1.0.0.10
Realtek Sound Effect Manager(RTSndMgr.cpl)	: 1.0.0.9
Realtek Sound Effect Manager(RtlCpl)	: 1.0.1.64
Realtek Sound Effect Manager(RTHDCPL)	: 2.1.1.1
Alcwzrd.exe	: 1.1.0.36
SkyTel.exe	: 1.0.0.0

Vista driver :

Vista driver for x86	: 6.0.1.5331
RtHDVCpl.exe	: 1.0.0.9
RtkAPO.dll	: 11.0.5600.13
RtkPgExt.dll	: 6.0.5600.12
RTCOMDLL.dll	: 1.0.0.63
RtlCPAPI.dll	: 1.0.0.7
RTSndMgr.cpl	: 1.0.0.1
RtkCoInst.dll	: 1.0.0.1

Vista driver for x64

RAVCpl64.exe	: 1.0.0.9
RtkAPO64.dll	: 11.0.5600.13
RtPgEx64.dll	: 6.0.5600.12
RTCOMDLL.dll	: 1.0.0.63
RtlCPAPI.dll	: 1.0.0.7
RTSnMg64.cpl	: 1.0.0.1
RtkCoInst.dll	: 1.0.0.1

Driver Setup Program : 2.20

Windows 2000/XP Operate on :

Microsoft High Definition Audio Driver Package - KB888111

Package file version (kb888111.exe) : 6.1.22.0

Hdaudio.sys version : 5.10.00.5013

//=====

Driver Package R1.51

1. Vista logo Codec Supporting: ALC882, ALC883, ALC885, ALC888, ALC861VD, ALC660, ALC662, ALC260, ALC262, ALC268
2. Windows 2000/XP logo Codec Supporting: ALC880, ALC882, ALC883, ALC885, ALC888, ALC861VC, ALC861VD, ALC660, ALC662, ALC260, ALC262, ALC267, ALC268
3. OS Supporting: Microsoft WindowsXP, Winnows2000, Vista x86/x64
4. Pack with Microsoft High Definition Audio UAAV1.0a(5013)
5. Add/Fix
 - 1.) Customization.

For New architecture:

1.) Customization .

CPL :

1.) Customization.

Windows 2000/XP :

WDM driver for Win2000/WinXP	: 5.10.0.5324
WDM driver for Winx64	: 5.10.0.5324
Realtek Soundman	: 1.0.0.30
Realtek Sound Effect Manager(ALSndMgr.cpl)	: 1.0.0.10
Realtek Sound Effect Manager(RTSndMgr.cpl)	: 1.0.0.9
Realtek Sound Effect Manager(RtlCpl)	: 1.0.1.64
Realtek Sound Effect Manager(RTHDCPL)	: 2.1.1.1
Alcwzrd.exe	: 1.1.0.36
SkyTel.exe	: 1.0.0.0

Vista driver :

Vista driver for x86	: 6.0.1.5322
RtHDVCpl.exe	: 1.0.0.7
RtkAPO.dll	: 11.0.5600.13
RtkPgExt.dll	: 6.0.5600.12
RTCOMDLL.dll	: 1.0.0.63
RtlCPAPI.dll	: 1.0.0.7
RTSndMgr.cpl	: 1.0.0.1

Vista driver for x64

RAVCpl64.exe	: 1.0.0.7
RtkAPO64.dll	: 11.0.5600.13

Readme.txt

RtPgEx64.dll : 6.0.5600.12
RTCOMDLL.dll : 1.0.0.63
RtlCPAPI.dll : 1.0.0.7
RTSndMgr64.cpl : 1.0.0.1
Driver Setup Program : 2.20

Windows 2000/XP Operate on :

Microsoft High Definition Audio Driver Package - KB888111

Package file version (kb888111.exe) : 6.1.22.0

Hdaudio.sys version : 5.10.00.5013

//=====

Driver Package R1.50

1. Vista logo Codec Supporting: ALC882, ALC883, ALC885, ALC888, ALC861VD, ALC660, ALC662, ALC260, ALC262, ALC268
2. Windows 2000/XP logo Codec Supporting: ALC880, ALC882, ALC883, ALC885, ALC888, ALC861VC, ALC861VD, ALC660, ALC662, ALC260, ALC262, ALC268
3. OS Supporting: Microsoft WindowsXP, Windows2000, Vista x86/x64
4. Pack with Microsoft High Definition Audio UAAV1.0a(5013)
5. Add/Fix
 - 1.) Customization.

For New architecture:

- 1.) Customization .

CPL :

- 1.) Customization.

Windows 2000/XP :

WDM driver for Win2000/WinXP : 5.10.0.5319

WDM driver for Winx64 : 5.10.0.5319

Realtek Soundman : 1.0.0.30

Realtek Sound Effect Manager(ALSndMgr.cpl) : 1.0.0.10

Realtek Sound Effect Manager(RTSndMgr.cpl) : 1.0.0.9

Realtek Sound Effect Manager(RtlCpl) : 1.0.1.64

Realtek Sound Effect Manager(RTHDCPL) : 2.1.0.8

Alcwzrd.exe : 1.1.0.36

SkyTel.exe : 1.0.0.0

Vista driver :

Vista driver for x86 : 6.0.1.5322

RtHDVCpl.exe : 1.0.0.7

RtkAPO.dll : 11.0.5600.13

RtkPgExt.dll : 6.0.5600.12

RTCOMDLL.dll : 1.0.0.63

RtlCPAPI.dll : 1.0.0.7

RTSndMgr.cpl : 1.0.0.1

Vista driver for x64 : 6.0.1.5322

RAVCpl64.exe : 1.0.0.7

RtkAPO64.dll : 11.0.5600.13

RtPgEx64.dll : 6.0.5600.12

RTCOMDLL.dll : 1.0.0.63

RtlCPAPI.dll : 1.0.0.7

RTSndMgr64.cpl : 1.0.0.1

Driver Setup Program : 2.19

Windows 2000/XP Operate on :

Microsoft High Definition Audio Driver Package - KB888111

Package file version (kb888111.exe) : 6.1.22.0

Hdaudio.sys version : 5.10.00.5013

//=====

Driver Package R1.49

1. Vista logo Codec Supporting: ALC882, ALC883, ALC885, ALC888, ALC861VD, ALC660, ALC662, ALC260, ALC262, ALC268
2. Windows 2000/XP logo Codec Supporting: ALC880, ALC882, ALC883, ALC885, ALC888, ALC861VC, ALC861VD, ALC660, ALC662, ALC260, ALC262, ALC268
3. OS Supporting: Microsoft WindowsXP, Windows2000, Vista x86/x64
4. Pack with Microsoft High Definition Audio UAAV1.0a(5013)
5. Add/Fix
 - 1.) Customization.

For New architecture:

- 1.) Customization .

CPL :

- 1.) Customization.

Readme.txt

Windows 2000/XP :

WDM driver for Win2000/WinXP	: 5.10.0.5319
WDM driver for Winx64	: 5.10.0.5319
Realtek Soundman	: 1.0.0.30
Realtek Sound Effect Manager(ALSndMgr.cpl)	: 1.0.0.10
Realtek Sound Effect Manager(RTSndMgr.cpl)	: 1.0.0.9
Realtek Sound Effect Manager(RtlCpl)	: 1.0.1.64
Realtek Sound Effect Manager(RTHDCPL)	: 2.1.0.8
Alcwzrd.exe	: 1.1.0.36
SkyTel.exe	: 1.0.0.0

Vista driver :

Vista driver for x86	: 6.0.1.5317
RtHDVCpl.exe	: 1.0.0.6
RtkAPO.dll	: 11.0.5600.12
RtkPgExt.dll	: 6.0.5600.12
RTCOMDLL.dll	: 1.0.0.63
RtlCPAPI.dll	: 1.0.0.7
RTSndMgr.cpl	: 1.0.0.1

Vista driver for x64	: 6.0.1.5317
RAVCpl64.exe	: 1.0.0.6
RtkAPO64.dll	: 11.0.5600.12
RtPgEx64.dll	: 6.0.5600.12
RTCOMDLL.dll	: 1.0.0.63
RtlCPAPI.dll	: 1.0.0.7
RTSndMgr64.cpl	: 1.0.0.1

Driver Setup Program : 2.19

Windows 2000/XP Operate on :

- Microsoft High Definition Audio Driver Package - KB888111
- Package file version (kb888111.exe) : 6.1.22.0
- Hdaudio.sys version : 5.10.00.5013

//=====

Driver Package R1.48

Vista driver Version: 5.10.0.5317

1. Vista logo Codec Supporting: ALC882, ALC883, ALC885, ALC888, ALC861VD, ALC660, ALC662, ALC260, ALC262, ALC268

2. OS Supporting: Microsoft Windows Vista x86/x64

Vista driver for x86	: 6.10.0.5317
RtHDVCpl.exe	: 1.0.0.6
RtkAPO.dll	: 11.0.5600.12
RtkPgExt.dll	: 6.0.5600.12
RTCOMDLL.dll	: 1.0.0.63
RtlCPAPI.dll	: 1.0.0.7
RTSndMgr.cpl	: 1.0.0.1

Vista driver for x64	: 6.10.0.5317
RAVCpl64.exe	: 1.0.0.6
RtkAPO64.dll	: 11.0.5600.12
RtPgEx64.dll	: 6.0.5600.12
RTCOMDLL.dll	: 1.0.0.63
RtlCPAPI.dll	: 1.0.0.7
RTSndMgr64.cpl	: 1.0.0.1

Driver Setup Program : 2.19

//=====

Driver Package R1.47

RtkHDAud.sys Version: 5.10.0.5296

1. Codec Supporting: ALC880, ALC882, ALC883, ALC885, ALC888, ALC861, ALC861VD, ALC660, ALC260, ALC262, ALC268

2. OS Supporting: Microsoft WindowsXP, Windows2000, Winx64

3. Pack with Microsoft High Definition Audio UAAV1.0a(5013)

4. Add/Fix

1.) Customization.

For New architecture:

1.) Customization .

CPL :

1.) Customization.

WDM driver for Win2000/WinXP	: 5.10.0.5296
WDM driver for Winx64	: 5.10.0.5296
Realtek Soundman	: 1.0.0.30
Realtek Sound Effect Manager(ALSndMgr.cpl)	: 1.0.0.10
Realtek Sound Effect Manager(RTSndMgr.cpl)	: 1.0.0.9
Realtek Sound Effect Manager(RtlCpl)	: 1.0.1.64

Readme.txt

Realtek Sound Effect Manager(RTHDCPL) : 2.0.9.8
Alcwzrd.exe : 1.1.0.36
SkyTel.exe : 1.0.0.0
Driver Setup Program : 2.18

Operate on :

Microsoft High Definition Audio Driver Package - KB888111
Package file version (kb888111.exe) : 6.1.22.0
Hdaudio.sys version : 5.10.00.5013

//=====

Driver Package R1.46

RtkHDAud.sys Version: 5.10.0.5294

1. Codec Supporting: ALC880, ALC882, ALC883, ALC885, ALC888, ALC861, ALC861VD, ALC660, ALC260, ALC262, ALC268
2. OS Supporting: Microsoft WindowsXP, Windows2000, Winx64
3. Pack with Microsoft High Definition Audio UAAV1.0a(5013)
4. Add/Fix
 - 1.) Customization.

For New architecture:

- 1.) Customization .

CPL :

- 1.) Customization.

WDM driver for Win2000/WinXP : 5.10.0.5294
WDM driver for Winx64 : 5.10.0.5294
Realtek Soundman : 1.0.0.30
Realtek Sound Effect Manager(ALSndMgr.cpl) : 1.0.0.10
Realtek Sound Effect Manager(RTSndMgr.cpl) : 1.0.0.9
Realtek Sound Effect Manager(RtlCpl) : 1.0.1.64
Realtek Sound Effect Manager(RTHDCPL) : 2.0.9.6
Alcwzrd.exe : 1.1.0.36
SkyTel.exe : 1.0.0.0
Driver Setup Program : 2.16

Operate on :

Microsoft High Definition Audio Driver Package - KB888111
Package file version (kb888111.exe) : 6.1.22.0
Hdaudio.sys version : 5.10.00.5013

//=====

Driver Package R1.45

RtkHDAud.sys Version: 5.10.0.5288

1. Codec Supporting: ALC880, ALC882, ALC883, ALC885, ALC888, ALC861, ALC861VD, ALC660, ALC260, ALC262, ALC268
2. OS Supporting: Microsoft WindowsXP, Windows2000, Winx64
3. Pack with Microsoft High Definition Audio UAAV1.0a(5013)
4. Add/Fix
 - 1.) Customization.

For New architecture:

- 1.) Customization .

CPL :

- 1.) Customization.

WDM driver for Win2000/WinXP : 5.10.0.5288
WDM driver for Winx64 : 5.10.0.5288
Realtek Soundman : 1.0.0.30
Realtek Sound Effect Manager(ALSndMgr.cpl) : 1.0.0.10
Realtek Sound Effect Manager(RTSndMgr.cpl) : 1.0.0.9
Realtek Sound Effect Manager(RtlCpl) : 1.0.1.64
Realtek Sound Effect Manager(RTHDCPL) : 2.0.9.1
Alcwzrd.exe : 1.1.0.36
SkyTel.exe : 1.0.0.0
Driver Setup Program : 2.15

Operate on :

Microsoft High Definition Audio Driver Package - KB888111
Package file version (kb888111.exe) : 6.1.22.0
Hdaudio.sys version : 5.10.00.5013

//=====

Driver Package R1.44

RtkHDAud.sys Version: 5.10.0.5286

1. Codec Supporting: ALC880, ALC882, ALC883, ALC885, ALC888, ALC861, ALC861VD, ALC660, ALC260,

Readme.txt

ALC262, ALC268

2. OS Supporting: Microsoft WindowsXP, Windows2000, Winx64
3. Pack with Microsoft High Definition Audio UAAV1.0a(5013)
4. Add/Fix
 - 1.) Customization.

For New architecture:

- 1.) Customization .

CPL :

- 1.) Customization.

WDM driver for Win2000/WinXP	: 5.10.0.5286
WDM driver for Winx64	: 5.10.0.5286
Realtek Soundman	: 1.0.0.30
Realtek Sound Effect Manager(ALSndMgr.cpl)	: 1.0.0.10
Realtek Sound Effect Manager(RTSndMgr.cpl)	: 1.0.0.8
Realtek Sound Effect Manager(RtlCpl)	: 1.0.1.64
Realtek Sound Effect Manager(RTHDCPL)	: 2.0.8.7
Alcwzrd.exe	: 1.1.0.36
SkyTel.exe	: 1.0.0.0
Driver Setup Program	: 2.15

Operate on :

Microsoft High Definition Audio Driver Package - KB888111

Package file version (kb888111.exe) : 6.1.22.0

Hdaudio.sys version : 5.10.00.5013

//=====

Driver Package R1.43

RtkHDAud.sys Version: 5.10.0.5283

1. Codec Supporting: ALC880, ALC882, ALC883, ALC885, ALC888, ALC861, ALC861VD, ALC660, ALC260, ALC262, ALC268

2. OS Supporting: Microsoft WindowsXP, Windows2000, Winx64
3. Pack with Microsoft High Definition Audio UAAV1.0a(5013)
4. Add/Fix
 - 1.) Customization.

For New architecture:

- 1.) Customization .

CPL :

- 1.) Customization.

WDM driver for Win2000/WinXP	: 5.10.0.5283
WDM driver for Winx64	: 5.10.0.5283
Realtek Soundman	: 1.0.0.30
Realtek Sound Effect Manager(ALSndMgr.cpl)	: 1.0.0.10
Realtek Sound Effect Manager(RTSndMgr.cpl)	: 1.0.0.8
Realtek Sound Effect Manager(RtlCpl)	: 1.0.1.64
Realtek Sound Effect Manager(RTHDCPL)	: 2.0.8.3
Alcwzrd.exe	: 1.1.0.36
SkyTel.exe	: 1.0.0.0
Driver Setup Program	: 2.15

Operate on :

Microsoft High Definition Audio Driver Package - KB888111

Package file version (kb888111.exe) : 6.1.22.0

Hdaudio.sys version : 5.10.00.5013

//=====

Driver Package R1.42

RtkHDAud.sys Version: 5.10.0.5282

1. Codec Supporting: ALC880, ALC882, ALC883, ALC885, ALC888, ALC861, ALC861VD, ALC660, ALC260, ALC262, ALC268

2. OS Supporting: Microsoft WindowsXP, Windows2000, Winx64
3. Pack with Microsoft High Definition Audio UAAV1.0a(5013)
4. Add/Fix
 - 1.) Customization.

For New architecture:

- 1.) Customization .
- 2.) Fix some game issue .

CPL :

- 1.) Customization.

Readme.txt

WDM driver for Win2000/WinXP : 5.10.0.5282
WDM driver for Winx64 : 5.10.0.5282
Realtek Soundman : 1.0.0.30
Realtek Sound Effect Manager(ALSndMgr.cpl) : 1.0.0.10
Realtek Sound Effect Manager(RTSndMgr.cpl) : 1.0.0.8
Realtek Sound Effect Manager(RtlCpl) : 1.0.1.64
Realtek Sound Effect Manager(RTHDCPL) : 2.0.8.0
Alcwzrd.exe : 1.1.0.36
SkyTel.exe : 1.0.0.0
Driver Setup Program : 2.15

Operate on :

Microsoft High Definition Audio Driver Package - KB888111
Package file version (kb888111.exe) : 6.1.22.0
Hdaudio.sys version : 5.10.00.5013

//=====

Driver Package R1.41

RtkHDAud.sys Version: 5.10.0.5273

1. Codec Supporting: ALC880, ALC882, ALC883, ALC885, ALC888, ALC861, ALC861VD, ALC660, ALC260, ALC262, ALC268
2. OS Supporting: Microsoft WindowsXP, Win2000, Winx64
3. Pack with Microsoft High Definition Audio UAAV1.0a(5013)
4. Add/Fix

1.) Customization.

For New architecture:

1.) Customization.

CPL :

1.) Customization.

WDM driver for Win2000/WinXP : 5.10.0.5273
WDM driver for Winx64 : 5.10.0.5273
Realtek Soundman : 1.0.0.29
Realtek Sound Effect Manager(ALSndMgr.cpl) : 1.0.0.10
Realtek Sound Effect Manager(RTSndMgr.cpl) : 1.0.0.8
Realtek Sound Effect Manager(RtlCpl) : 1.0.1.64
Realtek Sound Effect Manager(RTHDCPL) : 2.0.7.3
Alcwzrd.exe : 1.1.0.36
SkyTel.exe : 1.0.0.0
Driver Setup Program : 2.14

Operate on :

Microsoft High Definition Audio Driver Package - KB888111
Package file version (kb888111.exe) : 6.1.22.0
Hdaudio.sys version : 5.10.00.5013

//=====

Driver Package R1.40

RtkHDAud.sys Version: 5.10.0.5268

1. Codec Supporting: ALC880, ALC882, ALC883, ALC885, ALC888, ALC861, ALC861VD, ALC660, ALC260, ALC262, ALC268
2. OS Supporting: Microsoft WindowsXP, Win2000, Winx64
3. Pack with Microsoft High Definition Audio UAAV1.0a(5013)
4. Add/Fix

1.) Customization.

For New architecture:

1.) Customization .

CPL :

1.) Customization.

InstallShield package :

- 1.) Correct present driver version in "Add or Remove Programs \ Support Information" .
- 2.) Windows 2000 installation reboot twice problem .

WDM driver for Win2000/WinXP : 5.10.0.5268
WDM driver for Winx64 : 5.10.0.5268
Realtek Soundman : 1.0.0.29
Realtek Sound Effect Manager(ALSndMgr.cpl) : 1.0.0.10
Realtek Sound Effect Manager(RTSndMgr.cpl) : 1.0.0.8
Realtek Sound Effect Manager(RtlCpl) : 1.0.1.64
Realtek Sound Effect Manager(RTHDCPL) : 2.0.7.0
Alcwzrd.exe : 1.1.0.36
SkyTel.exe : 1.0.0.0

Readme.txt

Driver Setup Program : 2.14

Operate on :

Microsoft High Definition Audio Driver Package - KB888111

Package file version (kb888111.exe) : 6.1.22.0

Hdaudio.sys version : 5.10.00.5013

//=====

Driver Package R1.39

RtkHDAud.sys Version: 5.10.0.5265

1. Codec Supporting: ALC880, ALC882, ALC883, ALC885, ALC888, ALC861, ALC861VD, ALC260, ALC262
2. OS Supporting: Microsoft WindowsXP, Windows2000, Winx64
3. Pack with Microsoft High Definition Audio UAAV1.0a(5013)
4. Add/Fix
 - 1.) Customization.

For New architecture:

- 1.) Customization .

CPL :

- 1.) Customization.
- 2.) Add support for left panel and right panel config.

InstallShield package :

- 1.) Copy file rule in Vista system .
- 2.) Show driver version in "Add or Remove Programs \ Support Information" .

WDM driver for Win2000/WinXP	: 5.10.0.5265
WDM driver for Winx64	: 5.10.0.5265
Realtek Soundman	: 1.0.0.29
Realtek Sound Effect Manager(ALSndMgr.cpl)	: 1.0.0.10
Realtek Sound Effect Manager(RTSndMgr.cpl)	: 1.0.0.8
Realtek Sound Effect Manager(RtlCpl)	: 1.0.1.64
Realtek Sound Effect Manager(RTHDCPL)	: 2.0.6.9
Alcwzrd.exe	: 1.1.0.36
SkyTel.exe	: 1.0.0.0
Driver Setup Program	: 2.13

Operate on :

Microsoft High Definition Audio Driver Package - KB888111

Package file version (kb888111.exe) : 6.1.22.0

Hdaudio.sys version : 5.10.00.5013

//=====

Driver Package R1.38

RtkHDAud.sys Version: 5.10.0.5257

1. Codec Supporting: ALC880, ALC882, ALC883, ALC885, ALC888, ALC861, ALC260, ALC262
2. OS Supporting: Microsoft WindowsXP, Windows2000, Winx64
3. Pack with Microsoft High Definition Audio UAAV1.0a(5013)
4. Add/Fix
 - 1.) Customization.

For New architecture:

- 1.) Customization .

CPL :

- 1.) Customization.

InstallShield package :

- 1.) Add "XP2K" and "Vista" folder name for installation .
- 2.) Abort flag setting .

WDM driver for Win2000/WinXP	: 5.10.0.5257
WDM driver for Winx64	: 5.10.0.5257
Realtek Soundman	: 1.0.0.29
Realtek Sound Effect Manager(ALSndMgr.cpl)	: 1.0.0.10
Realtek Sound Effect Manager(RTSndMgr.cpl)	: 1.0.0.8
Realtek Sound Effect Manager(RtlCpl)	: 1.0.1.64
Realtek Sound Effect Manager(RTHDCPL)	: 2.0.6.6
Alcwzrd.exe	: 1.1.0.36
SkyTel.exe	: 1.0.0.0
Driver Setup Program	: 2.11

Operate on :

Microsoft High Definition Audio Driver Package - KB888111

Package file version (kb888111.exe) : 6.1.22.0

Hdaudio.sys version : 5.10.00.5013

Readme.txt

//=====

Driver Package R1.37

RtkHDAud.sys Version: 5.10.0.5253

1. Codec Supporting: ALC880, ALC882, ALC883, ALC885, ALC888, ALC861, ALC260, ALC262
2. OS Supporting: Microsoft WindowsXP, Windows2000, Winx64
3. Pack with Microsoft High Definition Audio UAAV1.0a(5013)
4. Add/Fix
 - 1.) Customization.

For New architecture:

- 1.) Customization .

CPL :

- 1.) Customization.

InstallShield package :

- 1.) Upgrade to IS11.5 .

WDM driver for Win2000/WinXP	: 5.10.0.5253
WDM driver for Winx64	: 5.10.0.5253
Realtek Soundman	: 1.0.0.29
Realtek Sound Effect Manager(ALSndMgr.cpl)	: 1.0.0.10
Realtek Sound Effect Manager(RTSndMgr.cpl)	: 1.0.0.8
Realtek Sound Effect Manager(RtlCpl)	: 1.0.1.64
Realtek Sound Effect Manager(RTHDCPL)	: 2.0.6.4
Alcwzrd.exe	: 1.1.0.36
SkyTel.exe	: 1.0.0.0
Driver Setup Program	: 2.09

Operate on :

Microsoft High Definition Audio Driver Package - KB888111

Package file version (kb888111.exe) : 6.1.22.0

Hdaudio.sys version : 5.10.00.5013

//=====

Driver Package R1.36

RtkHDAud.sys Version: 5.10.0.5247

1. Codec Supporting: ALC880, ALC882, ALC883, ALC885, ALC888, ALC861, ALC260, ALC262
2. OS Supporting: Microsoft WindowsXP, Windows2000, Winx64
3. Pack with Microsoft High Definition Audio UAAV1.0a(5013)
4. Add/Fix
 - 1.) Customization.

For New architecture:

- 1.) Customization .
- 2.) Add ALC888 .

CPL :

- 1.) Customization.

InstallShield package :

WDM driver for Win2000/WinXP	: 5.10.0.5247
WDM driver for Winx64	: 5.10.0.5247
Realtek Soundman	: 1.0.0.28
Realtek Sound Effect Manager(ALSndMgr.cpl)	: 1.0.0.10
Realtek Sound Effect Manager(RTSndMgr.cpl)	: 1.0.0.8
Realtek Sound Effect Manager(RtlCpl)	: 1.0.1.62
Realtek Sound Effect Manager(RTHDCPL)	: 2.0.5.9
Alcwzrd.exe	: 1.1.0.35
Driver Setup Program	: 2.06

Operate on :

Microsoft High Definition Audio Driver Package - KB888111

Package file version (kb888111.exe) : 6.1.22.0

Hdaudio.sys version : 5.10.00.5013

//=====

Driver Package R1.35

RtkHDAud.sys Version: 5.10.0.5242

1. Codec Supporting: ALC880, ALC882, ALC883, ALC885, ALC861, ALC260, ALC262
2. OS Supporting: Microsoft WindowsXP, Windows2000, Winx64
3. Pack with Microsoft High Definition Audio UAAV1.0a(5013)
4. Add/Fix
 - 1.) Customization.

For New architecture:

1.) Customization .

CPL :

- 1.) Customization.

InstallShield package :

WDM driver for Win2000/WinXP	: 5.10.0.5242
WDM driver for Winx64	: 5.10.0.5242
Realtek Soundman	: 1.0.0.28
Realtek Sound Effect Manager(ALSndMgr.cpl)	: 1.0.0.10
Realtek Sound Effect Manager(RTSndMgr.cpl)	: 1.0.0.8
Realtek Sound Effect Manager(RtlCpl)	: 1.0.1.62
Realtek Sound Effect Manager(RTHDCPL)	: 2.0.5.4
Alcwzrd.exe	: 1.1.0.35
Driver Setup Program	: 2.06

Operate on :

Microsoft High Definition Audio Driver Package - KB888111
Package file version (kb888111.exe) : 6.1.22.0
Hdaudio.sys version : 5.10.00.5013

//=====

Driver Package R1.34

RtkHDAud.sys Version: 5.10.0.5233

1. Codec Supporting: ALC880, ALC882, ALC883, ALC885, ALC861, ALC260, ALC262
2. OS Supporting: Microsoft WindowsXP, Windows2000, Winx64
3. Pack with Microsoft High Definition Audio UAAV1.0a(5013)
4. Add/Fix
 - 1.) Customization.

For New architecture:

- 1.) Customization .
- 2.) Fixed Adobe Premiere Pro 1.5 Crash issue .

CPL :

- 1.) Customization.

InstallShield package :

- 1.) Rtlupd termination return error code .
- 2.) Receive error code rule from Rtlupd SetupAPI .
- 3.) SetupCopyOEM install rule .

WDM driver for Win2000/WinXP	: 5.10.0.5233
WDM driver for Winx64	: 5.10.0.5233
Realtek Soundman	: 1.0.0.28
Realtek Sound Effect Manager(ALSndMgr.cpl)	: 1.0.0.10
Realtek Sound Effect Manager(RTSndMgr.cpl)	: 1.0.0.8
Realtek Sound Effect Manager(RtlCpl)	: 1.0.1.62
Realtek Sound Effect Manager(RTHDCPL)	: 2.0.4.9
Alcwzrd.exe	: 1.1.0.35
Driver Setup Program	: 2.06

Operate on :

Microsoft High Definition Audio Driver Package - KB888111
Package file version (kb888111.exe) : 6.1.22.0
Hdaudio.sys version : 5.10.00.5013

//=====

Driver Package R1.33

RtkHDAud.sys Version: 5.10.0.5229

1. Codec Supporting: ALC880, ALC882, ALC883, ALC885, ALC861, ALC260, ALC262
2. OS Supporting: Microsoft WindowsXP, Windows2000, Winx64
3. Pack with Microsoft High Definition Audio UAAV1.0a(5013)
4. Add/Fix
 - 1.) Customization.

For New architecture:

- 1.) Customization .

CPL :

- 1.) Customization.

InstallShield package :

- 1.) Bus driver detect issue .

WDM driver for Win2000/WinXP	: 5.10.0.5229
------------------------------	---------------

Readme.txt

WDM driver for Winx64 : 5.10.0.5229
Realtek Soundman : 1.0.0.28
Realtek Sound Effect Manager(ALSndMgr.cpl) : 1.0.0.10
Realtek Sound Effect Manager(RTSndMgr.cpl) : 1.0.0.8
Realtek Sound Effect Manager(RtlCpl) : 1.0.1.61
Realtek Sound Effect Manager(RTHDCPL) : 2.0.4.7
Alcwzrd.exe : 1.1.0.34
Driver Setup Program : 2.05

Operate on :
Microsoft High Definition Audio Driver Package - KB888111
Package file version (kb888111.exe) : 6.1.22.0
Hdaudio.sys version : 5.10.00.5013

//=====

Driver Package R1.32

RtkHDAud.sys Version: 5.10.0.5224
1. Codec Supporting: ALC880, ALC882, ALC883, ALC885, ALC861, ALC260, ALC262
2. OS Supporting: Microsoft WindowsXP, Windows2000, Winx64
3. Pack with Microsoft High Definition Audio UAAV1.0a(5013)
4. Add/Fix
1.) Customization.

For New architecture:
1.) Customization .

CPL :
1.) Customization.

InstallShield package :
1.) Report installation progress and result to "C:\RTHSetup.log" within silent mode .
2.) Rtlupd setup API will not appear message dialog in silent mode .

WDM driver for Win2000/WinXP : 5.10.0.5224
WDM driver for Winx64 : 5.10.0.5224
Realtek Soundman : 1.0.0.28
Realtek Sound Effect Manager(ALSndMgr.cpl) : 1.0.0.10
Realtek Sound Effect Manager(RTSndMgr.cpl) : 1.0.0.8
Realtek Sound Effect Manager(RtlCpl) : 1.0.1.61
Realtek Sound Effect Manager(RTHDCPL) : 2.0.4.4
Alcwzrd.exe : 1.1.0.34
Driver Setup Program : 2.04

Operate on :
Microsoft High Definition Audio Driver Package - KB888111
Package file version (kb888111.exe) : 6.1.22.0
Hdaudio.sys version : 5.10.00.5013

//=====

Driver Package R1.31

RtkHDAud.sys Version: 5.10.0.5221
1. Codec Supporting: ALC880, ALC882, ALC883, ALC885, ALC861, ALC260, ALC262
2. OS Supporting: Microsoft WindowsXP, Windows2000, Winx64
3. Pack with Microsoft High Definition Audio UAAV1.0a(5013)
4. Add/Fix
1.) Customization.

For New architecture:
1.) Customization .
2.) Add ALC885 HD Audio Codec for WHQL .

CPL :
1.) Customization.

InstallShield package :

WDM driver for Win2000/WinXP : 5.10.0.5221
WDM driver for Winx64 : 5.10.0.5221
Realtek Soundman : 1.0.0.27
Realtek Sound Effect Manager(ALSndMgr.cpl) : 1.0.0.10
Realtek Sound Effect Manager(RTSndMgr.cpl) : 1.0.0.8
Realtek Sound Effect Manager(RtlCpl) : 1.0.1.60
Realtek Sound Effect Manager(RTHDCPL) : 2.0.4.2
Alcwzrd.exe : 1.1.0.33
Driver Setup Program : 2.03

Operate on :

Readme.txt

Microsoft High Definition Audio Driver Package - KB888111
Package file version (kb888111.exe) : 6.1.22.0
Hdaudio.sys version : 5.10.00.5013

//=====

Driver Package R1.30

RtkHDAud.sys Version: 5.10.0.5211

1. Codec Supporting: ALC880, ALC882, ALC883, ALC861, ALC260, ALC262
2. OS Supporting: Microsoft WindowsXP, Windows2000, Winx64
3. Pack with Microsoft High Definition Audio UAAV1.0a(5013)
4. Add/Fix
 - 1.) Customization.

For New architecture:

- 1.) Customization .
- 2.) Bug fixed when recording AEC device failed on 880 .

CPL :

- 1.) Customization.

InstallShield package :

WDM driver for Win2000/WinXP	: 5.10.0.5211
WDM driver for Winx64	: 5.10.0.5211
Realtek Soundman	: 1.0.0.24
Realtek Sound Effect Manager(ALSndMgr.cpl)	: 1.0.0.10
Realtek Sound Effect Manager(RTSndMgr.cpl)	: 1.0.0.8
Realtek Sound Effect Manager(RtlCpl)	: 1.0.1.58
Realtek Sound Effect Manager(RTHDCPL)	: 2.0.3.9
Alcwzrd.exe	: 1.1.0.31
Driver Setup Program	: 2.03

Operate on :

Microsoft High Definition Audio Driver Package - KB888111
Package file version (kb888111.exe) : 6.1.22.0
Hdaudio.sys version : 5.10.00.5013

//=====

Driver Package R1.29

RtkHDAud.sys Version: 5.10.0.5202

1. Codec Supporting: ALC880, ALC882, ALC883, ALC861, ALC260, ALC262
2. OS Supporting: Microsoft WindowsXP, Windows2000, Winx64
3. Pack with Microsoft High Definition Audio UAAV1.0a(5013)
4. Add/Fix
 - 1.) Customization.

For New architecture:

- 1.) Customization.

CPL :

- 1.) Customization.

InstallShield package :

WDM driver for Win2000/WinXP	: 5.10.0.5202
WDM driver for Winx64	: 5.10.0.5202
Realtek Soundman	: 1.0.0.21
Realtek Sound Effect Manager(ALSndMgr.cpl)	: 1.0.0.10
Realtek Sound Effect Manager(RTSndMgr.cpl)	: 1.0.0.7
Realtek Sound Effect Manager(RtlCpl)	: 1.0.1.54
Realtek Sound Effect Manager(RTHDCPL)	: 2.0.3.4
Alcwzrd.exe	: 1.1.0.29
Driver Setup Program	: 2.02c

Operate on :

Microsoft High Definition Audio Driver Package - KB888111
Package file version (kb888111.exe) : 6.1.22.0
Hdaudio.sys version : 5.10.00.5013

//=====

Driver Package R1.28

RtkHDAud.sys Version: 5.10.0.5200

1. Codec Supporting: ALC880, ALC882, ALC883, ALC861, ALC260, ALC262
2. OS Supporting: Microsoft WindowsXP, Windows2000, Winx64
3. Pack with Microsoft High Definition Audio UAAV1.0a(5013)
4. Add/Fix
 - 1.) Customization.

Readme.txt

For New architecture:

- 1.) Customization.
- 2.) Add ALC265 .

CPL :

- 1.) Side speaker testing has no sound when 3D engine is disabled.

InstallShield package :

- 1.) Add Chipset ID VEN_1002&DEV_4383 .

WDM driver for Win2000/WinXP	: 5.10.0.5200
WDM driver for Winx64	: 5.10.0.5200
Realtek Soundman	: 1.0.0.21
Realtek Sound Effect Manager(ALSndMgr.cpl)	: 1.0.0.10
Realtek Sound Effect Manager(RTSndMgr.cpl)	: 1.0.0.7
Realtek Sound Effect Manager(RtlCpl)	: 1.0.1.53
Realtek Sound Effect Manager(RTHDCPL)	: 2.0.3.2
Alcwzrd.exe	: 1.1.0.28
Driver Setup Program	: 2.02c

Operate on :

Microsoft High Definition Audio Driver Package - KB888111
Package file version (kb888111.exe) : 6.1.22.0
Hdaudio.sys version : 5.10.00.5013

//=====

Driver Package R1.27

RtkHDAud.sys Version: 5.10.0.5188

1. Codec Supporting: ALC880, ALC882, ALC883, ALC861, ALC260, ALC262
2. OS Supporting: Microsoft WindowsXP, Win2000, Winx64
3. Pack with Microsoft High Definition Audio UAAV1.0a(5013)
4. Add/Fix
 - 1.) Customization.

For New architecture:

- 1.) Customization.

InstallShield package :

Fix :

1. Add installation file "RTHDAEQ*.dat" .
2. Add Package version in setup.ini .
3. Manual installation setting for InstallShield .

WDM driver for Win2000/WinXP	: 5.10.0.5188
WDM driver for Winx64	: 5.10.0.5188
Realtek Soundman	: 1.0.0.21
Realtek Sound Effect Manager(ALSndMgr.cpl)	: 1.0.0.10
Realtek Sound Effect Manager(RTSndMgr.cpl)	: 1.0.0.7
Realtek Sound Effect Manager(RtlCpl)	: 1.0.1.53
Realtek Sound Effect Manager(RTHDCPL)	: 2.0.2.6
Alcwzrd.exe	: 1.1.0.28
Driver Setup Program	: 2.02a

Operate on :

Microsoft High Definition Audio Driver Package - KB888111
Package file version (kb888111.exe) : 6.1.22.0
Hdaudio.sys version : 5.10.00.5013

//=====

Driver Package R1.26

RtkHDAud.sys Version: 5.10.0.5178

1. Codec Supporting: ALC880, ALC882, ALC883, ALC861, ALC260, ALC262
2. OS Supporting: Microsoft WindowsXP, Win2000, Winx64
3. Pack with Microsoft High Definition Audio UAAV1.0a(5013)
4. Add/Fix
 - 1.) Customization.

For New architecture:

- 1.) Customization.

InstallShield package :

Fix :

1. Set rebooting twice for installation UAA QFE on Win2000 .

WDM driver for Win2000/WinXP	: 5.10.0.5178
WDM driver for Winx64	: 5.10.0.5178
Realtek Soundman	: 1.0.0.21

Readme.txt

Realtek Sound Effect Manager(ALSndMgr.cpl) : 1.0.0.10
Realtek Sound Effect Manager(RTSndMgr.cpl) : 1.0.0.6
Realtek Sound Effect Manager(RtlCpl) : 1.0.1.52
Realtek Sound Effect Manager(RTHDCPL) : 2.0.2.1
Alcwzrd.exe : 1.1.0.28
Driver Setup Program : 2.00

Operate on :
Microsoft High Definition Audio Driver Package - KB888111
Package file version (kb888111.exe) : 6.1.22.0
Hdaudio.sys version : 5.10.00.5013

//=====

Driver Package R1.25

RtkHDAud.sys Version: 5.10.0.5172
1. Codec Supporting: ALC880, ALC882, ALC883, ALC861, ALC260, ALC262
2. OS Supporting: Microsoft WindowsXP, Windows2000, Winx64
3. Pack with Microsoft High Definition Audio UAAV1.0a(5013)
4. Add/Fix
1.) Customization.

For New architecture:
1.) Customization.

InstallShield package :

Fix :
1. Rtlupd.exe(2.5.0.5) fixed roll-back problem (It can not delete oem.inf file before update driver).
2. Change Azalia name in setup.ini file .
3. Don't popup Rtlupd dialog when you select "No" on Hotfix installation dialog .
Add :
1. System language identifier .
2. Change pop-up dialog Product name (Azalia->High Definition) .

WDM driver for Win2000/WinXP : 5.10.0.5172
WDM driver for Winx64 : 5.10.0.5172
Realtek Soundman : 1.0.0.21
Realtek Sound Effect Manager(ALSndMgr.cpl) : 1.0.0.10
Realtek Sound Effect Manager(RTSndMgr.cpl) : 1.0.0.6
Realtek Sound Effect Manager(RtlCpl) : 1.0.1.51
Realtek Sound Effect Manager(RTHDCPL) : 2.0.1.7
Alcwzrd.exe : 1.1.0.27
Driver Setup Program : 1.99

Operate on :
Microsoft High Definition Audio Driver Package - KB888111
Package file version (kb888111.exe) : 6.1.22.0
Hdaudio.sys version : 5.10.00.5013

//=====

Driver Package R1.24

RtkHDAud.sys Version: 5.10.0.5152
1. Codec Supporting: ALC880, ALC882, ALC883, ALC861, ALC260, ALC262
2. OS Supporting: Microsoft WindowsXP, Windows2000, Winx64
3. Pack with Microsoft High Definition Audio UAAV1.0a(5013)
4. Add/Fix
1.) Customization.

For New architecture:
1.) Customization.
2.) Support 192KHz sample rate output.

InstallShield package :

Fix :
1. Reboot timing after installation MS QFE (UAA driver) .
2. Uninstallation dialog description .
Add :
1. MS hotfix KB901105 can be included by HD package (If get MS licence) .
2. Hotfix KB901105 Warning message .

WDM driver for Win2000/WinXP : 5.10.0.5152
WDM driver for Winx64 : 5.10.0.5152
Realtek Soundman : 1.0.0.18
Realtek Sound Effect Manager(ALSndMgr.cpl) : 1.0.0.7
Realtek Sound Effect Manager(RTSndMgr.cpl) : 1.0.0.4
Realtek Sound Effect Manager(RtlCpl) : 1.0.1.46
Realtek Sound Effect Manager(RTHDCPL) : 2.0.0.8

Readme.txt

Alcwzrd.exe : 1.1.0.24
Driver Setup Program : 1.96

Operate on :

Microsoft High Definition Audio Driver Package - KB888111
Package file version (kb888111.exe) : 6.1.22.0
Hdaudio.sys version : 5.10.00.5013

//=====

Driver Package R1.23

RtkHDAud.sys Version: 5.10.0.5136

1. Codec Supporting: ALC880, ALC882, ALC883, ALC861, ALC260, ALC262
2. OS Supporting: Microsoft WindowsXP, Windows2000, Winx64
3. Pack with Microsoft High Definition Audio UAAV1.0a(5013)
4. Add/Fix
 - 1.) Customization.

For New architecture:

- 1.) Customization.
- 2.) Support new codec ALC262, ALC883

InstallShield package :

- 1.) Check OS service pack number with InstallShield .
- 2.) Change audio wizard quitting procedure .

WDM driver for Win2000/WinXP : 5.10.0.5136
WDM driver for Winx64 : 5.10.0.5136
Realtek Soundman : 1.0.0.17
Realtek Sound Effect Manager(ALSndMgr.cpl) : 1.0.0.7
Realtek Sound Effect Manager(RTSndMgr.cpl) : 1.0.0.4
Realtek Sound Effect Manager(RtlCpl) : 1.0.1.43
Realtek Sound Effect Manager(RTHDCPL) : 1.1.2.3
Alcwzrd.exe : 1.1.0.23
Driver Setup Program : 1.92

Operate on :

Microsoft High Definition Audio Driver Package - KB888111
Package file version (kb888111.exe) : 6.1.22.0
Hdaudio.sys version : 5.10.00.5013

//=====

Driver Package R1.22

RtkHDAud.sys Version: 5.10.0.5128

1. Codec Supporting: ALC880, ALC882, ALC861, ALC260
2. OS Supporting: Microsoft WindowsXP, Windows2000, Winx64
3. Pack with Microsoft High Definition Audio UAAV1.0a(5013)
4. Add/Fix
 - 1.) Customization.

For New architecture:

- 1.) Customization.

InstallShield package :

- 1.) Setup progress backward .
- 2.) Driver size on Add and remove programs .
- 3.) Refresh driver size on Add and Remove Programs .
- 4.) Check RtlExupd.dll version .
- 5.) Check RtlHDCpl.exe version .

WDM driver for Win2000/WinXP : 5.10.0.5128
WDM driver for Winx64 : 5.10.0.5128
Realtek Soundman : 1.0.0.17
Realtek Sound Effect Manager(ALSndMgr.cpl) : 1.0.0.7
Realtek Sound Effect Manager(RTSndMgr.cpl) : 1.0.0.4
Realtek Sound Effect Manager(RtlCpl) : 1.0.1.40
Realtek Sound Effect Manager(RTHDCPL) : 1.1.1.9
Alcwzrd.exe : 1.1.0.20
Driver Setup Program : 1.91

Operate on :

Microsoft High Definition Audio Driver Package - KB888111
Package file version (kb888111.exe) : 6.1.22.0
Hdaudio.sys version : 5.10.00.5013

//=====

Driver Package R1.21

RtkHDAud.sys Version: 5.10.0.5127

1. Codec Supporting: ALC880, ALC882, ALC260

Readme.txt

2. OS Supporting: Microsoft WindowsXP, Windows2000, Winx64
3. Pack with Microsoft High Definition Audio UAAV1.0a(5013)
4. Add/Fix
 - 1.) Customization.

For New architecture:

- 1.) Customization.
- 2.) Support DTS Encoder and DTS Neo for special version codec .

SoundMan.exe Version: 1.0.0.17
ALSndMgr.cpl Version: 1.0.0.7
Rtlcpl.exe Version: 1.0.1.40
Alcwzrd.exe Version: 1.1.0.20

Operate on :

- Microsoft High Definition Audio Driver Package - KB888111
- Package file version (kb888111.exe) : 6.1.22.0
- Hdaudio.sys version : 5.10.00.5013

//=====

Driver Package R1.20

- RtkHDAud.sys Version: 5.10.0.5125
1. Codec Supporting: ALC880, ALC882, ALC260
 2. OS Supporting: Microsoft WindowsXP, Windows2000, Winx64
 3. Pack with Microsoft High Definition Audio UAAV1.0a(5013)
 4. Add/Fix
 - 1.) Customization.

For New architecture:

- 1.) Customization.
- 2.) Fixed the issue of SPDIF-In capture

SoundMan.exe Version: 1.0.0.17
ALSndMgr.cpl Version: 1.0.0.7
Rtlcpl.exe Version: 1.0.1.40
Alcwzrd.exe Version: 1.1.0.20

Operate on :

- Microsoft High Definition Audio Driver Package - KB888111
- Package file version (kb888111.exe) : 6.1.22.0
- Hdaudio.sys version : 5.10.00.5013

//=====

Driver Package R1.19

- RtkHDAud.sys Version: 5.10.0.5123
1. Codec Supporting: ALC880, ALC882, ALC260
 2. OS Supporting: Microsoft WindowsXP, Windows2000, Winx64
 3. Pack with Microsoft High Definition Audio UAAV1.0a(5013)
 4. Add/Fix
 1. Customization.
 2. Avoid Pop noise when toggle output sampling rate for ALC260.
 3. Restore the original timer resolution first before check the original system timer resolution.

For New architecture:

- 1.) Customization.
- 2.) Driver store mixer setting after windows reboot

SoundMan.exe Version: 1.0.0.14
ALSndMgr.cpl Version: 1.0.0.5
Rtlcpl.exe Version: 1.0.1.39
Alcwzrd.exe Version: 1.1.0.19

Operate on :

- Microsoft High Definition Audio Driver Package - KB888111
- Package file version (kb888111.exe) : 6.1.22.0
- Hdaudio.sys version : 5.10.00.5013

//=====

Driver Package R1.18

- RtkHDAud.sys Version: 5.10.0.5122
1. Codec Supporting: ALC880, ALC882, ALC260
 2. OS Supporting: Microsoft WindowsXP, Windows2000
 3. Pack with Microsoft High Definition Audio UAAV1.0a(5013)
 4. Add/Fix
 1. Customization.
 2. Add 2 default values of codec subsystem ID for ALC260.

For New architecture:

Readme.txt

- 1.) Customization.
- 2.) Fixed the issue of uncontinuous sound after suspend on some machine.

SoundMan.exe Version: 1.0.0.14
ALSndMgr.cpl Version: 1.0.0.5
Rtlcpl.exe Version: 1.0.1.38
Alcwzrd.exe Version: 1.1.0.18

Operate on :

Microsoft High Definition Audio Driver Package - KB888111
Package file version (kb888111.exe) : 6.1.22.0
Hdaudio.sys version : 5.10.00.5013

//=====

Driver Package R1.17

RtkHDAud.sys Version: 5.10.0.5120

1. Codec Supporting: ALC880, ALC882, ALC260, ALC861
2. OS Supporting: Microsoft WindowsXP, Windows2000
3. Pack with Microsoft High Definition Audio UAAV1.0a(5013)
4. Add/Fix
 1. Customization.
 2. Restore certain register value when resume from system suspend.

For New architecture:

- 1.) Customization.
- 2.) Improve reliability for switching multiple streaming.

SoundMan.exe Version: 1.0.0.14
ALSndMgr.cpl Version: 1.0.0.5
Rtlcpl.exe Version: 1.0.1.38
Alcwzrd.exe Version: 1.1.0.18

Operate on :

Microsoft High Definition Audio Driver Package - KB888111
Package file version (kb888111.exe) : 6.1.22.0
Hdaudio.sys version : 5.10.00.5013

//=====

Driver Package R1.16

RtkHDAud.sys Version: 5.10.0.5119

1. Codec Supporting: ALC880, ALC882, ALC260, ALC861
2. OS Supporting: Microsoft WindowsXP, Windows2000
3. Pack with Microsoft High Definition Audio UAAV1.0a(5013)
4. Add/Fix
 1. Customization.
 2. Fix initial noise issue for the certain models.
 3. Check codec SubsystemID verb to decide the driver path when driver initialize.
 4. Don't modify Configuration byte Verbs when driver initialize.
 5. Fix Buffer size un-alignment issue.

For New architecture:

- 1.) Customization.
- 2.) Fix the problem when play AC-3 stream by SPDIF interface
- 3.) Change device name for multiple streaming issue.

SoundMan.exe Version: 1.0.0.14
ALSndMgr.cpl Version: 1.0.0.5
Rtlcpl.exe Version: 1.0.1.38
Alcwzrd.exe Version: 1.1.0.17

Operate on :

Microsoft High Definition Audio Driver Package - KB888111
Package file version (kb888111.exe) : 6.1.22.0
Hdaudio.sys version : 5.10.00.5013

//=====

Driver Package R1.15

RtkHDAud.sys Version: 5.10.0.5116

1. Codec Supporting: ALC880, ALC882, ALC260, ALC861
2. OS Supporting: Microsoft WindowsXP, Windows2000
3. Pack with Microsoft High Definition Audio UAAV1(5011)
4. Add/Fix
 - 1.) Customization.
 - 2.) Auto lock SPDIF-in signal when SPDIF-in signal is unlocked.
 - 3.) Fix SPDIF out copy protection issue.
 - 4.) Add patch code for ALC260 potential risk.

For New architecture:

Readme.txt

- 1.) Customization.
- 2.) Fix new feature problem on multiple streaming.
- 3.) Fix capture problem on ALC882.

SoundMan.exe Version: 1.0.0.14
ALSndMgr.cpl Version: 1.0.0.5
Rtlcpl.exe Version: 1.0.1.38
Alcwzrd.exe Version: 1.1.0.17

Operate on :
Microsoft High Definition Audio Driver Package - KB835221
Package file version (kb835221.exe) : 6.1.1.0
Hdaudio.sys version : 5.10.00.5011

//=====

Driver Package R1.14

RtkHDAud.sys Version: 5.10.0.5109
1. Codec Supporting: ALC880, ALC882, ALC260, ALC861
2. OS Supporting: Microsoft WindowsXP, Windows2000
3. Pack with Microsoft High Definition Audio UAAV1(5011)
4. Add/Fix
1.) Customization.
2.) Reduce delay time when volume is adjusted.
3.) Fix hang up issue when system resume from S3.

For New architecture:

- 1.) New architecture of HD audio driver formal release.

SoundMan.exe Version: 1.0.0.14
ALSndMgr.cpl Version: 1.0.0.4
Rtlcpl.exe Version: 1.0.1.37
Alcwzrd.exe Version: 1.1.0.16

Operate on :
Microsoft High Definition Audio Driver Package - KB835221
Package file version (kb835221.exe) : 6.1.1.0
Hdaudio.sys version : 5.10.00.5011

//=====

Driver Package R1.13

RtkHDAud.sys Version: 5.10.0.5038
1. Codec Supporting: ALC880, ALC260, ALC861
2. OS Supporting: Microsoft WindowsXP, Windows2000
3. Pack with Microsoft High Definition Audio UAAV1(5011)
4. Add/Fix
1) Reduce initialize noise

SoundMan.exe Version: 1.0.0.14
ALSndMgr.cpl Version: 1.0.0.5
Rtlcpl.exe Version: 1.0.1.36
Alcwzrd.exe Version: 1.1.0.15

Operate on :
Microsoft High Definition Audio Driver Package - KB835221
Package file version (kb835221.exe) : 6.1.1.0
Hdaudio.sys version : 5.10.00.5011

//=====

Driver Package R1.12

RtkHDAud.sys Version: 5.10.0.5037
1. Codec Supporting: ALC880, ALC260, ALC861
2. OS Supporting: Microsoft WindowsXP, Windows2000
3. Pack with Microsoft High Definition Audio UAAV1(5011)
4. Add/Fix
1) Improve recording performance.
2) Reduce initialize noise

SoundMan.exe Version: 1.0.0.14
ALSndMgr.cpl Version: 1.0.0.5
Rtlcpl.exe Version: 1.0.1.36
Alcwzrd.exe Version: 1.1.0.15

Operate on :
Microsoft High Definition Audio Driver Package - KB835221
Package file version (kb835221.exe) : 6.1.1.0
Hdaudio.sys version : 5.10.00.5011

//=====

Driver Package R1.11

Readme.txt

RtkHDAud.sys Version: 5.10.0.5036

1. Codec Supporting: ALC880, ALC260, ALC861
2. OS Supporting: Microsoft WindowsXP, Windows2000
3. Pack with Microsoft High Definition Audio UAAV1(5011)
4. Add/Fix

SoundMan.exe Version: 1.0.0.14

ALSndMgr.cpl Version: 1.0.0.5

Rtlcpl.exe Version: 1.0.1.35

Alcwzrd.exe Version: 1.1.0.15

Operate on :

Microsoft High Definition Audio Driver Package - KB835221

Package file version (kb835221.exe) : 6.1.1.0

Hdaudio.sys version : 5.10.00.5011

//=====

Driver Package R1.10

RtkHDAud.sys Version: 5.10.0.5034

1. Codec Supporting: ALC880, ALC260, ALC861
2. OS Supporting: Microsoft WindowsXP, Windows2000
3. Pack with Microsoft High Definition Audio UAAV1(5011)
4. Add/Fix
 - 1) Fix the problem that there is little noise when start stream playing
 - 2) Fix the problem that in WinDVD, the SPDIF option still exist even there is no SPDIF

SoundMan.exe Version: 1.0.0.14

1. Set the default recording device as "Realtek HD Audio rear input" device

ALSndMgr.cpl Version: 1.0.0.5

Rtlcpl.exe Version: 1.0.1.34

Alcwzrd.exe Version: 1.1.0.15

1. Keep previous Jack setting.
2. Check whether have any jack plugin when restart OS, and popup the device window if wizard detect any new device plugin.

Operate on :

Microsoft High Definition Audio Driver Package - KB835221

Package file version (kb835221.exe) : 6.1.1.0

Hdaudio.sys version : 5.10.00.5011

//=====

Driver Package R1.09

RtkHDAud.sys Version: 5.10.0.5033

1. Codec Supporting: ALC880, ALC260, ALC861
2. OS Supporting: Microsoft WindowsXP, Windows2000
3. Pack with Microsoft High Definition Audio OOB Binaries V1.0

SoundMan.exe Version: 1.0.0.14

1. Set the default recording device as "Realtek HD Audio rear input" device

ALSndMgr.cpl Version: 1.0.0.5

Rtlcpl.exe Version: 1.0.1.33

Alcwzrd.exe Version: 1.1.0.14

Operate on :

Microsoft High Definition Audio Driver Package - KB835221

Package file version (kb835221.exe) : 6.1.1.0

Hdaudio.sys version : 5.10.00.5010

//=====

Driver Package R1.08

RtkHDAud.sys Version: 5.10.0.5032

1. Codec Supporting: ALC880, ALC260, ALC861
2. OS Supporting: Microsoft WindowsXP, Windows2000
3. Pack with Microsoft High Definition Audio OOB Binaries V1.0

SoundMan.exe Version: 1.0.0.12

ALSndMgr.cpl Version: 1.0.0.5

Rtlcpl.exe Version: 1.0.1.33

Alcwzrd.exe Version: 1.1.0.14

Operate on :

Microsoft High Definition Audio Driver Package - KB835221

Readme.txt

Package file version (kb835221.exe) : 6.1.1.0
Hdaudio.sys version : 5.10.00.5010

//=====

Driver Package R1.07

RtkHDAud.sys Version: 5.10.0.5031

1. Codec Supporting: ALC880, ALC260, ALC861
2. OS Supporting: Microsoft WindowsXP, Windows2000
3. Pack with Microsoft High Definition Audio OOB Binaries V1.0
4. Add/Fix
 - 1) Fix the problem when playback with sound recorder, when change frequency from 48k to 44.1k in SPDIF page, playback will stop
 - 2) Support for ALC880G, ALC880D, ALC260D
 - 3) Fix the the problem that system will hang up while perform audio test in 3DMark 2003

SoundMan.exe Version: 1.0.0.12

ALSndMgr.cpl Version: 1.0.0.5

Rtlcpl.exe Version: 1.0.1.32

1. Fix word collision problem in Multi-Language.

Alcwzrd.exe Version: 1.1.0.13

1. Restore previous jack setting when reboot system

Operate on :

Microsoft High Definition Audio Driver Package - KB835221

Package file version (kb835221.exe) : 6.1.1.0

Hdaudio.sys version : 5.10.00.5010

//=====

Driver Package R1.06

RtkHDAud.sys Version: 5.10.0.5030

1. Codec Supporting: ALC880, ALC260, ALC861
2. OS Supporting: Microsoft WindowsXP, Windows2000
3. Pack with Microsoft High Definition Audio OOB Binaries V1.0
4. Add/Fix

SoundMan.exe Version: 1.0.0.12

ALSndMgr.cpl Version: 1.0.0.3

Rtlcpl.exe Version: 1.0.1.31

Alcwzrd.exe Version: 1.1.0.12

Operate on :

Microsoft High Definition Audio Driver Package - KB835221

Package file version (kb835221.exe) : 6.1.1.0

Hdaudio.sys version : 5.10.00.5010

//=====

Driver Package R1.05

RtkHDAud.sys Version: 5.10.0.5029

1. Codec Supporting: ALC880, ALC260, ALC861
2. OS Supporting: Microsoft WindowsXP, Windows2000
3. Pack with Microsoft High Definition Audio OOB Binaries V1.0
4. Add/Fix
 - 1) Add support for ALC861
 - 2) Fix the noise problem that when recording from SPDIF In at 96khz

SoundMan.exe Version: 1.0.0.12

ALSndMgr.cpl Version: 1.0.0.5

Rtlcpl.exe Version: 1.0.1.31

Alcwzrd.exe Version: 1.1.0.12

Operate on :

Microsoft High Definition Audio Driver Package - KB835221

Package file version (kb835221.exe) : 6.1.1.0

Hdaudio.sys version : 5.10.00.5010

//=====

Driver Package R1.04

RtkHDAud.sys Version: 5.10.0.5028

1. Codec Supporting: ALC880, ALC260
2. OS Supporting: Microsoft WindowsXP, Windows2000
3. Pack with Microsoft High Definition Audio OOB Binaries V1.0
4. Add/Fix
 - 1) For UAJ A to A volume line, change type from KSNODETYPE_MICROPHONE to KSNODETYPE_ANALOG_CONNECTOR
 - 2) Fix the problem that SPDIF out no sound in WinDVD
 - 3) Fix the problem that there is balance control in Center and

Readme.txt

Subwoofer volume line in W2k

- 4) Change the component type of SPDIF-In from "KSNODETYPE_ANALOG_CONNECTOR" to "KSNODETYPE_SPDIF_INTERFACE"
- 5) Fix the problem that mute SPDIF out in mixer doesn't work

SoundMan.exe Version: 1.0.0.12

ALSndMgr.cpl Version: 1.0.0.3

Rtlcpl.exe Version: 1.0.1.31

1. Turn off all sound effect when speaker test!

Alcwzrd.exe Version: 1.1.0.12

Operate on :

Microsoft High Definition Audio Driver Package - KB835221
Package file version (kb835221.exe) : 6.1.1.0
Hdaudio.sys version : 5.10.00.5010

//=====

Driver Package R1.03

RtkHDAud.sys Version: 5.10.0.5027

SoundMan.exe Version: 1.0.0.4

ALSndMgr.cpl Version: 1.0.0.2

Rtlcpl.exe Version: 1.0.1.29

1. Sync the status which Enable/Disable wizard with alcwzrd
2. Make the tab of "Audio Wizard" independent from menu tabs.
3. Stop the play sound when menu tab is change.

Alcwzrd.exe Version: 1.1.0.12

1. Fixed broken wizard image.
2. Sync the status which Enable/Disable wizard with rtlcpl.

Operate on :

Microsoft High Definition Audio Driver Package - KB835221
Package file version (kb835221.exe) : 6.1.1.0
Hdaudio.sys version : 5.10.00.5010

//=====

Driver Package R1.01/R1.02

RtkHDAud.sys Version: 5.10.0.5022

1. Codec Supporting:
2. OS Supporting: Microsoft WindowsXP, Windows2000
3. Pack with Microsoft High Definition Audio OOB Binaries V1.0
4. Add/Fix

SoundMan.exe Version: 1.0.0.4

ALSndMgr.cpl Version: 1.0.0.2

Rtlcpl.exe Version: 1.0.1.23

Alcwzrd.exe Version: 1.1.0.5

Operate on :

Microsoft High Definition Audio Driver Package - KB835221
Package file version (kb835221.exe) : 6.1.1.0
Hdaudio.sys version : 5.10.00.5010

//=====

Driver Package R1.0

RtkHDAud.sys Version: 5.10.0.5017

1. Codec Supporting: Add ALC880/ALC880M Rev.F Rev.G, ALC860
2. OS Supporting: Microsoft WindowsXP, Windows2000
3. Pack with Microsoft High Definition Audio OOB Binaries V1.0
4. Add/Fix

SoundMan.exe Version: 1.0.0.4

ALSndMgr.cpl Version: 1.0.0.2

Rtlcpl.exe Version: 1.0.1.23

Alcwzrd.exe Version: 1.1.0.5

Operate on :

Microsoft High Definition Audio Driver Package - KB835221
Package file version (kb835221.exe) : 6.1.1.0
Hdaudio.sys version : 5.10.00.5010